

Maryland Department of Health & Mental Hygiene




Robert L Ehrlich, Jr., Governor

Michael S. Steele, Lt. Governor

Nelson J. Sabatini, Secretary

Arlene H. Stephenson, Deputy Secretary



Cancer in Maryland 2000 Incidence & Mortality Annual Report

Cancer in Maryland 2000 Incidence & Mortality Annual Report

Maryland Cancer Registry
Center for Cancer Surveillance and Control
Family Health Administration
Maryland Department of Health and Mental Hygiene


Prepared By:

Maryland Cancer Registry

Stacey Neloms, MPH, *Director*
Ryan Colvin, MPH, *Epidemiologist*

Quality Assurance /Database Management System, ORC Marco International, Inc.

Lynn Khoo, MD, MPH, *Director*
Maria Teresa Ramirez, BS, CTR,
Quality Assurance Manager
Rosa L. Moore, RHIT, CTR,
Quality Assurance Specialist



This report is support with funds from the Maryland Department of Health and Mental Hygiene and the Centers for Disease Control and Prevention, National Program for Cancer Registries
(Grant Number U75/CCU310698-06)

ACKNOWLEDGEMENTS

This report would not be possible without the support and diligence of the cancer registrars in Maryland reporting facilities. We appreciate your efforts.

We thank the staff of the Maryland Cancer Registry and the MCR Database Management System at ORC Macro International for their contribution in preparing this report.

The Maryland Vital Statistics Administration provided cancer mortality data. We thank Isabelle Horon, Dr.P.H., Director, Robert Hayman, Ph.D., and the Vital Statistics Administration staff for their assistance.

The North American Association of Central Cancer Registries (NAACCR) has been supportive of cancer registration in Maryland. We thank the NAACCR staff for their technical support.

Funding for this report was provided by the Centers for Disease Control and Prevention, National Program of Cancer Registries.

TABLE OF CONTENTS

| | | |
|-------------|--|-----------|
| I. | Data Highlights..... | 1 |
| A. | Incidence..... | 3 |
| B. | Mortality..... | 3 |
| II. | INTRODUCTION..... | 5 |
| A. | History of the Maryland Cancer Registry (MCR)..... | 7 |
| B. | MCR Operations | 7 |
| C. | Organization of this Report | 7 |
| III. | DATA COLLECTION AND MANAGEMENT..... | 9 |
| A. | Reporting Facilities | 11 |
| B. | Cancer Case Reporting Definition..... | 11 |
| C. | Registry Certification | 11 |
| D. | Quality Control/Quality Assurance (QA/QC) | 11 |
| E. | Data Confidentiality..... | 11 |
| IV. | TECHNICAL NOTES..... | 13 |
| A. | Incidence (New Cases)..... | 15 |
| B. | Stage at Diagnosis..... | 15 |
| C. | Mortality (Deaths)..... | 15 |
| D. | Population Estimates..... | 15 |
| E. | Estimated Annual Percent Change (Average Change per Year)..... | 15 |
| F. | Age-Adjustment..... | 16 |
| G. | Introduction to the Year 2000 Population Standard | 16 |
| H. | National Comparison Groups..... | 16 |
| I. | Data Considerations | 16 |
| V. | STATEWIDE INCIDENCE AND MORTALITY OVERVIEW..... | 19 |
| A. | Incidence Overview..... | 21 |
| B. | Mortality Overview..... | 25 |
| C. | Stage at Diagnosis..... | 29 |
| VI. | CANCER INCIDENCE BY RACE, GENDER, REGION AND JURISDICTION..... | 31 |
| Table I.1. | All Cancer Sites Combined, Both Genders | 33 |
| Table I.1a. | All Cancer Sites Combined, Both Genders (Other Races & Hispanic) | 34 |
| Table I.2. | All Cancer Sites Combined, Males | 35 |
| Table I.2a. | All Cancer Sites Combined, Males (Other Races & Hispanic)..... | 36 |
| Table I.3. | All Cancer Sites Combined, Females | 37 |
| Table I.3a. | All Cancer Sites Combined, Females (Other Races & Hispanic) | 38 |
| Table I.4. | Oral Cavity and Pharynx, Both Genders | 39 |
| Table I.5. | Oral Cavity and Pharynx, Males | 40 |
| Table I.6. | Oral Cavity and Pharynx, Females..... | 41 |
| Table I.7. | Esophagus, Both Genders | 42 |
| Table I.8. | Esophagus, Males..... | 43 |

| | | |
|-------------|--|----|
| Table I.9. | Esophagus, Females | 44 |
| Table I.10. | Stomach, Both Genders..... | 45 |
| Table I.11. | Stomach, Males | 46 |
| Table I.12. | Stomach, Females | 47 |
| Table I.13. | Colon and Rectum, Both Genders | 48 |
| Table I.14. | Colon and Rectum, Males..... | 49 |
| Table I.15. | Colon and Rectum, Females | 50 |
| Table I.16. | Liver and Intrahepatic Bile Duct, Both Genders | 51 |
| Table I.17. | Liver and Intrahepatic Bile Duct, Males..... | 52 |
| Table I.18. | Liver and Intrahepatic Bile Duct, Females | 53 |
| Table I.19. | Pancreas, Both Genders..... | 54 |
| Table I.20. | Pancreas, Males | 55 |
| Table I.21. | Pancreas, Females | 56 |
| Table I.22. | Larynx, Both Genders..... | 57 |
| Table I.23. | Larynx, Males..... | 58 |
| Table I.24. | Larynx, Females | 59 |
| Table I.25. | Lung and Bronchus, Both Genders..... | 60 |
| Table I.26. | Lung and Bronchus, Males | 61 |
| Table I.27. | Lung and Bronchus, Females | 62 |
| Table I.28. | Melanomas of the Skin, Both Genders | 63 |
| Table I.29. | Melanomas of the Skin, Males | 64 |
| Table I.30. | Melanomas of the Skin, Females..... | 65 |
| Table I.31. | Female Breast..... | 66 |
| Table I.32. | Female Breast (<i>In situ</i>)..... | 67 |
| Table I.33. | Cervix..... | 68 |
| Table I.34. | Uterus..... | 69 |
| Table I.35. | Ovary..... | 70 |
| Table I.36. | Prostate..... | 71 |
| Table I.37. | Testis..... | 72 |
| Table I.38. | Urinary Bladder, Both Genders | 73 |
| Table I.39. | Urinary Bladder, Males | 74 |
| Table I.40. | Urinary Bladder, Females | 75 |
| Table I.41. | Kidney and Renal Pelvis, Both Genders | 76 |
| Table I.42. | Kidney and Renal Pelvis, Males | 77 |
| Table I.43. | Kidney and Renal Pelvis, Females | 78 |
| Table I.44. | Brain, Both Genders | 79 |
| Table I.45. | Brain, Males..... | 80 |
| Table I.46. | Brain, Females..... | 81 |
| Table I.47. | Thryoid, Both Genders..... | 82 |
| Table I.48. | Thryoid, Males | 83 |
| Table I.49. | Thryoid, Females | 84 |
| Table I.50. | Hodgkins Lymphoma, Both Genders | 85 |
| Table I.51. | Hodgkins Lymphoma, Males..... | 86 |
| Table I.52. | Hodgkins Lymphoma, Females..... | 87 |
| Table I.53. | Non-Hodgkins Lymphoma, Both Genders | 88 |

| | | |
|-------------|--------------------------------------|----|
| Table I.54. | Non-Hodgkins Lymphoma, Males | 89 |
| Table I.55. | Non-Hodgkins Lymphoma, Females | 90 |
| Table I.56. | Multiple Myeloma, Both Genders | 91 |
| Table I.57. | Multiple Myeloma, Males | 92 |
| Table I.58. | Multiple Myeloma, Females | 93 |
| Table I.59. | Leukemia, Both Genders | 94 |
| Table I.60. | Leukemia, Males | 95 |
| Table I.61. | Leukemia, Females | 96 |

VII. CANCER MORTALITY BY RACE, GENDER, REGION AND JURISDICTION..... 97

| | | |
|-------------|--|-----|
| Table M.1. | All Cancer Sites Combined, Both Genders | 99 |
| Table M.1a. | All Cancer Sites Combined, Both Genders (Other Races & Hispanic) | 100 |
| Table M.2. | All Cancer Sites Combined, Males | 101 |
| Table M.2a. | All Cancer Sites Combined, Males (Other Races & Hispanic) | 102 |
| Table M.3. | All Cancer Sites Combined, Females | 103 |
| Table M.3a. | All Cancer Sites Combined, Females (Other Races & Hispanic) | 104 |
| Table M.4. | Oral Cavity and Pharynx, Both Genders | 105 |
| Table M.5. | Oral Cavity and Pharynx, Males | 106 |
| Table M.6. | Oral Cavity and Pharynx, Females | 107 |
| Table M.7. | Esophagus, Both Genders | 108 |
| Table M.8. | Esophagus, Males | 109 |
| Table M.9. | Esophagus, Females | 110 |
| Table M.10. | Stomach, Both Genders | 111 |
| Table M.11. | Stomach, Males | 112 |
| Table M.12. | Stomach, Females | 113 |
| Table M.13. | Colon and Rectum, Both Genders | 114 |
| Table M.14. | Colon and Rectum, Males | 115 |
| Table M.15. | Colon and Rectum, Females | 116 |
| Table M.16. | Liver and Intrahepatic Bile Duct, Both Genders | 117 |
| Table M.17. | Liver and Intrahepatic Bile Duct, Males | 118 |
| Table M.18. | Liver and Intrahepatic Bile Duct, Females | 119 |
| Table M.19. | Pancreas, Both Genders | 120 |
| Table M.20. | Pancreas, Males | 121 |
| Table M.21. | Pancreas, Females | 122 |
| Table M.22. | Larynx, Both Genders | 123 |
| Table M.23. | Larynx, Males | 124 |
| Table M.24. | Larynx, Females | 125 |
| Table M.25. | Lung and Bronchus, Both Genders | 126 |
| Table M.26. | Lung and Bronchus, Males | 127 |
| Table M.27. | Lung and Bronchus, Females | 128 |
| Table M.28. | Melanomas of the Skin, Both Genders | 129 |
| Table M.29. | Melanomas of the Skin, Males | 130 |
| Table M.30. | Melanomas of the Skin, Females | 131 |
| Table M.31. | Female Breast | 132 |

| | | |
|--------------------------|--|------------|
| Table M.32. | Cervix..... | 133 |
| Table M.33. | Uterus | 134 |
| Table M.34. | Ovary. | 135 |
| Table M.35. | Prostate | 136 |
| Table M.36. | Testis..... | 137 |
| Table M.37. | Urinary Bladder, Both Genders..... | 138 |
| Table M.38. | Urinary Bladder, Males | 139 |
| Table M.39. | Urinary Bladder, Females | 140 |
| Table M.40. | Kidney and Renal Pelvis, Both Genders..... | 141 |
| Table M.41. | Kidney and Renal Pelvis, Males | 142 |
| Table M.42. | Kidney and Renal Pelvis, Females | 143 |
| Table M.43. | Brain, Both Genders | 144 |
| Table M.44. | Brain, Males..... | 145 |
| Table M.45. | Brain, Females..... | 146 |
| Table M.46. | Thryoid, Both Genders..... | 147 |
| Table M.47. | Thryoid, Males | 148 |
| Table M.48. | Thryoid, Females | 149 |
| Table M.49. | Hodgkins Lymphoma, Both Genders | 150 |
| Table M.50. | Hodgkins Lymphoma, Males..... | 151 |
| Table M.51. | Hodgkins Lymphoma, Females..... | 152 |
| Table M.52. | Non-Hodgkins Lymphoma, Both Genders | 153 |
| Table M.53. | Non-Hodgkins Lymphoma, Males..... | 154 |
| Table M.54. | Non-Hodgkins Lymphoma, Females..... | 155 |
| Table M.55. | Multiple Myeloma, Both Genders | 156 |
| Table M.56. | Multiple Myeloma, Males..... | 157 |
| Table M.57. | Multiple Myeloma, Females | 158 |
| Table M.58. | Leukemia, Both Genders | 159 |
| Table M.59. | Leukemia, Males..... | 160 |
| Table M.60. | Leukemia, Females..... | 161 |
| VIII. APPENDICES. | | 163 |
| A. | Code of Maryland Regulations (Cancer Registry) | 165 |
| B. | SEER Primary Site Groupings (Based on ICD-0-2) | 175 |
| C. | Year 2000 US Standard Population | 179 |

DATA HIGHLIGHTS

The Maryland Cancer Registry is pleased to present its ninth annual report, *Cancer in Maryland, 2000 Incidence & Mortality Report*. Data presented includes cancers reported for the year 2000 and are presented as age-adjusted rates and number of cancer cases and deaths by gender and race. Cancer stage at diagnosis is also discussed. We hope this information will prove useful to the general public, health professionals, policy makers, and other individuals interested in cancer surveillance, prevention, and control.

A. Incidence

- A total of 24,551 new cases of invasive cancer were diagnosed among Maryland residents in 2000. The incidence rate for all cancer sites, age-adjusted using the new 2000 population standard for age adjustment, is 486.0 new cases per 100,000 residents.
- Cancer incidence rates in Maryland have declined an average of 2.5% per year from 1996-2000. There was an average decrease of 2.5% per year in the overall cancer incidence rate among males and 2.7% per year among females from 1996 through 2000.
- Cancers of the breast, prostate, lung and bronchus, and colon and rectum account for 57.9% of all newly diagnosed cancers in Maryland in 2000.
- Prostate cancer is the most frequently reported cancer among Maryland men. There were 4,080 newly diagnosed prostate cancers in 2000.
- Breast cancer is the most commonly reported cancer among Maryland women. There were 3,781 newly diagnosed invasive female breast cancers in 2000.

B. Mortality

- 10,241 Maryland residents died as a result of cancer in 2000. Cancer is the second leading cause of death in Maryland. The 2000 age-adjusted mortality rate using the 2000 population standard for age adjustment is 209.1 cancer deaths per 100,000 residents.
- The overall cancer mortality rate has decreased an average of 1.8% per year from 1996 through 2000.
- Cancers of the lung and bronchus, colon and rectum, breast, and prostate account for 52.9% of all cancer deaths in Maryland in 2000.
- Cancer of the lung and bronchus was the most common cause of cancer death among Maryland residents. There were 2,922 lung and bronchial cancer deaths in 2000, or about 28.5% of all cancer deaths. Cancer of the lung & bronchus was the leading cause of death among both men and women in 2000.
- Males had a significantly higher overall cancer mortality rate than females, and blacks had a significantly higher overall cancer mortality rate than whites in 2000.

INTRODUCTION

A. History of the Maryland Cancer Registry

The Maryland Cancer Registry (MCR) is the state's official source for cancer statistics. The MCR registers all new cases of reportable cancer diagnosed and/or treated in Maryland.

In 1992, the Maryland General Assembly enacted Maryland Health-General Article §§ 18-203 and 18-204. The new laws required hospitals, radiation therapy centers, and in- and out-of-state cancer diagnostic laboratories (that provide services to Maryland physicians) to electronically report all cancer cases diagnosed and/or treated in Maryland beginning July 1, 1993. In 1996, the laws were amended to require freestanding ambulatory care facilities, surgical centers, and physicians (whose non-hospitalized patients are not otherwise reported by either a hospital, radiation therapy center, surgical center or ambulatory care facility) to report cancer cases diagnosed and/or treated beginning with cases diagnosed January 1, 1999.

In 2001, the Maryland General Assembly enacted House Bill 636, which requires the reporting of benign brain and central nervous system tumors to the MCR, effective October 2001.

Through data exchange agreements with 12 other states including the neighboring states of Delaware, Pennsylvania, Virginia, West Virginia, and the District of Columbia, the MCR receives information on Maryland residents diagnosed and/or treated for cancer in these areas. The MCR also receives information on Maryland

residents from selected District of Columbia and Federal hospitals.

The MCR received funding from the Centers for Disease Control and Prevention, National Program of Cancer Registries (NPCR) in 1996. The MCR has since received non-interrupted funding from the NPCR to support MCR efforts towards the collection of timely, complete, and accurate data.

B. MCR Operations

The MCR is comprised of a central office and a data processing center. The MCR central office, located in the Department of Health and Mental Hygiene office complex, is charged with the administrative, technical, analytical, and custodial oversight of MCR data. The data processing center, located at ORC MACRO International, Inc., processes all cancer reports and performs quality assurance and quality control activities.

The MCR was incorporated into the Center for Cancer Surveillance and Control during the year 2000.

C. Organization of this Report

This report provides cancer incidence and mortality statistics for the State of Maryland. Age-adjusted rates are based on the year 2000 population standard. Data tables include counts for major cancer sites, stage at diagnosis, and age-adjusted incidence and mortality rates (by site, gender, race, and jurisdiction).

DATA COLLECTION AND MANAGEMENT

A. Reporting Facilities

This report presents data collected from 51 Maryland hospitals, 2 DC hospitals, 18 radiation therapy clinics, 30 hospital laboratories, 21 freestanding in-state diagnostic laboratories, 11 out-of-state laboratories, 32 ambulatory and surgical centers, 87 physicians, and 12 state central cancer registries and the District of Columbia central cancer registry. Facilities are required to submit cancer reports on all new cancer cases. A total of 265 facilities reported cancers in 2000 compared to 147 the previous year. The increase in the number of reporting facilities is due to reporting by freestanding ambulatory care facilities, surgical centers, and physicians mandated to report cancer cases diagnosed and/or treated in Maryland as of January 1, 1999.

B. Cancer Case Reporting Definition

Reportable cancers, according to Maryland law, are listed in Table 1. The 2000 incident cancers are classified according to the *International Classification of Disease Oncology Second Edition* (ICD-O-2) and the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM) coding systems.

Table 1. Reportable Cancers/Tumors in Maryland

| Cancers | ICD-O-2 | ICD-9-CM |
|--|------------------------------------|-------------|
| All cases of carcinoma, sarcoma, melanoma, leukemia, and lymphoma. (See exclusions below) | C00.0 - C80.9 Behavior Code = 3 | 140.0-208.9 |
| All cases of carcinoma in situ including skin cancer of genital sites and cervical CIS, CIN3 or any combination. | C00.0-C75.9 Behavior Code = 2 | 230.0-234.9 |
| Exclusions: Basal, squamous, epithelial & papillary cell carcinomas of the skin of non-genital sites. | C44.0-C44.9 | 173.0-173.9 |

CIS = Carcinoma in situ.

CIN3 = Cervical intra-epithelial neoplasia, grade 3.

C. Registry Certification

Each year, the North American Association of Central Cancer Registries (NAACCR) evaluates MCR data for completeness, quality and timeliness. The MCR's 2000 incidence data has achieved the "gold" certification for data timeliness, completeness and quality.

D. Quality Control/Quality Assurance (QA/QC)

MCR maintains two major activities for improving the accuracy and quality of the information received: 1) internal intra- and inter-record audits of the cancer reports and 2) a yearly re-abstraction of records from reporting facilities. In addition, the MCR conducts special data quality reviews as funding permits.

The MCR QA/QC program also includes the following components:

- A review of disease indices from all reporting hospitals, enrollment lists from radiation facilities, and specimen logs from laboratories to identify possible missed cases;
- A sample of records from reporting facilities; and
- The review of death certificate data to identify additional cancer cases among deceased Maryland residents who were not previously reported to the MCR.

E. Data Confidentiality

The Maryland Department of Health and Mental Hygiene (DHMH) regards all data received, processed, and reported to or by the MCR as confidential. Data are secured from unauthorized access and disclosure.

The Maryland Cancer Registry manages and releases information in accordance with the laws, rules, and regulations established for and by the State of Maryland as set forth in the Code of Maryland Regulations 10.14.01, Cancer Registry and Md. Code Ann., Health-General §§18-203-18-204 (Appendix A).

In accordance with the MCR Data Use Policy, this report presents data in the aggregate. Cells with less than 6 cases and rates based on cells with less than 26 cases are not presented.

TECHNICAL NOTES

A. Incidence (New Cases)

The Maryland Cancer Registry is the source for the cancer incidence (new cases) data presented in this report. The MCR database contains two types of cancer cases:

1. Cancers that are defined using the American Cancer Society (ACS) criteria, and
2. Additional benign and *in situ* tumors the Maryland DHMH considers important for the review and evaluation of State cancer control programs.

The ACS cases are those that are used for incidence calculations by National Cancer Institute's Surveillance Epidemiology End Results Program (SEER), the American College of Surgeons (ACoS), and NAACCR. They include all malignant cancers at any site except for designated skin types (non-genital basal and squamous cell carcinoma of skin). Cancer cases used in incidence calculations in this report are defined according to ACS inclusion criteria. They consist of all invasive cancers (and *in situ* cancers of the urinary bladder) diagnosed in Maryland residents between January 1, 2000 and December 31, 2000. Cancer sites are grouped according to the conventions of the SEER Program (Appendix B). Only new cases diagnosed among Maryland residents are included in the analyses.

Incidence rates are presented stratified by site of cancer, race, gender and jurisdiction. Except where noted, all incidence rates are age-adjusted using the 2000 standard million population.

B. Stage at Diagnosis

Stage at diagnosis is presented for the major cancer sites using the SEER Summary Stage algorithm:

Localized - the tumor is still confined to the primary organ in which it first began growing,

Regional - the tumor has spread to lymph nodes or adjacent tissues,

Distant - the tumor has spread to other parts of the body or metastasized, and *Unstaged*.

C. Mortality (Deaths)

Information on cancer-related deaths was obtained from the Maryland Vital Statistics Administration. Only deaths from Maryland residents who died during 2000 are included in the analyses. Cancer deaths are grouped according to the conventions of the SEER Program (Appendix B). Except for age-specific mortality rates, all mortality rates are age-adjusted using the 2000 standard million population.

D. Population Estimates

Maryland 2000 population estimates used in this report were provided by the National Center for Health Statistics (NCHS) and produced under a collaborative arrangement with the U.S. Census Bureau. These estimates result from bridging the new 31 race categories used in Census 2000, as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity, to the four race categories previously used. Additional information about Census 2000 and the bridging methodology is available on the NCHS website at <http://www.census.gov/nchs>.

E. Estimated Annual Percent Change (Average Change per Year)

An Estimated Annual Percent Change (EAPC) of cancer incidence and mortality for years 1996 through 2000 is calculated using SEER methodology. The EAPC represents the average annual percentage increase or decrease in rates during a given time period. The EAPC was calculated by fitting a regression line to the natural logarithm of the MCR published rates (r) using the calendar year as a regressor variable: $y = mx + b$, where $y = \ln(r)$

and x = calendar year (1996 through 2000). The EAPC = $100 * (e^m - 1)$.

F. Age-Adjustment

Age-adjustment is the process used to compare incidence and mortality rates over time, or among geographic areas or populations that have different age distributions. Because most disease rates increase tremendously with increasing age, age-adjustment eliminates the confounding effect of age when comparing rates.

G. Introduction to the Year 2000 Population Standard

Federal agencies have adopted the year 2000 projected U.S. population as the new standard for age-adjusting incidence and mortality rates, beginning with data year 1999. The year 2000-population standard replaces at least three different population standards used in earlier years. The use of multiple standards resulted in difficulties comparing data prepared by National and Federal agencies, and caused confusion among data users and the general public. Use of the 2000 standard was recommended to promote uniformity of data among agencies, and to eliminate the need to calculate rates using more than one standard.

All 2000 incidence and mortality rates are adjusted using the 2000 U.S. standard population by the direct method unless otherwise specified, and are presented as number of cancers per 100,000 population.

H. National Comparison Groups

This report compares the cancer experience in Maryland with that of the nation and uses the 2000 National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) Program as a national proxy. The SEER Program represents approximately 14 percent of the US population and collects and publishes cancer incidence and survival data from 11 population-based cancer registries and three supplemental

registries. Maryland's 2000 incidence and mortality rates with 95% confidence intervals (95% CI) are compared to 2000 data from the SEER program using the on-line CanQues system. SEER obtains mortality data from the National Center for Health Statistics.

I. Data Considerations

1. New Reporters

Beginning with cases diagnosed January 1, 1999, additional cancer reports were also submitted to the MCR by ambulatory care facilities, surgical centers, and physicians. The additional reporting results in an observed increase in the number of new site-specific cancers number of cancers reported in 2000. The largest increases are observed for prostate cancer and melanoma.

2. Race

Race-specific rates for 2000 data are reported as white and black. A special section reviews 2000 cancer incidence and mortality among minority populations

For data years prior to 1996, the black and other racial groups were combined as the non-white racial group. Consequently, when reporting EAPC trends for rates from 1996 to 2000, incidence rates for whites are compared with incidence rates for non-whites.

In 2000, there were 582 cases coded as "unknown race" in the incidence database. Over sixty-five percent of the new cases with missing racial information were reported from laboratories. The unknown race group has been included when calculating Maryland statewide total and site-specific rates. This introduces some discrepancies when comparing the overall age-adjusted incidence rates with the race-specific incidence rates. (The information on race is more complete on the death certificates so the problem is minimal when reporting mortality information.)

3. Hispanic Ethnicity

In order to provide a more accurate picture of the cancer burden among the Hispanic population, several central cancer registries use an algorithm to estimate Hispanic ethnicity based on the US Census Spanish surname listings. The MCR, at the recommendation of NAACCR, used a modified algorithm to recode cases that were missing Hispanic ethnicity information. Use of this algorithm has increased the number of cases with Hispanic ethnicity. Consequently, the revised number of new cancer cases diagnosed among the Hispanic population in 2000 is similar to the number of expected cases, based on national data.

4. Age at Diagnosis

Thirteen (13) records are missing age in the 2000 incidence dataset. These cases are not used in the calculation of age-adjusted incidence rates. Excluding these cases does not significantly affect the incidence rates presented in this report.

5. Gender

There are six cases coded with either a *missing* or *other* gender in the 2000 incidence dataset. Excluding these cases does not significantly affect the calculation of sex-specific rates presented in this report.

6. Unknown Stage at Diagnosis

The percent of cancers with unknown stage at the time of diagnosis differs by site and racial group. The true staging distribution by race could, therefore, differ from the proportions in this report if the cases with unknown staging are distributed differentially among racial groups.

7. Data Tables

The data tables present 2000 cancer incidence and mortality information for the State of

Maryland, the five Maryland regions and 24 jurisdictions. The tables must be reviewed with caution. Small numbers are subject to variation, especially when viewing rare cancers. Confidence intervals are included with rates to help guide interpretation.

In accordance with the MCR Data Use Policy, this report presents data in the aggregate. Cells with less than 6 cases and rates based on cells with less than 26 cases are not presented.

STATEWIDE INCIDENCE AND MORTALITY OVERVIEW

A. ALL SITES COMBINED

1. Incidence (New Cases) Overview

A total of 24,551 cancers were diagnosed among Maryland residents in 2000 (Table 4). The State's age-adjusted incidence rate for all cancer sites combined is 486.0 cases per 100,000 (479.9-492.1, 95% CI). The state's age-adjusted cancer incidence rate is significantly higher than the 2000 SEER rate of 472.9 cases per 100,000 (470.2-475.6, 95% CI). The cancer incidence rate in Maryland has declined an average of 2.5% per year between 1996 and 2000.

**Table 4. New Cancer Cases and Age-Adjusted Cancer Incidence Rates per 100,000 population
All Cancer Sites Combined by Gender and Race, Maryland 2000 and SEER, 2000.**

| Race | Total | | Males | | Females | |
|-------------------|---------------|-------------------|---------------|-------------------|---------------|-------------------|
| | Cases | Rate ¹ | Cases | Rate ¹ | Cases | Rate ¹ |
| MD White | 17,894 | 474.3 | 9,163 | 555.6 | 8,729 | 420.8 |
| MD Black | 5,358 | 488.5 | 2,798 | 626.6 | 2,558 | 394.4 |
| MD Asian | 396 | 254.4 | 176 | 273.9 | 219 | 241.2 |
| MD Hispanic* | 371 | 373.9 | 164 | 460.3 | 207 | 336.1 |
| MD Total** | 24,551 | 486.0 | 12,699 | 585.5 | 11,846 | 417.7 |
| SEER Total | - | 472.9 | - | 560.2 | - | 413.8 |

¹. Age-adjusted using the 2000 US Standard Population.

Source: Maryland Cancer Registry, 2000.

SEER Program, NCI, 2000.

* Includes all racial groups.

** Includes "other" race group.

2. Most Frequently Diagnosed New Cancers

The distribution of new cancer cases in Maryland (Figure 3) is similar to the distribution of cancer in the US. Of all new cases, 16.6% (4,080) are prostate cancers, 15.6% (3,820) are breast cancers, 14.4% (3,538) are cancers of the lung and bronchus, and 11.3% (2,778) are cancers of the colon and rectum. Cancers of the breast account for 31.9% of newly diagnosed cancers among women, and prostate cancer accounts for 33.3% of newly diagnosed cancers among men. The ten most frequently diagnosed cancers in Maryland are presented in Figure 3. These cancers account for over 76.1% of the new cases diagnosed in 2000.

The most frequently diagnosed cancers differ by age group (Figure 4). Leukemias (N=50) and central nervous system (including brain) tumors (N=45) are the most common cancers diagnosed among persons between the ages of 0 to 19 years (22.7% and 20.4%, respectively). Breast cancer is the most frequently diagnosed cancer among Maryland residents between the ages of 20 and 49 years (920 cases or 25%). Among individuals age 50 years and older, cancers of the prostate, lung and bronchus, breast, and colon and rectum are the most frequently diagnosed.

Figure 3. Ten Most Frequently Diagnosed Cancers, by Percent of Total Cancers, All Races, Both Sexes, Maryland 2000






Figure 4. Five Most Frequently Diagnosed Cancers by Percent of Total (Within Group), All Races, Both Sexes, Maryland, 2000



3. Age-Specific Cancer Incidence Rates

The risk of developing cancer increases with age for all gender and racial groups (Figure 5). Males have higher cancer incidence rates compared to females starting at age 50 years. Black males have the highest age-specific rates for all racial groups starting around 55 years of age.

Figure 5. Age-Specific Cancer Incidence Rates, All Sites Combined by Gender and Race, Maryland, 2000.



4. Gender-Specific Incidence Trends

The 2000 total male to female cancer incidence rate ratio for Maryland residents is 1.4. There was an average decrease of 2.5% per year in the overall cancer incidence rate among males during the 5-year period 1996 to 2000. The age-adjusted overall cancer incidence rate among Maryland males is 585.5 per 100,000 (575.1-596.1, 95% CI); this rate is significantly higher than the 2000 SEER age-adjusted male cancer incidence rate of 560.2 per 100,000 men (555.7-564.7, 95% CI).

There was an average decrease of 2.6% per year in the overall cancer incidence rate among females from 1996 through 2000. The 2000 age-adjusted overall cancer incidence rate among Maryland females is 417.7 per 100,000 women (410.2-425.3, 95% CI); this rate is not statistically different from the 2000 SEER age-adjusted cancer incidence rate of 413.8 per 100,000 women (410.4-417.2, 95% CI).

5. Racial Distribution of New Cases

The black to white cancer incidence rate ratio among Maryland residents is 1.0. The 2000 overall age-adjusted cancer incidence rate among Maryland whites is 474.3 per 100,000 population (467.4-481.3,

ALL SITES COMBINED-INCIDENCE

95% CI); this rate is not significantly different than the 2000 SEER rate for whites (478.9 per 100,000, 475.9-481.9, 95% CI). The total age-adjusted cancer incidence rate among Maryland blacks is 488.5 per 100,000 population (475.0-502.4, 95% CI). This rate is significantly lower than the 2000 SEER age-adjusted incidence rate for blacks (512.4 per 100,000 blacks, 502.6-522.3, 95% CI).

Black males have the highest 2000 overall age-adjusted cancer incidence rate in the state. The 2000 age-adjusted cancer incidence rate for Maryland black males is 626.6 per 100,000 (601.7-652.6, 95% CI); this rate is significantly higher than 2000 overall age-adjusted cancer incidence rates among all other races and gender groups in Maryland.

A. ALL SITES COMBINED

1. Mortality (Deaths) Overview

A total of 10,241 Maryland residents died from cancer in 2000 (Table 6). Maryland ranks the 11th highest among the states and the District of Columbia in total cancer mortality (1996-2000). Malignant neoplasms are the second leading cause of death in Maryland, responsible for 23.5% of all 2000 deaths. Maryland's overall 2000 cancer mortality rate is 209.1 deaths per 100,000 population (205.0-213.2, 95% CI); this rate is significantly higher than the 2000 US cancer mortality rate of 199.6 deaths per 100,000 (199.1-200.1, 95% CI). Cancer mortality rates in Maryland have declined an average of 2.0% per year from 1996 to 2000.

Table 6. Cancer Deaths and Age-Adjusted Cancer Mortality Rates per 100,000, All Cancer Sites Combined, by Gender and Race, Maryland 2000 and US 2000.

| Race | Total | | Males | | Females | |
|-------------------|---------------|-------------------|--------------|-------------------|--------------|-------------------|
| | Deaths | Rate ¹ | Deaths | Rate ¹ | Deaths | Rate ¹ |
| MD White | 7,601 | 201.8 | 3,842 | 247.8 | 3,759 | 172.7 |
| MD Black | 2,451 | 246.0 | 1,262 | 333.4 | 1,189 | 195.9 |
| MD Asian | 169 | 121.6 | 77 | 128.7 | 92 | 116.2 |
| MD Hispanic* | 42 | 48.5 | 8 | - | 16 | - |
| MD Total** | 10,241 | 209.1 | 5,192 | 260.5 | 5,049 | 176.9 |
| US 2000 | - | 199.6 | - | 249.8 | - | 167.3 |

¹Age-adjusted to 2000 US Standard Population.

Source: Maryland Vital Statistics Administration, 2000.

National Cancer Institute, SEER Program, 2000.

National Center for Health Statistics, 2000

*Includes all races.


** Includes "other" race group.

2. Most Frequent Cause of Cancer-Related Deaths

Lung and bronchial, colorectal, breast, and prostate cancers account for 52.9% of the 2000 cancer-related deaths in Maryland (Figure 7). Among deaths due to cancer, 28.5% (2,922) are lung and bronchial cancers 11.3% (1,158) are colorectal cancers, 7.8% (801) are breast cancers and 5.3% (541) are prostate cancers.

The most frequent type of cancer death differs by age group (Figure 8). Leukemias (N=18) and central nervous system (including brain) tumors (N=9) are responsible for most of the cancer-related deaths among persons aged 0-19 years (32.1% and 16.1%, respectively). Lung and breast cancers account for the most cancer-related mortality among Maryland residents between the ages of 20 to 49 years (20.1% and 14.1%, respectively). Among persons aged 50 and older, lung cancer is responsible for 29.4% of Maryland's cancer-related deaths (N=2,758).

Figure 7. Ten Most Frequent Sites of Cancer-Related Deaths, by Percent of Total Cancer Deaths, All Races, Both Sexes, Maryland 2000.




Source: Maryland Vital Statistics Administration, 2000

Total Cancer Deaths = 10,241

*NHL = Non-Hodgkin's Lymphoma

Figure 8. Most Frequent Sites of Cancer-Related Deaths by Age Group and Percent Total (Within Group), all Races, Both Sexes, Maryland 2000




Source: Maryland Vital Statistics Administration, 2000

3. Age-Specific Mortality Rates


Cancer mortality rates increase with age for all gender and racial groups (Figure 9a and 9b). Males have a higher death rate than females starting around 60 years of age, and blacks die more frequently from cancer than whites starting around 40 years of age.

Figure 9a. Age-Specific Cancer Mortality Rates, All Sites Combined, By Gender, Maryland, 2000



Source: Maryland Vital Statistics Administration, 2000

Figure 9b. Age-Specific Cancer Mortality Rates, All Sites Combined, by Race, Maryland 2000.



Source: Maryland Vital Statistics Administration, 2000

4. Gender-Specific Mortality Trends

The 2000 male to female cancer mortality rate ratio among Maryland residents is 1.5. The 2000 age-adjusted cancer mortality rate among Maryland males is 260.5 deaths per 100,000 (253.2-267.9, 95% CI); this rate is significantly higher than the 2000 US age-adjusted rate of 249.8 deaths per 100,000 males (248.8-250.7, 95% CI). There was an average decrease of 2.5% per year in the overall cancer mortality rate among males during the 5-year period 1996 to 2000.

ALL SITES COMBINED-MORTALITY

The 2000 female total cancer age-adjusted mortality rate among Maryland females is 176.9 deaths per 100,000 women (172.1-181.9, 95% CI); this rate is significantly higher than the 2000 US mortality rate of 167.3 deaths per 100,000 women (166.6-167.9, 95% CI). Cancer mortality rates have also decreased among Maryland women. There was an average decrease of 1.7% per year in the overall age-adjusted cancer mortality rate among females between 1996 and 2000.

**New Cancers by SEER Summary Stage Distribution (%),
Major Site and Race/Ethnicity, Maryland, 2000**

All Sites Combined*

| Race | Summary Stage (Percent of Total) | | | |
|------------------------|----------------------------------|----------|---------|----------|
| | Localized | Regional | Distant | Unstaged |
| Total (Combined) | 44% | 21% | 16% | 19% |
| White | 46% | 21% | 16% | 17% |
| Black | 40% | 23% | 19% | 18% |
| Asian/Pacific Islander | 38% | 26% | 19% | 17% |
| Hispanic** | 46% | 20% | 18% | 15% |

Colon and Rectum

| Race | Summary Stage (Percent of Total) | | | |
|------------------------|----------------------------------|----------|---------|----------|
| | Localized | Regional | Distant | Unstaged |
| Total (Combined) | 31% | 40% | 15% | 14% |
| White | 33% | 42% | 14% | 11% |
| Black | 30% | 37% | 19% | 13% |
| Asian/Pacific Islander | 24% | 47% | 19% | 9% |
| Hispanic** | 27% | 39% | 24% | 9% |
| SEER (1992-1999) | 38% | 38% | 19% | 5% |

Lung and Bronchus

| Race | Summary Stage (Percent of Total) | | | |
|------------------------|----------------------------------|----------|---------|----------|
| | Localized | Regional | Distant | Unstaged |
| Total (Combined) | 22% | 26% | 35% | 16% |
| White | 24% | 26% | 34% | 16% |
| Black | 18% | 27% | 37% | 18% |
| Asian/Pacific Islander | 9% | 26% | 46% | 20% |
| Hispanic** | 19% | 23% | 45% | 13% |
| SEER (1992-1999) | 16% | 36% | 38% | 10% |

Source: Maryland Cancer Registry, 2000

National Cancer Institute, SEER Program, 1999

* SEER Stage information not available for all sites combined.

**Hispanic Includes all races.

Prostate

| Race | Summary Stage (Percent of Total) | | | |
|------------------------|----------------------------------|----------|---------|----------|
| | Localized | Regional | Distant | Unstaged |
| Total (Combined) | 68% | 7% | 3% | 22% |
| White | 72% | 7% | 2% | 19% |
| Black | 71% | 8% | 5% | 16% |
| Asian/Pacific Islander | 59% | 7% | 5% | 29% |
| Hispanic* | 69% | 5% | 5% | 20% |
| SEER (1992-1999) | 86%* | | 6% | 8% |

* Reported combined

Female Breast

| Race | Summary Stage (Percent of Total) | | | |
|------------------------|----------------------------------|----------|---------|----------|
| | Localized | Regional | Distant | Unstaged |
| Total (Combined) | 58% | 28% | 4% | 10% |
| White | 60% | 27% | 4% | 9% |
| Black | 51% | 34% | 4% | 11% |
| Asian/Pacific Islander | 51% | 39% | 0% | 9% |
| Hispanic* | 61% | 32% | 5% | 2% |
| SEER (1992-1999) | 63% | 29% | 6% | 3% |

Source: Maryland Cancer Registry, 2000
 National Cancer Institute, SEER Program, 1999
 *Hispanic includes all races.

VI. CANCER INCIDENCE

All Sites

Table I.1. Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|-------|-------------|-------------|-------|-------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 24551 | 486.0 | 479.9 | 492.1 | 17894 | 474.3 | 467.4 | 481.3 | 5358 | 488.5 | 475.0 | 502.4 |
| BALTIMORE METRO REGION | 12459 | 504.0 | 495.2 | 512.9 | 9129 | 492.0 | 482.0 | 502.3 | 2886 | 512.8 | 494.0 | 532.3 |
| Anne Arundel | 2245 | 504.9 | 483.9 | 526.8 | 1877 | 483.0 | 461.0 | 505.8 | 271 | 596.4 | 524.5 | 676.8 |
| Baltimore City | 3321 | 505.8 | 488.7 | 523.3 | 1347 | 496.9 | 470.1 | 525.2 | 1892 | 501.3 | 478.8 | 524.6 |
| Baltimore County | 4307 | 514.0 | 498.7 | 529.6 | 3626 | 502.3 | 485.9 | 519.2 | 516 | 534.8 | 486.6 | 587.3 |
| Carroll | 711 | 505.3 | 468.5 | 544.4 | 679 | 498.6 | 461.5 | 538.1 | 14 | ~ | ~ | ~ |
| Harford | 995 | 510.0 | 478.2 | 543.7 | 904 | 505.1 | 472.2 | 540.1 | 65 | 508.1 | 385.9 | 664.1 |
| Howard | 880 | 454.6 | 423.7 | 487.4 | 696 | 450.4 | 416.4 | 486.8 | 128 | 498.7 | 408.3 | 607.6 |
| EASTERN SHORE REGION | 2096 | 469.1 | 449.2 | 489.8 | 1748 | 459.4 | 438.0 | 481.7 | 293 | 471.8 | 419.3 | 529.2 |
| Caroline | 153 | 487.2 | 413.0 | 572.1 | 128 | 478.6 | 399.2 | 571.0 | 23 | ~ | ~ | ~ |
| Cecil | 396 | 505.5 | 456.3 | 559.2 | 370 | 494.9 | 445.2 | 549.4 | 12 | ~ | ~ | ~ |
| Dorchester | 206 | 520.2 | 450.9 | 599.6 | 161 | 523.4 | 444.2 | 617.4 | 45 | 524.0 | 382.0 | 704.0 |
| Kent | 99 | 376.3 | 304.5 | 464.9 | 91 | 410.7 | 328.8 | 514.3 | 8 | ~ | ~ | ~ |
| Queen Anne's | 179 | 415.9 | 356.6 | 484.8 | 149 | 391.4 | 330.2 | 463.7 | 28 | 595.2 | 394.1 | 891.0 |
| Somerset | 118 | 444.9 | 368.0 | 535.5 | 80 | 420.2 | 332.1 | 530.9 | 35 | 505.3 | 350.3 | 709.2 |
| Talbot | 229 | 468.3 | 408.1 | 538.6 | 198 | 470.9 | 405.1 | 550.1 | 29 | 474.6 | 317.3 | 693.5 |
| Wicomico | 395 | 463.2 | 418.6 | 511.4 | 305 | 451.1 | 401.8 | 505.4 | 75 | 464.6 | 365.0 | 584.6 |
| Worcester | 321 | 490.1 | 436.4 | 550.5 | 266 | 471.8 | 414.4 | 537.8 | 38 | 447.3 | 315.7 | 621.7 |
| NATIONAL CAPITAL REGION | 6727 | 460.5 | 449.4 | 471.8 | 4124 | 444.7 | 431.2 | 458.5 | 1931 | 461.1 | 438.4 | 485.0 |
| Montgomery | 3742 | 445.4 | 431.1 | 460.0 | 2868 | 432.2 | 416.4 | 448.4 | 418 | 462.8 | 416.8 | 513.2 |
| Prince George's | 2985 | 482.6 | 464.7 | 501.2 | 1256 | 477.1 | 451.0 | 504.5 | 1513 | 459.3 | 433.2 | 486.9 |
| NORTHWEST REGION | 2102 | 475.3 | 455.2 | 496.1 | 1982 | 468.5 | 448.1 | 489.7 | 65 | 436.4 | 329.3 | 571.4 |
| Allegany | 437 | 461.7 | 418.7 | 508.7 | 427 | 463.7 | 419.9 | 511.8 | 8 | ~ | ~ | ~ |
| Frederick | 785 | 467.8 | 435.2 | 502.2 | 710 | 451.1 | 418.2 | 486.1 | 35 | 419.2 | 287.4 | 598.6 |
| Garrett | 156 | 453.3 | 384.6 | 532.5 | 156 | 455.9 | 386.8 | 535.5 | ~ | ~ | ~ | ~ |
| Washington | 724 | 506.4 | 470.2 | 544.9 | 689 | 502.1 | 465.2 | 541.5 | 22 | ~ | ~ | ~ |
| SOUTHERN REGION | 1128 | 493.8 | 464.6 | 524.5 | 907 | 485.7 | 453.9 | 519.5 | 179 | 479.5 | 409.5 | 559.6 |
| Calvert | 298 | 484.3 | 429.8 | 544.7 | 241 | 453.6 | 396.8 | 517.2 | 43 | 531.4 | 383.0 | 721.4 |
| Charles | 467 | 501.3 | 455.0 | 551.6 | 355 | 498.2 | 446.1 | 555.5 | 91 | 450.8 | 356.0 | 569.2 |
| Saint Mary's | 363 | 497.9 | 447.2 | 553.4 | 311 | 504.1 | 448.7 | 565.2 | 45 | 472.7 | 344.0 | 636.8 |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table I.1.a Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|----------|----------|-------------------------------|------|----------|----------|------------------------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 396 | 254.4 | 226.9 | 285.2 | 15 | ~ | ~ | ~ | 371 | 373.9 | 332.0 | 420.6 |
| BALTIMORE METRO REGION | 119 | 265.3 | 213.2 | 330.3 | 8 | ~ | ~ | ~ | 108 | 482.4 | 388.5 | 595.4 |
| Anne Arundel | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 24 | ~ | ~ | ~ |
| Baltimore City | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 26 | 474.7 | 306.7 | 711.2 |
| Baltimore County | 47 | 326.5 | 225.6 | 468.6 | ~ | ~ | ~ | ~ | 33 | 497.7 | 331.5 | 730.8 |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Howard | 30 | 240.1 | 149.4 | 396.8 | ~ | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 253 | 253.4 | 219.9 | 292.0 | ~ | ~ | ~ | ~ | 228 | 336.5 | 287.6 | 392.9 |
| Montgomery | 200 | 263.0 | 224.4 | 308.3 | ~ | ~ | ~ | ~ | 154 | 309.2 | 255.7 | 373.0 |
| Prince George's | 53 | 221.4 | 158.0 | 308.5 | ~ | ~ | ~ | ~ | 74 | 421.6 | 313.4 | 563.8 |
| NORTHWEST REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table I.2. Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|-------|----------|----------|-------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 12699 | 585.5 | 575.1 | 596.1 | 9163 | 555.6 | 544.2 | 567.4 | 2798 | 626.6 | 601.7 | 652.6 |
| BALTIMORE METRO REGION | 6448 | 612.5 | 597.4 | 628.1 | 4685 | 582.4 | 565.6 | 599.6 | 1498 | 663.0 | 628.3 | 699.8 |
| Anne Arundel | 1188 | 605.4 | 569.4 | 643.8 | 993 | 577.0 | 539.7 | 617.2 | 144 | 737.5 | 612.8 | 888.1 |
| Baltimore City | 1732 | 645.5 | 615.2 | 677.1 | 680 | 587.7 | 544.2 | 634.5 | 988 | 661.2 | 619.4 | 705.9 |
| Baltimore County | 2205 | 616.1 | 590.4 | 642.8 | 1837 | 589.9 | 563.0 | 617.9 | 264 | 655.1 | 570.9 | 753.6 |
| Carroll | 368 | 609.1 | 546.2 | 678.8 | 348 | 595.3 | 532.2 | 665.4 | 9 | ~ | ~ | ~ |
| Harford | 532 | 630.4 | 574.5 | 692.0 | 488 | 625.4 | 567.9 | 689.2 | 32 | 611.9 | 397.9 | 939.6 |
| Howard | 423 | 510.2 | 458.6 | 567.5 | 339 | 510.5 | 453.8 | 573.8 | 61 | 546.8 | 400.6 | 764.9 |
| EASTERN SHORE REGION | 1088 | 532.8 | 501.1 | 566.4 | 903 | 513.4 | 479.8 | 549.2 | 152 | 573.3 | 484.9 | 674.9 |
| Caroline | 82 | 569.4 | 451.5 | 713.7 | 66 | 532.3 | 409.8 | 687.3 | 15 | ~ | ~ | ~ |
| Cecil | 212 | 605.0 | 522.1 | 701.6 | 197 | 586.1 | 503.2 | 683.3 | 6 | ~ | ~ | ~ |
| Dorchester | 109 | 625.4 | 512.1 | 761.6 | 85 | 619.9 | 492.7 | 780.3 | 24 | ~ | ~ | ~ |
| Kent | 52 | 436.0 | 324.5 | 583.8 | 52 | 509.9 | 379.2 | 685.5 | ~ | ~ | ~ | ~ |
| Queen Anne's | 98 | 476.1 | 383.9 | 588.4 | 84 | 458.2 | 362.0 | 578.2 | 14 | ~ | ~ | ~ |
| Somerset | 62 | 507.0 | 386.4 | 660.6 | 41 | 458.2 | 325.5 | 639.5 | 19 | ~ | ~ | ~ |
| Talbot | 123 | 549.7 | 455.3 | 664.9 | 105 | 541.3 | 439.9 | 670.2 | 17 | ~ | ~ | ~ |
| Wicomico | 191 | 507.2 | 436.9 | 588.7 | 140 | 463.7 | 389.3 | 551.8 | 40 | 601.8 | 424.1 | 850.1 |
| Worcester | 159 | 507.4 | 428.9 | 600.2 | 133 | 476.8 | 395.9 | 575.5 | 17 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 3435 | 555.8 | 536.7 | 575.6 | 2055 | 511.4 | 489.3 | 534.3 | 1022 | 594.4 | 551.7 | 641.0 |
| Montgomery | 1860 | 520.6 | 496.8 | 545.4 | 1404 | 491.1 | 465.5 | 517.8 | 216 | 614.4 | 526.4 | 716.5 |
| Prince George's | 1575 | 607.4 | 574.9 | 641.9 | 651 | 566.4 | 522.4 | 613.9 | 806 | 585.5 | 537.3 | 639.2 |
| NORTHWEST REGION | 1116 | 579.5 | 545.5 | 615.6 | 1041 | 566.5 | 532.1 | 602.9 | 33 | 430.0 | 274.1 | 671.5 |
| Allegany | 246 | 597.3 | 524.2 | 679.1 | 241 | 609.1 | 533.6 | 693.6 | ~ | ~ | ~ | ~ |
| Frederick | 416 | 587.0 | 529.6 | 650.2 | 368 | 552.9 | 495.6 | 616.3 | 15 | ~ | ~ | ~ |
| Garrett | 85 | 528.0 | 420.9 | 658.4 | 85 | 530.8 | 423.2 | 661.9 | ~ | ~ | ~ | ~ |
| Washington | 369 | 585.6 | 526.7 | 650.4 | 347 | 578.2 | 518.3 | 644.2 | 15 | ~ | ~ | ~ |
| SOUTHERN REGION | 587 | 580.4 | 531.0 | 634.4 | 476 | 566.5 | 513.0 | 625.7 | 91 | 581.4 | 461.8 | 730.2 |
| Calvert | 156 | 575.2 | 483.4 | 685.1 | 124 | 525.3 | 430.9 | 641.7 | 22 | ~ | ~ | ~ |
| Charles | 238 | 618.6 | 533.7 | 717.2 | 189 | 634.3 | 537.4 | 748.3 | 41 | 506.7 | 348.0 | 745.9 |
| Saint Mary's | 193 | 557.5 | 478.6 | 649.1 | 163 | 544.4 | 460.7 | 643.2 | 28 | 666.7 | 439.5 | 985.6 |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table I.2.a Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|----------|----------|-------------------------------|------|----------|----------|------------------------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 176 | 273.9 | 228.8 | 328.5 | 9 | ~ | ~ | ~ | 164 | 460.3 | 380.8 | 555.1 |
| BALTIMORE METRO REGION | 49 | 278.6 | 192.3 | 406.9 | ~ | ~ | ~ | ~ | 53 | 533.7 | 382.4 | 739.6 |
| Anne Arundel | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| Baltimore County | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Howard | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 117 | 279.3 | 224.5 | 348.0 | ~ | ~ | ~ | ~ | 97 | 454.3 | 352.1 | 583.2 |
| Montgomery | 95 | 299.2 | 234.7 | 382.8 | ~ | ~ | ~ | ~ | 59 | 371.1 | 265.7 | 514.1 |
| Prince George's | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 38 | 676.5 | 442.4 | 1016.9 |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table I.3. Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|-------|----------|----------|-------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 11846 | 417.7 | 410.2 | 425.3 | 8729 | 420.8 | 411.9 | 429.8 | 2558 | 394.4 | 378.9 | 410.4 |
| BALTIMORE METRO REGION | 6009 | 431.3 | 420.5 | 442.4 | 4443 | 433.3 | 420.5 | 446.3 | 1387 | 413.8 | 392.2 | 436.4 |
| Anne Arundel | 1056 | 434.5 | 408.6 | 461.8 | 884 | 418.2 | 391.0 | 447.0 | 126 | 490.1 | 406.0 | 587.8 |
| Baltimore City | 1589 | 415.4 | 395.1 | 436.6 | 667 | 438.0 | 403.6 | 475.5 | 904 | 401.5 | 375.7 | 428.7 |
| Baltimore County | 2101 | 445.9 | 426.8 | 465.7 | 1788 | 446.9 | 425.9 | 468.9 | 252 | 436.4 | 381.0 | 498.5 |
| Carroll | 343 | 436.8 | 391.5 | 486.9 | 331 | 435.6 | 389.6 | 486.4 | ~ | ~ | ~ | ~ |
| Harford | 463 | 427.4 | 389.1 | 468.8 | 416 | 420.8 | 381.1 | 464.0 | 33 | 449.0 | 303.9 | 651.5 |
| Howard | 457 | 417.0 | 378.4 | 458.7 | 357 | 411.8 | 369.1 | 458.5 | 67 | 446.8 | 338.3 | 587.3 |
| EASTERN SHORE REGION | 1007 | 420.4 | 394.7 | 447.6 | 845 | 418.1 | 390.2 | 447.9 | 140 | 395.2 | 332.2 | 467.3 |
| Caroline | 71 | 415.8 | 324.2 | 528.4 | 62 | 430.6 | 329.4 | 557.5 | 8 | ~ | ~ | ~ |
| Cecil | 184 | 437.3 | 376.2 | 506.1 | 173 | 430.3 | 368.4 | 500.3 | 6 | ~ | ~ | ~ |
| Dorchester | 97 | 447.7 | 361.4 | 553.3 | 76 | 458.6 | 359.0 | 588.0 | 21 | ~ | ~ | ~ |
| Kent | 47 | 330.2 | 239.5 | 458.3 | 39 | 328.3 | 229.1 | 479.1 | 8 | ~ | ~ | ~ |
| Queen Anne's | 81 | 364.9 | 289.0 | 460.9 | 65 | 333.1 | 256.1 | 433.4 | 14 | ~ | ~ | ~ |
| Somerset | 56 | 423.9 | 318.2 | 559.5 | 39 | 416.5 | 292.5 | 588.2 | 16 | ~ | ~ | ~ |
| Talbot | 106 | 403.0 | 327.0 | 500.5 | 93 | 414.0 | 329.9 | 527.0 | 12 | ~ | ~ | ~ |
| Wicomico | 203 | 423.0 | 366.6 | 486.2 | 165 | 436.4 | 371.9 | 510.4 | 34 | 359.8 | 248.8 | 505.7 |
| Worcester | 162 | 482.3 | 407.9 | 570.5 | 133 | 474.4 | 392.5 | 574.5 | 21 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 3289 | 393.8 | 380.4 | 407.7 | 2068 | 402.2 | 384.9 | 420.2 | 909 | 367.8 | 342.1 | 395.3 |
| Montgomery | 1880 | 394.6 | 376.8 | 413.0 | 1463 | 394.3 | 374.1 | 415.5 | 202 | 369.8 | 318.1 | 428.4 |
| Prince George's | 1409 | 395.1 | 374.3 | 417.0 | 605 | 423.0 | 389.7 | 458.9 | 707 | 365.6 | 336.2 | 397.4 |
| NORTHWEST REGION | 986 | 409.3 | 384.0 | 435.9 | 941 | 406.8 | 381.1 | 434.0 | 32 | 455.7 | 309.2 | 651.8 |
| Allegany | 191 | 367.0 | 314.5 | 427.8 | 186 | 361.3 | 309.0 | 422.4 | ~ | ~ | ~ | ~ |
| Frederick | 369 | 393.8 | 354.5 | 436.7 | 342 | 390.4 | 349.9 | 434.7 | 20 | ~ | ~ | ~ |
| Garrett | 71 | 386.5 | 300.7 | 493.9 | 71 | 388.8 | 302.4 | 496.8 | ~ | ~ | ~ | ~ |
| Washington | 355 | 463.8 | 416.2 | 516.0 | 342 | 461.4 | 413.1 | 514.7 | 7 | ~ | ~ | ~ |
| SOUTHERN REGION | 541 | 433.5 | 397.3 | 472.3 | 431 | 429.4 | 389.4 | 472.6 | 88 | 409.9 | 326.6 | 509.8 |
| Calvert | 142 | 419.6 | 352.7 | 497.2 | 117 | 406.2 | 335.0 | 490.5 | 21 | ~ | ~ | ~ |
| Charles | 229 | 433.1 | 377.8 | 494.8 | 166 | 417.5 | 355.6 | 487.8 | 50 | 418.4 | 303.9 | 569.2 |
| Saint Mary's | 170 | 446.9 | 381.7 | 520.3 | 148 | 465.8 | 393.3 | 548.3 | 17 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table I.3.a. Number of All Sites Combined Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|----------|----------|-------------------------------|------|----------|----------|------------------------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 219 | 241.2 | 207.2 | 280.6 | 6 | ~ | ~ | ~ | 207 | 336.1 | 287.6 | 391.8 |
| BALTIMORE METRO REGION | 70 | 259.5 | 196.1 | 342.5 | ~ | ~ | ~ | ~ | 55 | 449.7 | 333.0 | 598.2 |
| Anne Arundel | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Baltimore City | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Baltimore County | 26 | 301.3 | 183.4 | 484.0 | ~ | ~ | ~ | ~ | 17 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 135 | 233.7 | 192.6 | 283.0 | ~ | ~ | ~ | ~ | 131 | 288.9 | 236.3 | 352.5 |
| Montgomery | 105 | 238.8 | 192.0 | 296.4 | ~ | ~ | ~ | ~ | 95 | 289.1 | 229.2 | 364.0 |
| Prince George's | 30 | 218.9 | 139.3 | 337.6 | ~ | ~ | ~ | ~ | 36 | 283.3 | 184.0 | 434.1 |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table I.4. Number of Oral Cavity and Pharynx Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 573 | 11.1 | 10.2 | 12.0 | 405 | 10.7 | 9.7 | 11.8 | 137 | 11.0 | 9.1 | 13.1 |
| BALTIMORE METRO REGION | 311 | 12.4 | 11.1 | 13.9 | 218 | 11.7 | 10.2 | 13.4 | 86 | 14.3 | 11.4 | 17.8 |
| Anne Arundel | 68 | 15.1 | 11.6 | 19.4 | 58 | 14.6 | 11.0 | 19.2 | 10 | 22.9 | 10.5 | 45.2 |
| Baltimore City | 109 | 16.9 | 13.9 | 20.4 | 46 | 17.9 | 13.0 | 24.5 | 59 | 15.0 | 11.4 | 19.5 |
| Baltimore County | 90 | 11.0 | 8.8 | 13.6 | 75 | 10.8 | 8.5 | 13.7 | 15 | ~ | ~ | ~ |
| Carroll | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 20 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 46 | 10.4 | 7.6 | 13.9 | 38 | 10.0 | 7.0 | 13.9 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 150 | 9.7 | 8.2 | 11.5 | 89 | 9.5 | 7.6 | 11.8 | 41 | 7.8 | 5.4 | 11.2 |
| Montgomery | 87 | 10.0 | 8.0 | 12.4 | 65 | 9.6 | 7.4 | 12.4 | 7 | ~ | ~ | ~ |
| Prince George's | 63 | 9.3 | 7.0 | 12.2 | 24 | ~ | ~ | ~ | 34 | 8.2 | 5.5 | 12.5 |
| NORTHWEST REGION | 37 | 8.4 | 5.9 | 11.6 | 34 | 8.0 | 5.6 | 11.3 | ~ | ~ | ~ | ~ |
| Allegany | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 15 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 29 | 12.0 | 8.0 | 17.8 | 26 | 13.6 | 8.8 | 20.4 | ~ | ~ | ~ | ~ |
| Calvert | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table I.5. Number of Oral Cavity and Pharynx Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 400 | 17.2 | 15.5 | 19.0 | 276 | 16.0 | 14.1 | 18.1 | 104 | 19.1 | 15.4 | 23.9 |
| BALTIMORE METRO REGION | 213 | 18.9 | 16.4 | 21.8 | 143 | 16.9 | 14.2 | 20.1 | 64 | 25.1 | 19.1 | 33.2 |
| Anne Arundel | 48 | 24.4 | 17.3 | 34.5 | 39 | 22.2 | 15.2 | 32.6 | 9 | ~ | ~ | ~ |
| Baltimore City | 83 | 29.9 | 23.8 | 37.4 | 32 | 28.3 | 19.3 | 40.9 | 48 | 28.8 | 21.2 | 39.4 |
| Baltimore County | 55 | 15.1 | 11.3 | 19.9 | 48 | 15.5 | 11.4 | 20.8 | 7 | ~ | ~ | ~ |
| Carroll | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 38 | 18.3 | 12.9 | 25.8 | 32 | 18.1 | 12.3 | 26.4 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 101 | 14.8 | 11.9 | 18.3 | 58 | 13.6 | 10.3 | 17.8 | 32 | 13.5 | 9.0 | 22.6 |
| Montgomery | 55 | 14.1 | 10.5 | 18.6 | 40 | 12.8 | 9.1 | 17.7 | 6 | ~ | ~ | ~ |
| Prince George's | 46 | 15.6 | 11.1 | 22.4 | 18 | ~ | ~ | ~ | 26 | 14.3 | 9.0 | 26.6 |
| NORTHWEST REGION | 28 | 14.6 | 9.5 | 21.8 | 26 | 14.3 | 9.2 | 21.7 | ~ | ~ | ~ | ~ |
| Allegany | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table I.6. Number of Oral Cavity and Pharynx Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 173 | 6.1 | 5.2 | 7.1 | 129 | 6.2 | 5.2 | 7.4 | 33 | 4.7 | 3.2 | 6.8 |
| BALTIMORE METRO REGION | 98 | 7.1 | 5.7 | 8.6 | 75 | 7.3 | 5.7 | 9.2 | 22 | ~ | ~ | ~ |
| Anne Arundel | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 26 | 6.8 | 4.4 | 10.1 | 14 | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| Baltimore County | 35 | 7.7 | 5.3 | 10.9 | 27 | 6.9 | 4.5 | 10.5 | 8 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 49 | 5.8 | 4.3 | 7.7 | 31 | 6.1 | 4.1 | 8.8 | 9 | ~ | ~ | ~ |
| Montgomery | 32 | 6.8 | 4.6 | 9.8 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 17 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| NORTHWEST REGION | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table I.7. Number of Esophageal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 292 | 5.8 | 5.2 | 6.5 | 188 | 5.0 | 4.3 | 5.8 | 88 | 8.3 | 6.6 | 10.4 |
| BALTIMORE METRO REGION | 159 | 6.5 | 5.5 | 7.6 | 102 | 5.5 | 4.5 | 6.7 | 51 | 9.1 | 6.7 | 12.1 |
| Anne Arundel | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 60 | 9.1 | 7.0 | 11.8 | 23 | ~ | ~ | ~ | 35 | 9.3 | 6.5 | 13.1 |
| Baltimore County | 47 | 5.6 | 4.1 | 7.5 | 38 | 5.1 | 3.6 | 7.2 | 6 | ~ | ~ | ~ |
| Carroll | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 24 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 73 | 5.1 | 4.0 | 6.4 | 38 | 4.1 | 2.9 | 5.7 | 27 | 7.4 | 4.7 | 11.5 |
| Montgomery | 35 | 4.2 | 2.9 | 5.9 | 26 | 3.9 | 2.5 | 5.9 | ~ | ~ | ~ | ~ |
| Prince George's | 38 | 6.5 | 4.5 | 9.1 | 12 | ~ | ~ | ~ | 24 | ~ | ~ | ~ |
| NORTHWEST REGION | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table I.8. Number of Esophageal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 224 | 10.1 | 8.8 | 11.6 | 150 | 9.0 | 7.6 | 10.6 | 62 | 13.5 | 10.2 | 18.1 |
| BALTIMORE METRO REGION | 118 | 11.0 | 9.1 | 13.4 | 81 | 10.0 | 7.9 | 12.6 | 33 | 13.6 | 9.3 | 20.1 |
| Anne Arundel | 19 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 39 | 14.4 | 10.2 | 20.0 | 15 | ~ | ~ | ~ | 22 | ~ | ~ | ~ |
| Baltimore County | 38 | 10.7 | 7.5 | 14.9 | 32 | 10.3 | 7.0 | 14.8 | ~ | ~ | ~ | ~ |
| Carroll | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 20 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 53 | 8.3 | 6.2 | 11.2 | 26 | 6.4 | 4.2 | 9.6 | 21 | ~ | ~ | ~ |
| Montgomery | 23 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 30 | 12.4 | 7.9 | 19.2 | 10 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| NORTHWEST REGION | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table I.9. Number of Esophageal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 68 | 2.4 | 1.9 | 3.0 | 38 | 1.7 | 1.2 | 2.4 | 26 | 4.4 | 2.9 | 6.6 |
| BALTIMORE METRO REGION | 41 | 2.9 | 2.1 | 4.0 | 21 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 21 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Baltimore County | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 20 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Montgomery | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table I.10. Number of Stomach Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 324 | 6.6 | 5.9 | 7.3 | 188 | 4.9 | 4.3 | 5.7 | 103 | 10.7 | 8.7 | 13.1 |
| BALTIMORE METRO REGION | 166 | 6.8 | 5.8 | 7.9 | 95 | 5.0 | 4.1 | 6.2 | 62 | 11.9 | 9.1 | 15.4 |
| Anne Arundel | 23 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 63 | 9.4 | 7.3 | 12.1 | 17 | ~ | ~ | ~ | 45 | 12.2 | 8.9 | 16.5 |
| Baltimore County | 50 | 5.9 | 4.3 | 7.8 | 39 | 5.3 | 3.7 | 7.3 | 8 | ~ | ~ | ~ |
| Carroll | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 31 | 6.9 | 4.7 | 9.9 | 20 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 91 | 6.5 | 5.2 | 8.0 | 45 | 4.8 | 3.5 | 6.5 | 25 | ~ | ~ | ~ |
| Montgomery | 56 | 6.8 | 5.1 | 8.8 | 30 | 4.5 | 3.0 | 6.5 | 12 | ~ | ~ | ~ |
| Prince George's | 35 | 6.2 | 4.3 | 8.9 | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| NORTHWEST REGION | 18 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 17 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table I.11. Number of Stomach Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 194 | 9.4 | 8.1 | 10.9 | 118 | 7.4 | 6.1 | 8.9 | 58 | 15.2 | 11.2 | 20.5 |
| BALTIMORE METRO REGION | 98 | 9.4 | 7.6 | 11.6 | 58 | 7.2 | 5.5 | 9.5 | 33 | 15.3 | 10.4 | 22.6 |
| Anne Arundel | 16 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 38 | 14.4 | 10.2 | 20.1 | 12 | ~ | ~ | ~ | 25 | ~ | ~ | ~ |
| Baltimore County | 26 | 7.3 | 4.8 | 11.0 | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 24 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 54 | 9.1 | 6.8 | 12.2 | 28 | 6.9 | 4.6 | 10.2 | 16 | ~ | ~ | ~ |
| Montgomery | 32 | 9.1 | 6.2 | 13.1 | 19 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Prince George's | 22 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table I.12. Number of Stomach Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 130 | 4.6 | 3.8 | 5.4 | 70 | 3.2 | 2.5 | 4.1 | 45 | 7.9 | 5.7 | 10.7 |
| BALTIMORE METRO REGION | 68 | 4.7 | 3.7 | 6.0 | 37 | 3.4 | 2.4 | 4.8 | 29 | 9.3 | 6.2 | 13.4 |
| Anne Arundel | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| Baltimore County | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 37 | 4.6 | 3.2 | 6.4 | 17 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Montgomery | 24 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Prince George's | 13 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table I.13. Number of Colon and Rectum Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 2778 | 56.2 | 54.1 | 58.4 | 2017 | 53.4 | 51.1 | 55.8 | 615 | 61.0 | 56.1 | 66.2 |
| BALTIMORE METRO REGION | 1404 | 57.6 | 54.6 | 60.7 | 1039 | 55.7 | 52.4 | 59.2 | 326 | 61.5 | 54.9 | 68.8 |
| Anne Arundel | 241 | 55.8 | 48.8 | 63.5 | 202 | 53.4 | 46.1 | 61.6 | 28 | 61.7 | 40.2 | 92.3 |
| Baltimore City | 370 | 55.7 | 50.2 | 61.7 | 158 | 54.6 | 46.2 | 64.6 | 203 | 56.2 | 48.7 | 64.7 |
| Baltimore County | 484 | 56.5 | 51.5 | 61.8 | 412 | 54.0 | 48.9 | 59.7 | 62 | 68.2 | 51.2 | 89.6 |
| Carroll | 80 | 58.6 | 46.4 | 73.3 | 78 | 59.0 | 46.6 | 74.0 | ~ | ~ | ~ | ~ |
| Harford | 127 | 68.5 | 56.8 | 82.1 | 109 | 64.0 | 52.3 | 77.8 | 17 | ~ | ~ | ~ |
| Howard | 102 | 58.6 | 47.4 | 71.9 | 80 | 54.8 | 43.1 | 68.9 | 15 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 239 | 53.3 | 46.8 | 60.7 | 195 | 50.8 | 43.9 | 58.7 | 41 | 65.8 | 47.2 | 89.5 |
| Caroline | 22 | 70.0 | 43.9 | 107.7 | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 45 | 57.1 | 41.5 | 77.5 | 42 | 55.9 | 40.1 | 76.6 | ~ | ~ | ~ | ~ |
| Dorchester | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 28 | 70.0 | 46.3 | 104.4 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 16 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 31 | 61.0 | 41.3 | 92.1 | 23 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Wicomico | 30 | 34.9 | 23.5 | 50.1 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 34 | 51.3 | 35.1 | 75.0 | 26 | 45.6 | 29.3 | 71.9 | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 708 | 50.3 | 46.6 | 54.2 | 411 | 44.2 | 40.0 | 48.7 | 211 | 57.0 | 48.7 | 66.5 |
| Montgomery | 369 | 44.4 | 40.0 | 49.2 | 260 | 38.8 | 34.2 | 43.9 | 47 | 56.9 | 41.1 | 77.4 |
| Prince George's | 339 | 59.4 | 53.0 | 66.5 | 151 | 57.9 | 49.0 | 68.1 | 164 | 56.7 | 47.2 | 67.9 |
| NORTHWEST REGION | 270 | 61.1 | 54.0 | 68.9 | 257 | 60.4 | 53.2 | 68.3 | 7 | ~ | ~ | ~ |
| Allegany | 57 | 58.3 | 44.0 | 77.0 | 56 | 59.2 | 44.4 | 78.5 | ~ | ~ | ~ | ~ |
| Frederick | 104 | 64.4 | 52.5 | 78.3 | 97 | 64.1 | 51.9 | 78.5 | ~ | ~ | ~ | ~ |
| Garrett | 22 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 87 | 59.9 | 48.0 | 74.2 | 82 | 58.2 | 46.2 | 72.7 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 147 | 68.9 | 57.9 | 81.6 | 114 | 64.7 | 53.1 | 78.3 | 30 | 87.7 | 58.5 | 127.9 |
| Calvert | 41 | 70.9 | 50.5 | 97.6 | 31 | 61.0 | 40.9 | 88.5 | 8 | ~ | ~ | ~ |
| Charles | 48 | 56.9 | 41.4 | 76.8 | 38 | 58.9 | 41.2 | 82.2 | 10 | ~ | ~ | ~ |
| Saint Mary's | 58 | 83.7 | 63.1 | 109.4 | 45 | 76.0 | 55.0 | 103.2 | 12 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table I.14. Number of Colon and Rectum Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1426 | 69.2 | 65.6 | 73.1 | 1065 | 67.0 | 62.9 | 71.3 | 275 | 68.5 | 59.9 | 78.3 |
| BALTIMORE METRO REGION | 690 | 70.0 | 64.7 | 75.7 | 521 | 68.1 | 62.2 | 74.4 | 146 | 72.2 | 60.2 | 86.3 |
| Anne Arundel | 125 | 68.8 | 56.1 | 84.3 | 106 | 67.8 | 54.3 | 84.6 | 13 | ~ | ~ | ~ |
| Baltimore City | 177 | 69.3 | 59.3 | 80.6 | 82 | 70.5 | 56.0 | 88.4 | 89 | 67.6 | 53.6 | 84.8 |
| Baltimore County | 235 | 68.5 | 59.9 | 78.2 | 201 | 66.2 | 57.2 | 76.3 | 27 | 70.6 | 43.8 | 114.5 |
| Carroll | 40 | 70.9 | 49.8 | 99.6 | 39 | 71.6 | 50.1 | 100.9 | ~ | ~ | ~ | ~ |
| Harford | 63 | 82.0 | 61.8 | 108.7 | 56 | 80.4 | 59.6 | 108.4 | 7 | ~ | ~ | ~ |
| Howard | 50 | 69.7 | 50.3 | 95.6 | 37 | 59.8 | 40.9 | 86.2 | 10 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 126 | 62.6 | 52.0 | 75.3 | 104 | 59.5 | 48.4 | 72.9 | 21 | ~ | ~ | ~ |
| Caroline | 13 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 32 | 89.3 | 59.9 | 133.9 | 30 | 87.9 | 58.1 | 133.7 | ~ | ~ | ~ | ~ |
| Dorchester | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 15 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 376 | 63.7 | 57.2 | 70.9 | 237 | 60.4 | 52.8 | 68.8 | 90 | 56.9 | 43.7 | 74.5 |
| Montgomery | 206 | 58.7 | 50.8 | 67.6 | 150 | 53.4 | 45.2 | 62.9 | 22 | ~ | ~ | ~ |
| Prince George's | 170 | 72.5 | 60.9 | 86.3 | 87 | 77.8 | 61.9 | 97.7 | 68 | 54.5 | 39.8 | 75.6 |
| NORTHWEST REGION | 152 | 80.3 | 67.8 | 94.8 | 143 | 79.0 | 66.4 | 93.8 | ~ | ~ | ~ | ~ |
| Allegany | 25 | ~ | ~ | ~ | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 68 | 98.8 | 75.6 | 128.2 | 63 | 99.0 | 75.0 | 129.7 | ~ | ~ | ~ | ~ |
| Garrett | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 49 | 77.7 | 57.3 | 104.4 | 45 | 74.1 | 53.9 | 100.8 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 76 | 79.1 | 60.7 | 102.8 | 60 | 75.3 | 55.7 | 101.4 | 15 | ~ | ~ | ~ |
| Calvert | 19 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 24 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 33 | 102.4 | 68.2 | 151.2 | 26 | 91.5 | 57.4 | 143.2 | 7 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table I.15. Number of Colon and Rectum Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1351 | 47.4 | 44.9 | 50.0 | 952 | 43.9 | 41.1 | 46.8 | 340 | 56.4 | 50.5 | 62.9 |
| BALTIMORE METRO REGION | 714 | 50.3 | 46.6 | 54.1 | 518 | 48.0 | 44.0 | 52.4 | 180 | 55.9 | 48.0 | 64.7 |
| Anne Arundel | 116 | 48.6 | 40.1 | 58.5 | 96 | 45.9 | 37.1 | 56.3 | 15 | ~ | ~ | ~ |
| Baltimore City | 193 | 47.9 | 41.3 | 55.3 | 76 | 42.9 | 33.3 | 55.6 | 114 | 50.9 | 42.0 | 61.2 |
| Baltimore County | 249 | 49.3 | 43.3 | 56.0 | 211 | 46.7 | 40.5 | 53.9 | 35 | 65.3 | 44.5 | 93.3 |
| Carroll | 40 | 50.1 | 35.7 | 69.5 | 39 | 50.3 | 35.7 | 70.1 | ~ | ~ | ~ | ~ |
| Harford | 64 | 60.6 | 46.6 | 78.0 | 53 | 54.4 | 40.7 | 72.0 | 10 | ~ | ~ | ~ |
| Howard | 52 | 51.6 | 38.2 | 68.4 | 43 | 50.8 | 36.5 | 69.5 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 113 | 45.1 | 37.1 | 54.5 | 91 | 42.7 | 34.4 | 52.9 | 20 | ~ | ~ | ~ |
| Caroline | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 15 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 18 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 18 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 331 | 40.6 | 36.3 | 45.3 | 174 | 32.3 | 27.6 | 37.6 | 121 | 55.2 | 45.0 | 67.2 |
| Montgomery | 163 | 33.9 | 28.9 | 39.7 | 110 | 28.2 | 23.2 | 34.4 | 25 | ~ | ~ | ~ |
| Prince George's | 168 | 50.4 | 42.9 | 58.9 | 64 | 42.4 | 32.6 | 54.9 | 96 | 56.2 | 44.4 | 70.5 |
| NORTHWEST REGION | 118 | 47.1 | 38.9 | 56.7 | 114 | 47.1 | 38.8 | 56.9 | ~ | ~ | ~ | ~ |
| Allegany | 32 | 58.3 | 38.9 | 86.8 | 31 | 58.1 | 38.5 | 87.3 | ~ | ~ | ~ | ~ |
| Frederick | 36 | 40.0 | 28.0 | 55.8 | 34 | 40.0 | 27.7 | 56.5 | ~ | ~ | ~ | ~ |
| Garrett | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 38 | 46.7 | 33.0 | 65.5 | 37 | 46.5 | 32.6 | 65.6 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 71 | 61.3 | 47.8 | 77.6 | 54 | 56.9 | 42.7 | 74.6 | 15 | ~ | ~ | ~ |
| Calvert | 22 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 24 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 25 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table I.16. Number of Liver and Intrahepatic Bile Duct Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 258 | 5.1 | 4.5 | 5.8 | 152 | 4.1 | 3.4 | 4.8 | 85 | 7.7 | 6.1 | 9.7 |
| BALTIMORE METRO REGION | 118 | 4.8 | 4.0 | 5.8 | 69 | 3.8 | 2.9 | 4.8 | 43 | 7.5 | 5.4 | 10.3 |
| Anne Arundel | 17 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 50 | 7.8 | 5.8 | 10.3 | 20 | ~ | ~ | ~ | 30 | 7.8 | 5.2 | 11.3 |
| Baltimore County | 35 | 4.1 | 2.9 | 5.8 | 25 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 30 | 6.8 | 4.6 | 9.8 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 81 | 5.7 | 4.5 | 7.1 | 37 | 4.0 | 2.8 | 5.6 | 32 | 8.8 | 5.7 | 13.3 |
| Montgomery | 36 | 4.4 | 3.1 | 6.1 | 18 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Prince George's | 45 | 7.6 | 5.4 | 10.4 | 19 | ~ | ~ | ~ | 26 | 9.4 | 5.7 | 15.0 |
| NORTHWEST REGION | 18 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table I.17. Number of Liver and Intrahepatic Bile Duct Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 163 | 7.3 | 6.2 | 8.6 | 100 | 6.0 | 4.9 | 7.3 | 51 | 10.8 | 7.7 | 15.1 |
| BALTIMORE METRO REGION | 76 | 7.1 | 5.6 | 9.1 | 45 | 5.6 | 4.1 | 7.6 | 27 | 11.9 | 7.5 | 18.7 |
| Anne Arundel | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 32 | 12.0 | 8.1 | 17.3 | 12 | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| Baltimore County | 22 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 48 | 7.7 | 5.6 | 10.4 | 23 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| Montgomery | 18 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 30 | 11.1 | 7.2 | 17.3 | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| NORTHWEST REGION | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table I.18. Number of Liver and Intrahepatic Bile Duct Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 95 | 3.4 | 2.7 | 4.1 | 52 | 2.5 | 1.8 | 3.3 | 34 | 5.5 | 3.8 | 7.8 |
| BALTIMORE METRO REGION | 42 | 3.0 | 2.2 | 4.1 | 24 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Anne Arundel | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 18 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Baltimore County | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 33 | 4.1 | 2.8 | 5.8 | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Montgomery | 18 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table I.19. Number of Pancreatic Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 542 | 11.0 | 10.1 | 12.0 | 390 | 10.3 | 9.3 | 11.4 | 136 | 13.8 | 11.5 | 16.4 |
| BALTIMORE METRO REGION | 268 | 11.0 | 9.7 | 12.4 | 186 | 10.0 | 8.6 | 11.6 | 77 | 14.6 | 11.5 | 18.4 |
| Anne Arundel | 40 | 9.5 | 6.7 | 13.1 | 33 | 8.9 | 6.1 | 12.7 | 6 | ~ | ~ | ~ |
| Baltimore City | 84 | 12.7 | 10.1 | 15.8 | 30 | 10.0 | 6.7 | 15.1 | 54 | 14.7 | 11.0 | 19.3 |
| Baltimore County | 98 | 11.4 | 9.2 | 13.9 | 82 | 10.7 | 8.5 | 13.5 | 13 | ~ | ~ | ~ |
| Carroll | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 20 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 45 | 9.9 | 7.2 | 13.4 | 36 | 9.4 | 6.6 | 13.2 | 9 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 159 | 11.7 | 9.9 | 13.7 | 104 | 11.2 | 9.2 | 13.6 | 44 | 13.2 | 9.2 | 18.5 |
| Montgomery | 98 | 12.0 | 9.8 | 14.7 | 80 | 12.0 | 9.5 | 15.0 | 10 | ~ | ~ | ~ |
| Prince George's | 61 | 11.1 | 8.4 | 14.6 | 24 | ~ | ~ | ~ | 34 | 13.3 | 8.7 | 19.8 |
| NORTHWEST REGION | 44 | 9.9 | 7.2 | 13.4 | 40 | 9.4 | 6.7 | 12.9 | ~ | ~ | ~ | ~ |
| Allegany | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 25 | ~ | ~ | ~ | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 16 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table I.20. Number of Pancreatic Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 253 | 12.1 | 10.6 | 13.8 | 190 | 11.7 | 10.1 | 13.6 | 55 | 13.8 | 10.1 | 18.9 |
| BALTIMORE METRO REGION | 131 | 12.7 | 10.6 | 15.2 | 95 | 12.1 | 9.8 | 15.0 | 35 | 15.4 | 10.6 | 22.5 |
| Anne Arundel | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 38 | 14.5 | 10.2 | 20.3 | 13 | ~ | ~ | ~ | 25 | ~ | ~ | ~ |
| Baltimore County | 43 | 12.2 | 8.8 | 16.7 | 38 | 12.1 | 8.5 | 16.8 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 20 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 77 | 13.8 | 10.8 | 17.5 | 54 | 13.7 | 10.2 | 18.0 | 16 | ~ | ~ | ~ |
| Montgomery | 53 | 15.7 | 11.7 | 20.8 | 46 | 16.5 | 12.0 | 22.2 | ~ | ~ | ~ | ~ |
| Prince George's | 24 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| NORTHWEST REGION | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table I.21. Number of Pancreatic Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 289 | 10.2 | 9.0 | 11.4 | 200 | 9.2 | 7.9 | 10.6 | 81 | 13.7 | 10.8 | 17.1 |
| BALTIMORE METRO REGION | 137 | 9.7 | 8.1 | 11.4 | 91 | 8.5 | 6.8 | 10.5 | 42 | 13.3 | 9.6 | 18.0 |
| Anne Arundel | 16 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 46 | 11.4 | 8.3 | 15.3 | 17 | ~ | ~ | ~ | 29 | 12.9 | 8.6 | 18.6 |
| Baltimore County | 55 | 11.1 | 8.3 | 14.6 | 44 | 10.1 | 7.3 | 14.1 | 8 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 25 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 82 | 10.2 | 8.1 | 12.7 | 50 | 9.0 | 6.7 | 12.1 | 28 | 13.0 | 8.3 | 19.6 |
| Montgomery | 45 | 9.2 | 6.7 | 12.5 | 34 | 8.3 | 5.7 | 12.0 | 7 | ~ | ~ | ~ |
| Prince George's | 37 | 11.4 | 7.9 | 15.9 | 16 | ~ | ~ | ~ | 21 | ~ | ~ | ~ |
| NORTHWEST REGION | 29 | 11.5 | 7.7 | 16.8 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table I.22. Number of Laryngeal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 242 | 4.7 | 4.2 | 5.4 | 164 | 4.3 | 3.7 | 5.0 | 73 | 6.7 | 5.2 | 8.5 |
| BALTIMORE METRO REGION | 144 | 5.8 | 4.9 | 6.8 | 97 | 5.2 | 4.2 | 6.4 | 47 | 8.3 | 6.1 | 11.1 |
| Anne Arundel | 24 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 60 | 9.2 | 7.0 | 11.9 | 24 | ~ | ~ | ~ | 36 | 9.5 | 6.6 | 13.3 |
| Baltimore County | 36 | 4.4 | 3.1 | 6.1 | 32 | 4.6 | 3.2 | 6.7 | ~ | ~ | ~ | ~ |
| Carroll | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 21 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 57 | 4.0 | 3.0 | 5.2 | 38 | 4.1 | 2.9 | 5.6 | 18 | ~ | ~ | ~ |
| Montgomery | 35 | 4.1 | 2.9 | 5.8 | 30 | 4.5 | 3.0 | 6.5 | ~ | ~ | ~ | ~ |
| Prince George's | 22 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| NORTHWEST REGION | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table I.23. Number of Laryngeal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 185 | 8.2 | 7.0 | 9.5 | 123 | 7.2 | 6.0 | 8.7 | 58 | 12.7 | 9.5 | 17.2 |
| BALTIMORE METRO REGION | 111 | 10.0 | 8.2 | 12.2 | 73 | 8.7 | 6.8 | 11.1 | 38 | 15.8 | 11.1 | 22.7 |
| Anne Arundel | 18 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 45 | 16.3 | 11.9 | 22.1 | 15 | ~ | ~ | ~ | 30 | 19.1 | 12.8 | 28.5 |
| Baltimore County | 28 | 7.6 | 5.0 | 11.2 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 18 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 40 | 6.4 | 4.5 | 9.0 | 25 | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Montgomery | 25 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| NORTHWEST REGION | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table I.24. Number of Laryngeal Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 57 | 2.0 | 1.5 | 2.6 | 41 | 2.0 | 1.4 | 2.7 | 15 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 33 | 2.4 | 1.6 | 3.4 | 24 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Anne Arundel | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 15 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore County | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 17 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table I.25. Number of Lung and Bronchus Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 3538 | 71.1 | 68.8 | 73.5 | 2686 | 71.0 | 68.3 | 73.7 | 797 | 75.6 | 70.3 | 81.3 |
| BALTIMORE METRO REGION | 1931 | 78.7 | 75.2 | 82.3 | 1441 | 77.3 | 73.3 | 81.4 | 470 | 85.5 | 77.9 | 93.8 |
| Anne Arundel | 342 | 80.0 | 71.6 | 89.2 | 298 | 79.3 | 70.4 | 89.0 | 43 | 97.6 | 69.7 | 134.5 |
| Baltimore City | 589 | 89.3 | 82.2 | 96.8 | 249 | 89.6 | 78.6 | 102.1 | 337 | 89.8 | 80.4 | 100.0 |
| Baltimore County | 658 | 77.2 | 71.4 | 83.4 | 581 | 77.5 | 71.3 | 84.3 | 68 | 77.7 | 59.5 | 100.5 |
| Carroll | 103 | 75.3 | 61.4 | 91.7 | 99 | 74.5 | 60.5 | 91.1 | ~ | ~ | ~ | ~ |
| Harford | 132 | 69.9 | 58.3 | 83.5 | 123 | 70.3 | 58.3 | 84.5 | 6 | ~ | ~ | ~ |
| Howard | 107 | 64.2 | 52.3 | 78.2 | 91 | 67.1 | 53.7 | 83.0 | 12 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 354 | 77.6 | 69.7 | 86.2 | 297 | 75.9 | 67.5 | 85.3 | 56 | 90.2 | 68.1 | 117.3 |
| Caroline | 32 | 101.7 | 69.6 | 145.2 | 26 | 96.7 | 63.2 | 144.0 | 6 | ~ | ~ | ~ |
| Cecil | 58 | 76.7 | 58.0 | 100.2 | 55 | 75.8 | 56.9 | 99.7 | ~ | ~ | ~ | ~ |
| Dorchester | 34 | 82.0 | 56.7 | 118.1 | 29 | 89.6 | 59.9 | 135.6 | ~ | ~ | ~ | ~ |
| Kent | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 31 | 69.3 | 47.0 | 101.9 | 24 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Somerset | 23 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Talbot | 37 | 70.4 | 49.5 | 102.5 | 33 | 72.0 | 49.4 | 109.9 | ~ | ~ | ~ | ~ |
| Wicomico | 61 | 70.7 | 54.1 | 91.1 | 50 | 72.5 | 53.8 | 96.3 | 11 | ~ | ~ | ~ |
| Worcester | 62 | 89.7 | 68.4 | 118.0 | 53 | 87.9 | 65.4 | 119.6 | 8 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 773 | 54.9 | 51.0 | 58.9 | 512 | 55.2 | 50.5 | 60.2 | 230 | 57.2 | 49.3 | 66.3 |
| Montgomery | 398 | 48.9 | 44.2 | 54.0 | 329 | 49.9 | 44.6 | 55.7 | 45 | 53.3 | 38.2 | 73.2 |
| Prince George's | 375 | 62.1 | 55.8 | 69.1 | 183 | 69.1 | 59.5 | 80.2 | 185 | 57.9 | 48.9 | 68.5 |
| NORTHWEST REGION | 301 | 68.2 | 60.7 | 76.4 | 285 | 67.0 | 59.5 | 75.4 | 14 | ~ | ~ | ~ |
| Allegany | 68 | 68.4 | 53.0 | 88.0 | 67 | 68.9 | 53.3 | 88.9 | ~ | ~ | ~ | ~ |
| Frederick | 102 | 63.2 | 51.5 | 77.0 | 92 | 60.9 | 49.0 | 74.9 | 8 | ~ | ~ | ~ |
| Garrett | 22 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 109 | 75.5 | 62.0 | 91.3 | 104 | 74.2 | 60.6 | 90.4 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 178 | 80.5 | 68.9 | 93.7 | 151 | 83.4 | 70.4 | 98.4 | 27 | 74.9 | 48.8 | 111.8 |
| Calvert | 47 | 80.6 | 59.0 | 108.4 | 37 | 74.7 | 52.4 | 104.3 | 10 | ~ | ~ | ~ |
| Charles | 79 | 84.4 | 66.2 | 106.6 | 68 | 94.4 | 72.7 | 121.3 | 11 | ~ | ~ | ~ |
| Saint Mary's | 52 | 75.1 | 55.9 | 99.5 | 46 | 78.8 | 57.4 | 106.3 | 6 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table I.26. Number of Lung and Bronchus Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|-------|-------------|-------------|-------|-------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1956 | 91.4 | 87.3 | 95.7 | 1443 | 87.6 | 83.1 | 92.4 | 478 | 111.8 | 101.2 | 123.5 |
| BALTIMORE METRO REGION | 1057 | 101.7 | 95.6 | 108.2 | 773 | 96.5 | 89.8 | 103.8 | 274 | 125.6 | 110.4 | 142.8 |
| Anne Arundel | 190 | 100.9 | 86.4 | 118.1 | 160 | 95.8 | 80.9 | 113.7 | 30 | 167.5 | 108.5 | 256.2 |
| Baltimore City | 333 | 124.4 | 111.3 | 138.9 | 138 | 117.4 | 98.5 | 139.5 | 193 | 130.6 | 112.3 | 151.9 |
| Baltimore County | 347 | 96.0 | 86.1 | 106.9 | 305 | 95.7 | 85.2 | 107.4 | 37 | 102.4 | 69.6 | 151.6 |
| Carroll | 56 | 95.6 | 71.4 | 127.0 | 54 | 95.1 | 70.7 | 127.0 | ~ | ~ | ~ | ~ |
| Harford | 74 | 90.9 | 70.3 | 117.8 | 68 | 88.0 | 67.4 | 115.4 | ~ | ~ | ~ | ~ |
| Howard | 57 | 76.2 | 56.4 | 102.3 | 48 | 79.0 | 57.0 | 108.3 | 7 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 196 | 95.8 | 82.6 | 110.9 | 161 | 91.5 | 77.6 | 107.6 | 34 | 127.2 | 87.8 | 180.5 |
| Caroline | 20 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 32 | 94.2 | 63.1 | 140.8 | 30 | 90.9 | 60.0 | 138.0 | ~ | ~ | ~ | ~ |
| Dorchester | 19 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 18 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 13 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 22 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 32 | 83.6 | 57.0 | 122.2 | 25 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Worcester | 33 | 109.6 | 74.2 | 160.8 | 26 | 95.8 | 61.4 | 150.5 | 6 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 441 | 72.9 | 66.0 | 80.4 | 273 | 68.2 | 60.2 | 76.9 | 145 | 89.0 | 72.5 | 109.7 |
| Montgomery | 216 | 62.0 | 53.9 | 71.1 | 169 | 59.7 | 51.0 | 69.6 | 30 | 93.5 | 60.0 | 143.2 |
| Prince George's | 225 | 88.6 | 76.3 | 103.0 | 104 | 91.3 | 74.0 | 112.3 | 115 | 86.5 | 68.3 | 110.7 |
| NORTHWEST REGION | 164 | 85.3 | 72.5 | 100.1 | 153 | 82.9 | 70.1 | 97.8 | 10 | ~ | ~ | ~ |
| Allegany | 46 | 110.1 | 80.3 | 149.0 | 45 | 110.6 | 80.3 | 150.2 | ~ | ~ | ~ | ~ |
| Frederick | 54 | 78.1 | 58.0 | 104.4 | 48 | 74.0 | 54.0 | 100.6 | ~ | ~ | ~ | ~ |
| Garrett | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 52 | 82.7 | 61.6 | 110.1 | 48 | 79.7 | 58.6 | 107.3 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 98 | 96.2 | 77.4 | 119.8 | 83 | 98.2 | 77.4 | 124.9 | 15 | ~ | ~ | ~ |
| Calvert | 26 | 98.4 | 63.4 | 153.5 | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 45 | 107.2 | 77.0 | 151.5 | 40 | 121.6 | 85.5 | 175.4 | ~ | ~ | ~ | ~ |
| Saint Mary's | 27 | 80.0 | 51.8 | 122.2 | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table I.27. Number of Lung and Bronchus Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1581 | 56.2 | 53.5 | 59.1 | 1242 | 58.5 | 55.3 | 61.9 | 319 | 51.9 | 46.2 | 58.1 |
| BALTIMORE METRO REGION | 873 | 62.3 | 58.2 | 66.6 | 667 | 63.2 | 58.4 | 68.2 | 196 | 59.9 | 51.8 | 69.0 |
| Anne Arundel | 152 | 64.2 | 54.4 | 75.5 | 138 | 66.4 | 55.7 | 78.6 | 13 | ~ | ~ | ~ |
| Baltimore City | 256 | 65.7 | 57.8 | 74.4 | 111 | 70.1 | 57.2 | 86.2 | 144 | 63.7 | 53.7 | 75.0 |
| Baltimore County | 310 | 63.6 | 56.7 | 71.3 | 275 | 64.1 | 56.6 | 72.5 | 31 | 60.4 | 40.3 | 87.9 |
| Carroll | 47 | 61.5 | 45.1 | 82.9 | 45 | 60.6 | 44.1 | 82.3 | ~ | ~ | ~ | ~ |
| Harford | 58 | 54.8 | 41.6 | 71.4 | 55 | 56.5 | 42.5 | 74.3 | ~ | ~ | ~ | ~ |
| Howard | 50 | 54.3 | 40.0 | 72.1 | 43 | 57.9 | 41.7 | 78.7 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 158 | 63.4 | 53.9 | 74.3 | 136 | 64.2 | 53.8 | 76.3 | 22 | ~ | ~ | ~ |
| Caroline | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 26 | 63.8 | 41.6 | 94.1 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 29 | 59.5 | 39.8 | 86.3 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 29 | 76.9 | 51.0 | 117.5 | 27 | 83.8 | 54.5 | 132.8 | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 332 | 41.7 | 37.3 | 46.4 | 239 | 45.5 | 39.9 | 51.9 | 85 | 36.6 | 28.7 | 46.4 |
| Montgomery | 182 | 39.0 | 33.5 | 45.2 | 160 | 42.4 | 36.0 | 49.8 | 15 | ~ | ~ | ~ |
| Prince George's | 150 | 44.1 | 37.2 | 52.0 | 79 | 54.3 | 42.9 | 68.3 | 70 | 38.4 | 29.2 | 50.2 |
| NORTHWEST REGION | 137 | 55.2 | 46.3 | 65.5 | 132 | 55.1 | 46.1 | 65.7 | ~ | ~ | ~ | ~ |
| Allegany | 22 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 48 | 53.4 | 39.3 | 71.2 | 44 | 52.2 | 37.9 | 70.6 | ~ | ~ | ~ | ~ |
| Garrett | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 57 | 69.3 | 52.4 | 91.2 | 56 | 70.1 | 52.8 | 92.7 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 80 | 67.3 | 53.2 | 84.1 | 68 | 70.6 | 54.7 | 89.9 | 12 | ~ | ~ | ~ |
| Calvert | 21 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 34 | 64.6 | 44.3 | 91.5 | 28 | 70.3 | 46.4 | 103.2 | 6 | ~ | ~ | ~ |
| Saint Mary's | 25 | ~ | ~ | ~ | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

Table I.28. Number of Melanomas of the Skin Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 902 | 17.2 | 16.1 | 18.4 | 754 | 20.2 | 18.7 | 21.7 | 7 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 454 | 17.9 | 16.3 | 19.7 | 386 | 21.0 | 18.9 | 23.2 | ~ | ~ | ~ | ~ |
| Anne Arundel | 100 | 20.6 | 16.7 | 25.3 | 73 | 17.4 | 13.6 | 22.1 | ~ | ~ | ~ | ~ |
| Baltimore City | 50 | 7.6 | 5.6 | 10.1 | 49 | 18.6 | 13.7 | 25.3 | ~ | ~ | ~ | ~ |
| Baltimore County | 169 | 20.8 | 17.8 | 24.3 | 149 | 22.7 | 19.2 | 26.8 | ~ | ~ | ~ | ~ |
| Carroll | 38 | 25.2 | 17.6 | 35.2 | 30 | 21.3 | 14.3 | 31.0 | ~ | ~ | ~ | ~ |
| Harford | 54 | 26.0 | 19.4 | 34.5 | 46 | 24.5 | 17.9 | 33.4 | ~ | ~ | ~ | ~ |
| Howard | 43 | 20.4 | 14.5 | 28.2 | 39 | 23.7 | 16.6 | 33.1 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 117 | 27.5 | 22.7 | 33.1 | 109 | 30.8 | 25.2 | 37.4 | ~ | ~ | ~ | ~ |
| Caroline | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 36 | 42.8 | 30.0 | 59.5 | 34 | 52.6 | 36.4 | 74.3 | ~ | ~ | ~ | ~ |
| Worcester | 19 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 206 | 13.6 | 11.8 | 15.7 | 146 | 15.7 | 13.3 | 18.5 | ~ | ~ | ~ | ~ |
| Montgomery | 152 | 17.6 | 14.9 | 20.7 | 109 | 16.4 | 13.4 | 19.9 | ~ | ~ | ~ | ~ |
| Prince George's | 54 | 8.9 | 6.6 | 11.9 | 37 | 14.0 | 9.9 | 19.6 | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 76 | 17.1 | 13.5 | 21.5 | 74 | 17.8 | 14.0 | 22.4 | ~ | ~ | ~ | ~ |
| Allegany | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 35 | 18.7 | 13.0 | 26.5 | 34 | 19.6 | 13.5 | 27.8 | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 31 | 21.9 | 14.9 | 31.4 | 30 | 22.9 | 15.4 | 33.2 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 44 | 17.0 | 12.3 | 23.4 | 39 | 18.9 | 13.3 | 26.4 | ~ | ~ | ~ | ~ |
| Calvert | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

Table I.29. Number of Melanomas of the Skin Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 526 | 22.8 | 20.8 | 24.9 | 437 | 25.5 | 23.1 | 28.1 | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 260 | 23.1 | 20.4 | 26.3 | 221 | 26.3 | 22.9 | 30.2 | ~ | ~ | ~ | ~ |
| Anne Arundel | 63 | 27.8 | 21.1 | 37.1 | 46 | 23.5 | 17.0 | 33.0 | ~ | ~ | ~ | ~ |
| Baltimore City | 34 | 13.1 | 9.0 | 18.6 | 33 | 28.9 | 19.8 | 41.5 | ~ | ~ | ~ | ~ |
| Baltimore County | 90 | 24.6 | 19.7 | 30.4 | 79 | 25.8 | 20.4 | 32.4 | ~ | ~ | ~ | ~ |
| Carroll | 27 | 37.5 | 24.5 | 57.7 | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 27 | 28.1 | 18.2 | 44.5 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 63 | 31.6 | 24.1 | 41.0 | 58 | 34.2 | 25.8 | 45.0 | ~ | ~ | ~ | ~ |
| Caroline | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 130 | 20.2 | 16.8 | 24.3 | 91 | 22.1 | 17.7 | 27.3 | ~ | ~ | ~ | ~ |
| Montgomery | 92 | 24.3 | 19.5 | 30.1 | 64 | 21.6 | 16.6 | 27.9 | ~ | ~ | ~ | ~ |
| Prince George's | 38 | 15.2 | 10.4 | 22.3 | 27 | 23.2 | 15.1 | 35.4 | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 44 | 21.6 | 15.6 | 29.7 | 42 | 21.9 | 15.7 | 30.2 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 23 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 18 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 28 | 22.9 | 15.0 | 36.0 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

Table I.30. Number of Melanomas of the Skin Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 376 | 13.2 | 11.9 | 14.6 | 317 | 16.3 | 14.5 | 18.2 | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 194 | 14.0 | 12.1 | 16.1 | 165 | 16.9 | 14.4 | 19.8 | ~ | ~ | ~ | ~ |
| Anne Arundel | 37 | 14.5 | 10.2 | 20.2 | 27 | 12.4 | 8.2 | 18.4 | ~ | ~ | ~ | ~ |
| Baltimore City | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 79 | 18.0 | 14.2 | 22.7 | 70 | 20.6 | 16.0 | 26.4 | ~ | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 27 | 23.9 | 15.7 | 35.5 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 24 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 54 | 25.2 | 18.9 | 33.1 | 51 | 28.8 | 21.4 | 38.2 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 16 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 76 | 8.9 | 7.0 | 11.2 | 55 | 11.2 | 8.4 | 14.8 | ~ | ~ | ~ | ~ |
| Montgomery | 60 | 12.7 | 9.7 | 16.4 | 45 | 12.8 | 9.3 | 17.4 | ~ | ~ | ~ | ~ |
| Prince George's | 16 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 32 | 14.4 | 9.8 | 20.5 | 32 | 15.3 | 10.4 | 21.8 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Malignant Breast

Table I.31. Number of Malignant Breast Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|-------|----------|----------|-------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 3781 | 133.0 | 128.8 | 137.3 | 2810 | 137.2 | 132.2 | 142.4 | 821 | 117.7 | 109.6 | 126.4 |
| BALTIMORE METRO REGION | 1813 | 131.0 | 125.0 | 137.2 | 1364 | 135.5 | 128.3 | 142.9 | 410 | 118.7 | 107.4 | 130.9 |
| Anne Arundel | 343 | 139.0 | 124.6 | 154.7 | 303 | 141.3 | 125.8 | 158.5 | 34 | 122.7 | 83.6 | 175.5 |
| Baltimore City | 421 | 114.7 | 103.9 | 126.3 | 165 | 118.2 | 100.1 | 139.6 | 250 | 111.3 | 98.0 | 126.1 |
| Baltimore County | 629 | 137.0 | 126.4 | 148.3 | 529 | 137.7 | 126.0 | 150.5 | 85 | 140.7 | 110.5 | 177.7 |
| Carroll | 102 | 128.0 | 104.3 | 156.6 | 99 | 128.4 | 104.2 | 157.6 | ~ | ~ | ~ | ~ |
| Harford | 140 | 125.0 | 105.1 | 148.2 | 129 | 126.8 | 105.8 | 151.5 | 10 | ~ | ~ | ~ |
| Howard | 178 | 147.8 | 126.3 | 172.5 | 139 | 148.6 | 124.4 | 176.9 | 30 | 168.1 | 111.2 | 256.5 |
| EASTERN SHORE REGION | 289 | 123.2 | 109.3 | 138.6 | 245 | 122.9 | 107.9 | 139.8 | 36 | 106.3 | 74.4 | 147.8 |
| Caroline | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 54 | 127.8 | 95.9 | 167.6 | 51 | 126.0 | 93.7 | 166.6 | ~ | ~ | ~ | ~ |
| Dorchester | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 18 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 16 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Talbot | 31 | 123.6 | 82.6 | 188.7 | 27 | 123.1 | 79.4 | 199.4 | ~ | ~ | ~ | ~ |
| Wicomico | 71 | 148.5 | 115.9 | 188.0 | 57 | 149.7 | 113.2 | 196.1 | 11 | ~ | ~ | ~ |
| Worcester | 48 | 148.2 | 108.0 | 203.2 | 40 | 142.5 | 100.3 | 204.2 | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 1200 | 141.2 | 133.3 | 149.6 | 775 | 152.4 | 141.8 | 163.7 | 338 | 119.9 | 106.4 | 135.0 |
| Montgomery | 710 | 149.0 | 138.2 | 160.5 | 576 | 156.8 | 144.2 | 170.5 | 74 | 123.8 | 95.9 | 158.6 |
| Prince George's | 490 | 130.9 | 119.3 | 143.4 | 199 | 141.5 | 122.4 | 163.3 | 264 | 118.4 | 103.1 | 135.8 |
| NORTHWEST REGION | 309 | 131.2 | 117.0 | 147.0 | 296 | 131.2 | 116.6 | 147.3 | 9 | ~ | ~ | ~ |
| Allegany | 52 | 108.1 | 79.6 | 145.8 | 50 | 104.1 | 76.1 | 141.6 | ~ | ~ | ~ | ~ |
| Frederick | 142 | 149.2 | 125.6 | 176.4 | 135 | 152.9 | 128.1 | 181.6 | 6 | ~ | ~ | ~ |
| Garrett | 21 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 94 | 126.2 | 101.8 | 155.6 | 90 | 124.9 | 100.2 | 154.8 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 167 | 125.4 | 106.9 | 146.5 | 130 | 121.9 | 101.7 | 145.4 | 27 | 116.4 | 75.4 | 174.2 |
| Calvert | 44 | 120.9 | 87.5 | 165.2 | 40 | 128.8 | 91.6 | 179.3 | ~ | ~ | ~ | ~ |
| Charles | 75 | 131.7 | 103.1 | 166.7 | 48 | 113.5 | 83.3 | 152.1 | 20 | ~ | ~ | ~ |
| Saint Mary's | 48 | 121.5 | 89.4 | 162.1 | 42 | 127.4 | 91.6 | 173.4 | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

in situ Breast

Table I.32. Number of *in situ* Breast Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 933 | 32.9 | 30.8 | 35.1 | 677 | 33.6 | 31.1 | 36.2 | 209 | 29.8 | 25.8 | 34.2 |
| BALTIMORE METRO REGION | 491 | 35.8 | 32.7 | 39.2 | 366 | 37.1 | 33.4 | 41.2 | 104 | 29.9 | 24.4 | 36.4 |
| Anne Arundel | 118 | 46.3 | 38.3 | 55.6 | 99 | 45.0 | 36.5 | 55.1 | 17 | ~ | ~ | ~ |
| Baltimore City | 97 | 27.0 | 21.8 | 33.0 | 35 | 28.1 | 19.4 | 40.5 | 58 | 25.6 | 19.4 | 33.2 |
| Baltimore County | 157 | 35.3 | 29.9 | 41.4 | 128 | 35.0 | 29.1 | 42.0 | 21 | ~ | ~ | ~ |
| Carroll | 30 | 36.9 | 24.9 | 54.1 | 29 | 36.9 | 24.6 | 54.4 | ~ | ~ | ~ | ~ |
| Harford | 35 | 31.1 | 21.7 | 44.0 | 32 | 31.2 | 21.3 | 45.0 | ~ | ~ | ~ | ~ |
| Howard | 54 | 42.8 | 31.9 | 56.8 | 43 | 43.4 | 31.2 | 59.7 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 79 | 33.5 | 26.5 | 42.0 | 62 | 30.8 | 23.6 | 39.9 | 16 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 21 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 252 | 29.0 | 25.5 | 32.8 | 150 | 29.9 | 25.3 | 35.2 | 78 | 26.4 | 20.6 | 34.0 |
| Montgomery | 150 | 31.1 | 26.3 | 36.6 | 110 | 30.3 | 24.9 | 36.8 | 21 | ~ | ~ | ~ |
| Prince George's | 102 | 26.6 | 21.6 | 32.6 | 40 | 28.6 | 20.4 | 39.6 | 57 | 25.5 | 18.9 | 34.5 |
| NORTHWEST REGION | 79 | 33.5 | 26.5 | 42.0 | 76 | 33.7 | 26.5 | 42.4 | ~ | ~ | ~ | ~ |
| Allegany | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 39 | 40.7 | 28.9 | 56.2 | 37 | 41.1 | 28.9 | 57.4 | ~ | ~ | ~ | ~ |
| Garrett | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 32 | 23.3 | 15.9 | 33.3 | 23 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Calvert | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Cervix

Table I.33. Number of Cervical Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 226 | 7.9 | 6.9 | 9.0 | 124 | 6.4 | 5.3 | 7.7 | 78 | 10.7 | 8.4 | 13.5 |
| BALTIMORE METRO REGION | 107 | 7.9 | 6.4 | 9.5 | 50 | 5.2 | 3.9 | 7.0 | 51 | 14.2 | 10.5 | 18.8 |
| Anne Arundel | 16 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 45 | 12.5 | 9.1 | 16.9 | 10 | ~ | ~ | ~ | 34 | 15.2 | 10.5 | 21.3 |
| Baltimore County | 26 | 6.1 | 4.0 | 9.1 | 16 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 28 | 12.6 | 8.4 | 18.5 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 68 | 7.5 | 5.8 | 9.6 | 29 | 6.1 | 4.1 | 8.9 | 23 | ~ | ~ | ~ |
| Montgomery | 31 | 6.5 | 4.4 | 9.3 | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 37 | 8.8 | 6.1 | 12.5 | 12 | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| NORTHWEST REGION | 16 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Uterus

Table I.34. Number of Uterine Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 581 | 20.6 | 18.9 | 22.3 | 462 | 22.3 | 20.3 | 24.5 | 99 | 16.0 | 13.0 | 19.6 |
| BALTIMORE METRO REGION | 295 | 21.3 | 18.9 | 23.9 | 234 | 23.1 | 20.2 | 26.3 | 54 | 16.6 | 12.4 | 21.7 |
| Anne Arundel | 61 | 24.9 | 19.0 | 32.2 | 54 | 25.2 | 18.9 | 33.2 | ~ | ~ | ~ | ~ |
| Baltimore City | 78 | 20.4 | 16.1 | 25.6 | 38 | 27.2 | 19.0 | 38.9 | 40 | 17.5 | 12.5 | 23.9 |
| Baltimore County | 99 | 21.6 | 17.5 | 26.4 | 89 | 23.2 | 18.5 | 28.9 | 7 | ~ | ~ | ~ |
| Carroll | 21 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 22 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 52 | 21.2 | 15.8 | 28.1 | 43 | 20.6 | 14.9 | 28.2 | 9 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 165 | 20.0 | 17.0 | 23.3 | 120 | 23.4 | 19.4 | 28.1 | 34 | 14.3 | 9.6 | 21.0 |
| Montgomery | 91 | 18.8 | 15.1 | 23.2 | 74 | 19.5 | 15.3 | 24.9 | 9 | ~ | ~ | ~ |
| Prince George's | 74 | 21.1 | 16.5 | 26.7 | 46 | 31.4 | 22.9 | 42.5 | 25 | ~ | ~ | ~ |
| NORTHWEST REGION | 49 | 20.4 | 15.1 | 27.2 | 46 | 19.9 | 14.5 | 26.8 | ~ | ~ | ~ | ~ |
| Allegany | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 17 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Ovary

Table I.35. Number of Ovarian Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 390 | 13.8 | 12.5 | 15.2 | 294 | 14.5 | 12.8 | 16.2 | 66 | 10.5 | 8.0 | 13.4 |
| BALTIMORE METRO REGION | 196 | 14.1 | 12.2 | 16.3 | 152 | 15.1 | 12.8 | 17.8 | 35 | 10.8 | 7.5 | 15.1 |
| Anne Arundel | 45 | 18.1 | 13.2 | 24.4 | 36 | 16.7 | 11.7 | 23.4 | 8 | ~ | ~ | ~ |
| Baltimore City | 50 | 13.1 | 9.7 | 17.5 | 29 | 21.7 | 14.2 | 32.8 | 21 | ~ | ~ | ~ |
| Baltimore County | 68 | 14.5 | 11.2 | 18.6 | 60 | 14.9 | 11.3 | 19.7 | ~ | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 30 | 12.7 | 8.6 | 18.4 | 27 | 13.7 | 9.0 | 20.3 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 116 | 13.7 | 11.3 | 16.5 | 73 | 14.5 | 11.4 | 18.4 | 24 | ~ | ~ | ~ |
| Montgomery | 70 | 14.8 | 11.5 | 18.9 | 54 | 15.0 | 11.3 | 19.9 | ~ | ~ | ~ | ~ |
| Prince George's | 46 | 12.6 | 9.1 | 17.0 | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| NORTHWEST REGION | 35 | 15.0 | 10.4 | 21.1 | 32 | 14.3 | 9.8 | 20.5 | ~ | ~ | ~ | ~ |
| Allegany | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Prostate

Table I.36. Number of Prostate Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|-------|-------------|-------------|-------|-------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 4080 | 187.2 | 181.3 | 193.1 | 2702 | 161.8 | 155.7 | 168.2 | 1059 | 239.0 | 223.9 | 255.2 |
| BALTIMORE METRO REGION | 2001 | 189.3 | 180.9 | 198.0 | 1359 | 166.8 | 157.9 | 176.1 | 514 | 231.6 | 211.3 | 254.0 |
| Anne Arundel | 347 | 170.6 | 152.5 | 191.1 | 280 | 156.1 | 137.7 | 177.3 | 51 | 256.2 | 188.6 | 350.5 |
| Baltimore City | 516 | 191.9 | 175.6 | 209.5 | 157 | 134.5 | 114.2 | 158.1 | 319 | 216.6 | 192.9 | 243.3 |
| Baltimore County | 742 | 205.1 | 190.5 | 220.7 | 573 | 180.9 | 166.2 | 196.6 | 109 | 280.5 | 226.4 | 349.6 |
| Carroll | 94 | 157.7 | 126.5 | 196.0 | 88 | 152.7 | 121.6 | 191.1 | ~ | ~ | ~ | ~ |
| Harford | 165 | 192.9 | 163.1 | 228.6 | 152 | 189.1 | 159.1 | 225.4 | 8 | ~ | ~ | ~ |
| Howard | 137 | 168.3 | 139.6 | 202.7 | 109 | 168.6 | 136.9 | 207.0 | 23 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 299 | 141.8 | 126.0 | 159.5 | 244 | 133.7 | 117.2 | 152.4 | 45 | 165.7 | 120.6 | 224.4 |
| Caroline | 18 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 62 | 181.9 | 137.3 | 241.3 | 56 | 172.4 | 128.0 | 232.2 | ~ | ~ | ~ | ~ |
| Dorchester | 20 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 21 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 36 | 152.0 | 106.2 | 219.8 | 30 | 144.1 | 96.8 | 221.4 | ~ | ~ | ~ | ~ |
| Wicomico | 57 | 152.8 | 115.0 | 202.4 | 36 | 118.7 | 82.6 | 169.6 | 18 | ~ | ~ | ~ |
| Worcester | 49 | 149.7 | 109.1 | 205.1 | 45 | 156.8 | 112.2 | 220.7 | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 1262 | 202.7 | 191.3 | 214.7 | 676 | 166.7 | 154.3 | 180.0 | 451 | 258.8 | 231.8 | 289.6 |
| Montgomery | 643 | 180.8 | 166.9 | 195.7 | 472 | 165.0 | 150.3 | 180.8 | 95 | 268.6 | 213.4 | 338.1 |
| Prince George's | 619 | 231.2 | 212.1 | 252.3 | 204 | 170.8 | 147.8 | 197.4 | 356 | 256.0 | 225.3 | 292.2 |
| NORTHWEST REGION | 327 | 171.9 | 153.5 | 192.3 | 294 | 160.2 | 142.2 | 180.3 | 8 | ~ | ~ | ~ |
| Allegany | 66 | 154.1 | 118.9 | 198.3 | 65 | 154.5 | 118.9 | 199.1 | ~ | ~ | ~ | ~ |
| Frederick | 124 | 182.9 | 151.0 | 220.7 | 95 | 147.2 | 118.2 | 182.7 | 6 | ~ | ~ | ~ |
| Garrett | 35 | 212.0 | 147.1 | 300.9 | 35 | 213.1 | 147.8 | 302.5 | ~ | ~ | ~ | ~ |
| Washington | 102 | 163.4 | 132.9 | 200.1 | 99 | 164.5 | 133.4 | 201.9 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 179 | 176.5 | 150.2 | 207.6 | 128 | 147.9 | 121.9 | 179.8 | 40 | 262.7 | 184.9 | 370.8 |
| Calvert | 47 | 178.2 | 127.5 | 248.5 | 30 | 125.9 | 81.3 | 195.2 | 10 | ~ | ~ | ~ |
| Charles | 84 | 211.6 | 165.1 | 272.0 | 58 | 182.0 | 134.4 | 247.3 | 22 | ~ | ~ | ~ |
| Saint Mary's | 48 | 137.6 | 100.8 | 187.6 | 40 | 131.3 | 93.0 | 185.6 | 8 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Testis

Table I.37. Number of Testicular Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 125 | 4.7 | 3.9 | 5.7 | 112 | 6.4 | 5.3 | 7.8 | 10 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 60 | 4.8 | 3.7 | 6.3 | 56 | 6.5 | 4.9 | 8.6 | ~ | ~ | ~ | ~ |
| Anne Arundel | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 31 | 3.7 | 2.5 | 5.6 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 21 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table I.38. Number of Urinary Bladder Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 984 | 20.0 | 18.8 | 21.3 | 847 | 22.4 | 20.9 | 24.0 | 90 | 9.1 | 7.3 | 11.4 |
| BALTIMORE METRO REGION | 533 | 21.9 | 20.1 | 23.8 | 469 | 25.2 | 22.9 | 27.6 | 49 | 9.4 | 6.9 | 12.6 |
| Anne Arundel | 94 | 22.5 | 18.1 | 27.8 | 88 | 23.8 | 19.0 | 29.5 | ~ | ~ | ~ | ~ |
| Baltimore City | 106 | 16.0 | 13.1 | 19.3 | 69 | 23.8 | 18.4 | 30.8 | 36 | 10.0 | 7.0 | 14.0 |
| Baltimore County | 203 | 23.8 | 20.6 | 27.4 | 191 | 25.5 | 22.0 | 29.5 | ~ | ~ | ~ | ~ |
| Carroll | 41 | 29.6 | 21.2 | 40.6 | 39 | 29.0 | 20.6 | 40.1 | ~ | ~ | ~ | ~ |
| Harford | 58 | 31.4 | 23.6 | 41.1 | 55 | 32.6 | 24.4 | 43.0 | ~ | ~ | ~ | ~ |
| Howard | 31 | 18.2 | 12.2 | 26.2 | 27 | 19.8 | 12.9 | 29.2 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 88 | 19.3 | 15.5 | 23.9 | 80 | 20.4 | 16.2 | 25.6 | 8 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 19 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 204 | 15.0 | 13.0 | 17.3 | 151 | 16.2 | 13.7 | 19.1 | 29 | 8.3 | 5.3 | 12.6 |
| Montgomery | 130 | 16.0 | 13.3 | 19.0 | 107 | 16.0 | 13.1 | 19.5 | 6 | ~ | ~ | ~ |
| Prince George's | 74 | 13.9 | 10.8 | 17.7 | 44 | 17.1 | 12.4 | 23.3 | 23 | ~ | ~ | ~ |
| NORTHWEST REGION | 115 | 26.0 | 21.5 | 31.3 | 109 | 25.6 | 21.0 | 31.0 | ~ | ~ | ~ | ~ |
| Allegany | 22 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 45 | 27.9 | 20.3 | 37.5 | 41 | 27.0 | 19.3 | 36.9 | ~ | ~ | ~ | ~ |
| Garrett | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 37 | 25.4 | 17.9 | 35.3 | 36 | 25.5 | 17.8 | 35.8 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 43 | 20.6 | 14.8 | 28.2 | 37 | 21.6 | 15.1 | 30.3 | ~ | ~ | ~ | ~ |
| Calvert | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 16 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table I.39. Number of Urinary Bladder Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 718 | 35.5 | 32.9 | 38.3 | 637 | 40.3 | 37.2 | 43.7 | 54 | 13.9 | 10.1 | 19.0 |
| BALTIMORE METRO REGION | 387 | 39.0 | 35.1 | 43.3 | 348 | 44.8 | 40.1 | 50.0 | 29 | 15.6 | 10.1 | 23.7 |
| Anne Arundel | 74 | 42.0 | 32.4 | 54.5 | 69 | 43.8 | 33.5 | 57.2 | ~ | ~ | ~ | ~ |
| Baltimore City | 65 | 25.9 | 19.9 | 33.4 | 45 | 39.2 | 28.5 | 53.3 | 20 | ~ | ~ | ~ |
| Baltimore County | 151 | 42.8 | 36.2 | 50.5 | 143 | 45.7 | 38.4 | 54.1 | ~ | ~ | ~ | ~ |
| Carroll | 34 | 60.2 | 40.9 | 87.2 | 32 | 57.5 | 38.7 | 84.2 | ~ | ~ | ~ | ~ |
| Harford | 41 | 51.6 | 35.8 | 74.0 | 39 | 53.8 | 37.0 | 77.8 | ~ | ~ | ~ | ~ |
| Howard | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 65 | 31.9 | 24.5 | 41.3 | 61 | 34.8 | 26.5 | 45.5 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 152 | 27.6 | 23.2 | 32.6 | 120 | 31.5 | 26.0 | 37.9 | 18 | ~ | ~ | ~ |
| Montgomery | 102 | 30.5 | 24.8 | 37.2 | 89 | 32.3 | 25.9 | 39.9 | ~ | ~ | ~ | ~ |
| Prince George's | 50 | 23.3 | 16.6 | 32.4 | 31 | 30.8 | 20.4 | 45.5 | 13 | ~ | ~ | ~ |
| NORTHWEST REGION | 81 | 44.7 | 35.3 | 56.2 | 79 | 45.4 | 35.8 | 57.2 | ~ | ~ | ~ | ~ |
| Allegany | 17 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 32 | 48.5 | 32.6 | 70.9 | 31 | 50.1 | 33.5 | 73.7 | ~ | ~ | ~ | ~ |
| Garrett | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 26 | 44.3 | 28.6 | 66.7 | 26 | 45.8 | 29.6 | 69.0 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 32 | 34.1 | 22.6 | 51.1 | 28 | 36.8 | 23.5 | 56.8 | ~ | ~ | ~ | ~ |
| Calvert | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table I.40. Number of Urinary Bladder Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 266 | 9.4 | 8.3 | 10.6 | 210 | 9.7 | 8.4 | 11.2 | 36 | 6.2 | 4.3 | 8.7 |
| BALTIMORE METRO REGION | 146 | 10.3 | 8.7 | 12.2 | 121 | 11.3 | 9.4 | 13.6 | 20 | ~ | ~ | ~ |
| Anne Arundel | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 41 | 9.9 | 7.1 | 13.6 | 24 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Baltimore County | 52 | 10.7 | 8.0 | 14.2 | 48 | 11.2 | 8.2 | 15.3 | ~ | ~ | ~ | ~ |
| Carroll | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 17 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 23 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 52 | 6.5 | 4.9 | 8.6 | 31 | 5.6 | 3.8 | 8.2 | 11 | ~ | ~ | ~ |
| Montgomery | 28 | 5.9 | 3.9 | 8.7 | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 24 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 34 | 13.7 | 9.5 | 19.4 | 30 | 12.5 | 8.4 | 18.2 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table I.41. Number of Kidney and Renal Pelvis Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 553 | 10.8 | 9.9 | 11.8 | 409 | 10.8 | 9.8 | 11.9 | 136 | 11.4 | 9.5 | 13.6 |
| BALTIMORE METRO REGION | 279 | 11.2 | 9.9 | 12.6 | 207 | 11.1 | 9.7 | 12.8 | 70 | 11.6 | 9.0 | 14.8 |
| Anne Arundel | 53 | 11.7 | 8.7 | 15.6 | 45 | 11.4 | 8.3 | 15.5 | 8 | ~ | ~ | ~ |
| Baltimore City | 75 | 11.5 | 9.1 | 14.5 | 33 | 12.7 | 8.6 | 18.4 | 42 | 10.7 | 7.7 | 14.6 |
| Baltimore County | 95 | 11.5 | 9.3 | 14.1 | 81 | 11.4 | 9.0 | 14.3 | 13 | ~ | ~ | ~ |
| Carroll | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 23 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 14 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 50 | 11.0 | 8.2 | 14.7 | 42 | 10.9 | 7.8 | 14.9 | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 138 | 9.3 | 7.7 | 11.0 | 80 | 8.7 | 6.9 | 10.8 | 53 | 10.7 | 7.7 | 14.8 |
| Montgomery | 74 | 8.9 | 7.0 | 11.2 | 56 | 8.5 | 6.4 | 11.2 | 13 | ~ | ~ | ~ |
| Prince George's | 64 | 9.6 | 7.3 | 12.6 | 24 | ~ | ~ | ~ | 40 | 9.8 | 6.7 | 14.6 |
| NORTHWEST REGION | 62 | 14.0 | 10.8 | 18.0 | 61 | 14.5 | 11.1 | 18.7 | ~ | ~ | ~ | ~ |
| Allegany | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 27 | 18.8 | 12.4 | 27.7 | 27 | 19.6 | 12.9 | 29.0 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 24 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table I.42. Number of Kidney and Renal Pelvis Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 347 | 15.4 | 13.8 | 17.2 | 267 | 15.8 | 14.0 | 17.9 | 75 | 15.2 | 11.7 | 19.9 |
| BALTIMORE METRO REGION | 167 | 15.3 | 13.0 | 18.0 | 129 | 15.7 | 13.0 | 18.8 | 37 | 14.2 | 9.9 | 20.8 |
| Anne Arundel | 34 | 17.0 | 11.3 | 25.6 | 31 | 17.8 | 11.6 | 27.4 | ~ | ~ | ~ | ~ |
| Baltimore City | 40 | 14.7 | 10.5 | 20.4 | 17 | ~ | ~ | ~ | 23 | ~ | ~ | ~ |
| Baltimore County | 56 | 15.6 | 11.8 | 20.5 | 49 | 16.0 | 11.8 | 21.3 | 7 | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 17 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 31 | 15.4 | 10.3 | 22.6 | 28 | 15.4 | 10.2 | 23.2 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 87 | 13.4 | 10.7 | 16.9 | 52 | 12.8 | 9.5 | 17.0 | 32 | 15.7 | 10.2 | 25.9 |
| Montgomery | 43 | 12.1 | 8.7 | 16.5 | 36 | 12.6 | 8.8 | 17.7 | ~ | ~ | ~ | ~ |
| Prince George's | 44 | 15.1 | 10.7 | 21.6 | 16 | ~ | ~ | ~ | 28 | 16.2 | 10.0 | 29.3 |
| NORTHWEST REGION | 45 | 23.1 | 16.8 | 31.5 | 44 | 23.8 | 17.2 | 32.5 | ~ | ~ | ~ | ~ |
| Allegany | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 17 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table I.43. Number of Kidney and Renal Pelvis Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 206 | 7.3 | 6.3 | 8.4 | 142 | 6.8 | 5.7 | 8.1 | 61 | 8.9 | 6.7 | 11.5 |
| BALTIMORE METRO REGION | 112 | 8.1 | 6.7 | 9.8 | 78 | 7.6 | 6.0 | 9.5 | 33 | 9.5 | 6.6 | 13.5 |
| Anne Arundel | 19 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 35 | 9.4 | 6.5 | 13.2 | 16 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| Baltimore County | 39 | 8.3 | 5.9 | 11.5 | 32 | 7.8 | 5.3 | 11.4 | 6 | ~ | ~ | ~ |
| Carroll | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 19 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 51 | 5.9 | 4.4 | 7.9 | 28 | 5.3 | 3.5 | 7.8 | 21 | ~ | ~ | ~ |
| Montgomery | 31 | 6.4 | 4.4 | 9.3 | 20 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Prince George's | 20 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| NORTHWEST REGION | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table I.44. Number of Brain and Other Nervous System Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 350 | 6.7 | 6.0 | 7.5 | 266 | 7.3 | 6.4 | 8.2 | 69 | 5.2 | 4.0 | 6.8 |
| BALTIMORE METRO REGION | 175 | 7.0 | 6.0 | 8.1 | 135 | 7.5 | 6.3 | 8.9 | 36 | 5.4 | 3.7 | 7.6 |
| Anne Arundel | 30 | 6.2 | 4.2 | 9.1 | 24 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore City | 35 | 5.3 | 3.7 | 7.4 | 13 | ~ | ~ | ~ | 21 | ~ | ~ | ~ |
| Baltimore County | 50 | 6.2 | 4.6 | 8.2 | 46 | 7.1 | 5.1 | 9.6 | ~ | ~ | ~ | ~ |
| Carroll | 18 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 27 | 14.0 | 9.1 | 20.9 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 15 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 108 | 6.9 | 5.6 | 8.3 | 69 | 7.6 | 5.9 | 9.6 | 28 | 6.0 | 3.7 | 9.5 |
| Montgomery | 67 | 7.6 | 5.9 | 9.7 | 51 | 7.7 | 5.7 | 10.3 | ~ | ~ | ~ | ~ |
| Prince George's | 41 | 6.2 | 4.4 | 8.7 | 18 | ~ | ~ | ~ | 23 | ~ | ~ | ~ |
| NORTHWEST REGION | 35 | 8.0 | 5.6 | 11.2 | 34 | 8.3 | 5.7 | 11.7 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table I.45. Number of Brain and Other Nervous System Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 199 | 8.3 | 7.2 | 9.7 | 154 | 9.0 | 7.6 | 10.6 | 35 | 5.8 | 3.9 | 8.9 |
| BALTIMORE METRO REGION | 100 | 8.8 | 7.1 | 10.9 | 81 | 9.8 | 7.7 | 12.3 | 18 | ~ | ~ | ~ |
| Anne Arundel | 20 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore City | 19 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Baltimore County | 25 | ~ | ~ | ~ | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 65 | 9.0 | 6.8 | 11.7 | 42 | 9.9 | 7.1 | 13.6 | 14 | ~ | ~ | ~ |
| Montgomery | 39 | 9.2 | 6.5 | 12.9 | 28 | 8.8 | 5.8 | 13.0 | ~ | ~ | ~ | ~ |
| Prince George's | 26 | 9.7 | 6.0 | 15.9 | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| NORTHWEST REGION | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table I.46. Number of Brain and Other Nervous System Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 151 | 5.4 | 4.6 | 6.4 | 112 | 5.8 | 4.8 | 7.0 | 34 | 4.7 | 3.2 | 6.7 |
| BALTIMORE METRO REGION | 75 | 5.6 | 4.4 | 7.1 | 54 | 5.7 | 4.3 | 7.6 | 18 | ~ | ~ | ~ |
| Anne Arundel | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| Baltimore County | 25 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 43 | 5.0 | 3.6 | 6.8 | 27 | 5.6 | 3.7 | 8.3 | 14 | ~ | ~ | ~ |
| Montgomery | 28 | 5.9 | 3.9 | 8.7 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| NORTHWEST REGION | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table I.47. Number of Thyroid Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 490 | 9.1 | 8.3 | 10.0 | 359 | 9.7 | 8.7 | 10.8 | 86 | 6.6 | 5.3 | 8.3 |
| BALTIMORE METRO REGION | 228 | 8.9 | 7.8 | 10.2 | 173 | 9.6 | 8.2 | 11.2 | 41 | 6.7 | 4.8 | 9.3 |
| Anne Arundel | 48 | 9.8 | 7.2 | 13.2 | 37 | 9.0 | 6.3 | 12.6 | ~ | ~ | ~ | ~ |
| Baltimore City | 39 | 6.1 | 4.3 | 8.3 | 17 | ~ | ~ | ~ | 22 | ~ | ~ | ~ |
| Baltimore County | 75 | 9.5 | 7.5 | 12.0 | 55 | 8.9 | 6.7 | 11.7 | 15 | ~ | ~ | ~ |
| Carroll | 23 | ~ | ~ | ~ | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 28 | 10.7 | 7.1 | 16.1 | 26 | 12.9 | 8.4 | 19.6 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 172 | 10.2 | 8.8 | 11.9 | 109 | 11.9 | 9.8 | 14.4 | 38 | 7.2 | 5.0 | 10.6 |
| Montgomery | 111 | 12.2 | 10.0 | 14.8 | 84 | 12.8 | 10.2 | 16.0 | 9 | ~ | ~ | ~ |
| Prince George's | 61 | 8.0 | 6.1 | 10.5 | 25 | ~ | ~ | ~ | 29 | 7.0 | 4.5 | 11.2 |
| NORTHWEST REGION | 37 | 8.2 | 5.8 | 11.4 | 33 | 7.9 | 5.4 | 11.2 | ~ | ~ | ~ | ~ |
| Allegany | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 29 | 10.6 | 7.0 | 15.7 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table I.48. Number of Thyroid Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 115 | 4.6 | 3.8 | 5.6 | 85 | 4.7 | 3.8 | 5.9 | 21 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 51 | 4.2 | 3.1 | 5.6 | 41 | 4.7 | 3.3 | 6.5 | 6 | ~ | ~ | ~ |
| Anne Arundel | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 18 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 45 | 6.2 | 4.5 | 8.6 | 27 | 6.2 | 4.1 | 9.2 | 15 | ~ | ~ | ~ |
| Montgomery | 27 | 6.5 | 4.3 | 9.8 | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 18 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table I.49. Number of Thyroid Cancer Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 374 | 13.2 | 11.9 | 14.6 | 273 | 14.4 | 12.8 | 16.3 | 65 | 8.8 | 6.7 | 11.3 |
| BALTIMORE METRO REGION | 177 | 13.1 | 11.3 | 15.2 | 132 | 14.2 | 11.9 | 16.9 | 35 | 10.0 | 7.0 | 14.0 |
| Anne Arundel | 36 | 14.5 | 10.1 | 20.2 | 26 | 12.6 | 8.2 | 18.8 | ~ | ~ | ~ | ~ |
| Baltimore City | 34 | 9.6 | 6.6 | 13.5 | 14 | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| Baltimore County | 57 | 13.5 | 10.2 | 17.7 | 44 | 13.4 | 9.7 | 18.3 | 11 | ~ | ~ | ~ |
| Carroll | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 18 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 126 | 13.8 | 11.5 | 16.5 | 81 | 17.5 | 13.9 | 21.9 | 23 | ~ | ~ | ~ |
| Montgomery | 83 | 17.2 | 13.7 | 21.5 | 62 | 18.4 | 14.0 | 23.9 | ~ | ~ | ~ | ~ |
| Prince George's | 43 | 10.0 | 7.2 | 13.7 | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| NORTHWEST REGION | 31 | 13.7 | 9.3 | 19.6 | 28 | 13.0 | 8.6 | 19.0 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table I.50. Number of Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 156 | 3.0 | 2.5 | 3.5 | 115 | 3.2 | 2.7 | 3.9 | 37 | 2.6 | 1.8 | 3.7 |
| BALTIMORE METRO REGION | 84 | 3.3 | 2.7 | 4.1 | 59 | 3.4 | 2.6 | 4.4 | 25 | ~ | ~ | ~ |
| Anne Arundel | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 26 | 4.0 | 2.6 | 5.9 | 8 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| Baltimore County | 26 | 3.4 | 2.2 | 5.0 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 43 | 2.6 | 1.9 | 3.6 | 29 | 3.3 | 2.2 | 4.8 | 10 | ~ | ~ | ~ |
| Montgomery | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 19 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| NORTHWEST REGION | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table I.51. Number of Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 82 | 3.3 | 2.6 | 4.1 | 55 | 3.2 | 2.4 | 4.2 | 26 | 4.0 | 2.6 | 6.7 |
| BALTIMORE METRO REGION | 51 | 4.2 | 3.2 | 5.7 | 33 | 3.9 | 2.7 | 5.6 | 18 | ~ | ~ | ~ |
| Anne Arundel | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Baltimore County | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 18 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Montgomery | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table I.52. Number of Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 74 | 2.7 | 2.1 | 3.4 | 60 | 3.3 | 2.5 | 4.3 | 11 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 33 | 2.5 | 1.7 | 3.5 | 26 | 2.9 | 1.9 | 4.3 | 7 | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 25 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table I.53. Number of Non-Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 882 | 17.4 | 16.3 | 18.6 | 665 | 17.7 | 16.4 | 19.1 | 168 | 14.1 | 12.0 | 16.6 |
| BALTIMORE METRO REGION | 407 | 16.5 | 14.9 | 18.2 | 307 | 16.6 | 14.8 | 18.6 | 82 | 13.3 | 10.5 | 16.7 |
| Anne Arundel | 72 | 16.6 | 12.9 | 21.1 | 59 | 15.7 | 11.9 | 20.5 | 7 | ~ | ~ | ~ |
| Baltimore City | 114 | 17.5 | 14.4 | 21.1 | 56 | 20.9 | 15.6 | 27.8 | 55 | 13.9 | 10.4 | 18.2 |
| Baltimore County | 127 | 15.2 | 12.6 | 18.1 | 110 | 15.2 | 12.4 | 18.4 | 14 | ~ | ~ | ~ |
| Carroll | 29 | 21.6 | 14.4 | 31.4 | 28 | 21.4 | 14.2 | 31.3 | ~ | ~ | ~ | ~ |
| Harford | 39 | 19.7 | 13.9 | 27.6 | 37 | 20.5 | 14.3 | 28.9 | ~ | ~ | ~ | ~ |
| Howard | 26 | 11.4 | 7.3 | 17.4 | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 78 | 17.5 | 13.8 | 21.9 | 72 | 18.9 | 14.8 | 24.0 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 268 | 18.3 | 16.1 | 20.7 | 167 | 18.0 | 15.4 | 21.0 | 75 | 17.5 | 13.3 | 23.0 |
| Montgomery | 155 | 18.4 | 15.6 | 21.6 | 121 | 18.2 | 15.1 | 21.8 | 19 | ~ | ~ | ~ |
| Prince George's | 113 | 17.7 | 14.4 | 21.6 | 46 | 17.7 | 12.9 | 23.8 | 56 | 16.3 | 11.7 | 22.6 |
| NORTHWEST REGION | 86 | 19.4 | 15.5 | 24.0 | 82 | 19.3 | 15.4 | 24.1 | ~ | ~ | ~ | ~ |
| Allegany | 22 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 21 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 39 | 27.7 | 19.7 | 38.2 | 36 | 26.7 | 18.7 | 37.5 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 43 | 19.0 | 13.6 | 26.1 | 37 | 20.0 | 14.0 | 28.1 | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 17 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table I.54. Number of Non-Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 434 | 19.5 | 17.7 | 21.5 | 322 | 19.4 | 17.3 | 21.7 | 89 | 16.5 | 12.9 | 21.3 |
| BALTIMORE METRO REGION | 192 | 17.8 | 15.3 | 20.6 | 137 | 17.1 | 14.3 | 20.4 | 44 | 15.4 | 11.1 | 21.8 |
| Anne Arundel | 40 | 21.0 | 14.6 | 30.3 | 35 | 20.9 | 14.1 | 31.0 | ~ | ~ | ~ | ~ |
| Baltimore City | 52 | 18.3 | 13.6 | 24.3 | 21 | ~ | ~ | ~ | 28 | 16.2 | 10.7 | 24.8 |
| Baltimore County | 56 | 16.0 | 12.0 | 21.0 | 45 | 15.0 | 10.9 | 20.3 | 10 | ~ | ~ | ~ |
| Carroll | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 20 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 14 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 37 | 18.8 | 13.1 | 26.5 | 32 | 19.0 | 12.9 | 27.7 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 132 | 20.5 | 17.0 | 24.7 | 84 | 20.4 | 16.3 | 25.5 | 40 | 23.0 | 14.5 | 36.4 |
| Montgomery | 76 | 20.6 | 16.1 | 26.0 | 61 | 20.9 | 15.9 | 27.0 | 11 | ~ | ~ | ~ |
| Prince George's | 56 | 20.7 | 15.0 | 28.7 | 23 | ~ | ~ | ~ | 29 | 19.7 | 11.4 | 35.2 |
| NORTHWEST REGION | 50 | 25.0 | 18.5 | 33.6 | 47 | 24.9 | 18.2 | 33.6 | ~ | ~ | ~ | ~ |
| Allegany | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 16 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 23 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table I.55. Number of Non-Hodgkin Lymphoma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 447 | 15.8 | 14.4 | 17.4 | 343 | 16.4 | 14.7 | 18.3 | 78 | 12.0 | 9.5 | 15.2 |
| BALTIMORE METRO REGION | 214 | 15.3 | 13.3 | 17.6 | 170 | 16.4 | 14.0 | 19.2 | 37 | 10.8 | 7.6 | 15.0 |
| Anne Arundel | 31 | 13.2 | 9.0 | 18.9 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 62 | 16.0 | 12.2 | 20.6 | 35 | 21.4 | 14.5 | 31.8 | 27 | 11.7 | 7.7 | 17.2 |
| Baltimore County | 71 | 14.5 | 11.3 | 18.4 | 65 | 15.6 | 11.9 | 20.3 | ~ | ~ | ~ | ~ |
| Carroll | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 12 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 41 | 17.1 | 12.2 | 23.5 | 40 | 19.9 | 14.1 | 27.5 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 136 | 16.5 | 13.9 | 19.6 | 83 | 15.7 | 12.5 | 19.7 | 35 | 14.8 | 9.9 | 21.6 |
| Montgomery | 79 | 16.5 | 13.0 | 20.7 | 60 | 15.5 | 11.8 | 20.3 | 8 | ~ | ~ | ~ |
| Prince George's | 57 | 15.9 | 11.9 | 20.8 | 23 | ~ | ~ | ~ | 27 | 14.2 | 8.9 | 22.2 |
| NORTHWEST REGION | 36 | 15.1 | 10.5 | 21.1 | 35 | 15.3 | 10.6 | 21.6 | ~ | ~ | ~ | ~ |
| Allegany | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 20 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table I.56. Number of Multiple Myeloma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 275 | 5.5 | 4.9 | 6.2 | 171 | 4.5 | 3.9 | 5.3 | 96 | 9.6 | 7.7 | 11.8 |
| BALTIMORE METRO REGION | 146 | 5.9 | 5.0 | 7.0 | 92 | 4.9 | 4.0 | 6.1 | 51 | 9.3 | 6.9 | 12.3 |
| Anne Arundel | 23 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Baltimore City | 40 | 6.0 | 4.3 | 8.2 | 11 | ~ | ~ | ~ | 29 | 7.7 | 5.1 | 11.2 |
| Baltimore County | 57 | 6.8 | 5.1 | 8.8 | 43 | 5.8 | 4.2 | 7.9 | 12 | ~ | ~ | ~ |
| Carroll | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 75 | 5.4 | 4.2 | 6.8 | 37 | 4.0 | 2.8 | 5.5 | 34 | 11.4 | 7.6 | 16.5 |
| Montgomery | 33 | 4.0 | 2.7 | 5.7 | 25 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Prince George's | 42 | 7.9 | 5.6 | 10.8 | 12 | ~ | ~ | ~ | 28 | 12.8 | 8.1 | 19.4 |
| NORTHWEST REGION | 28 | 6.3 | 4.2 | 9.2 | 27 | 6.4 | 4.2 | 9.4 | ~ | ~ | ~ | ~ |
| Allegany | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table I.57. Number of Multiple Myeloma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 148 | 7.0 | 5.9 | 8.3 | 94 | 5.9 | 4.8 | 7.3 | 51 | 11.4 | 8.3 | 15.8 |
| BALTIMORE METRO REGION | 81 | 7.6 | 6.0 | 9.6 | 50 | 6.2 | 4.6 | 8.4 | 30 | 12.7 | 8.5 | 19.3 |
| Anne Arundel | 15 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore City | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Baltimore County | 37 | 10.5 | 7.4 | 14.7 | 27 | 8.9 | 5.8 | 13.2 | 9 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 42 | 7.1 | 5.0 | 9.9 | 24 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Montgomery | 20 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 22 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| NORTHWEST REGION | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table I.58. Number of Multiple Myeloma Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 127 | 4.5 | 3.8 | 5.4 | 77 | 3.6 | 2.9 | 4.6 | 45 | 7.9 | 5.7 | 10.7 |
| BALTIMORE METRO REGION | 65 | 4.6 | 3.6 | 5.9 | 42 | 3.9 | 2.8 | 5.4 | 21 | ~ | ~ | ~ |
| Anne Arundel | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 21 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Baltimore County | 20 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 33 | 4.2 | 2.9 | 6.0 | 13 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| Montgomery | 13 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| NORTHWEST REGION | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

Table I.59. Number of Leukemia Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 542 | 10.8 | 9.9 | 11.8 | 412 | 11.1 | 10.1 | 12.3 | 101 | 8.8 | 7.1 | 10.9 |
| BALTIMORE METRO REGION | 255 | 10.4 | 9.2 | 11.8 | 189 | 10.3 | 8.9 | 11.9 | 59 | 10.0 | 7.5 | 13.0 |
| Anne Arundel | 44 | 9.9 | 7.1 | 13.5 | 38 | 9.9 | 7.0 | 13.9 | ~ | ~ | ~ | ~ |
| Baltimore City | 62 | 9.4 | 7.2 | 12.1 | 23 | ~ | ~ | ~ | 36 | 9.4 | 6.5 | 13.1 |
| Baltimore County | 96 | 11.4 | 9.2 | 14.0 | 81 | 11.0 | 8.7 | 13.8 | 14 | ~ | ~ | ~ |
| Carroll | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 21 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 17 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 51 | 11.6 | 8.7 | 15.4 | 44 | 11.8 | 8.5 | 16.0 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 158 | 10.9 | 9.2 | 12.8 | 104 | 11.4 | 9.3 | 13.8 | 34 | 7.5 | 4.9 | 11.3 |
| Montgomery | 94 | 11.2 | 9.0 | 13.7 | 73 | 10.9 | 8.6 | 13.9 | 6 | ~ | ~ | ~ |
| Prince George's | 64 | 10.6 | 8.0 | 13.8 | 31 | 12.4 | 8.4 | 17.9 | 28 | 7.7 | 4.7 | 12.5 |
| NORTHWEST REGION | 51 | 11.6 | 8.7 | 15.4 | 51 | 12.3 | 9.1 | 16.3 | ~ | ~ | ~ | ~ |
| Allegany | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 20 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 20 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 27 | 12.7 | 8.3 | 18.9 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

Table I.60. Number of Leukemia Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 289 | 13.6 | 12.0 | 15.3 | 222 | 13.9 | 12.1 | 15.9 | 49 | 11.3 | 8.1 | 15.9 |
| BALTIMORE METRO REGION | 140 | 13.4 | 11.2 | 15.9 | 104 | 13.1 | 10.7 | 16.1 | 32 | 13.8 | 9.2 | 20.7 |
| Anne Arundel | 23 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 33 | 11.8 | 8.1 | 16.8 | 9 | ~ | ~ | ~ | 22 | ~ | ~ | ~ |
| Baltimore County | 50 | 13.9 | 10.3 | 18.6 | 44 | 13.8 | 10.0 | 18.8 | 6 | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 25 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 80 | 13.4 | 10.5 | 17.0 | 55 | 14.5 | 10.8 | 19.0 | 12 | ~ | ~ | ~ |
| Montgomery | 60 | 17.0 | 12.9 | 22.2 | 45 | 16.1 | 11.7 | 21.8 | ~ | ~ | ~ | ~ |
| Prince George's | 20 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| NORTHWEST REGION | 32 | 15.8 | 10.8 | 23.0 | 32 | 16.9 | 11.5 | 24.4 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

Table I.61. Number of Leukemia Cases, Age-Adjusted Incidence Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 253 | 8.9 | 7.9 | 10.1 | 190 | 9.1 | 7.9 | 10.6 | 52 | 7.5 | 5.5 | 9.9 |
| BALTIMORE METRO REGION | 115 | 8.3 | 6.9 | 10.0 | 85 | 8.3 | 6.6 | 10.4 | 27 | 7.5 | 5.0 | 11.1 |
| Anne Arundel | 21 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 29 | 7.5 | 5.0 | 10.9 | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| Baltimore County | 46 | 9.8 | 7.1 | 13.2 | 37 | 9.3 | 6.4 | 13.2 | 8 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 26 | 10.9 | 7.1 | 16.2 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 78 | 9.4 | 7.4 | 11.8 | 49 | 9.5 | 7.0 | 12.7 | 22 | ~ | ~ | ~ |
| Montgomery | 34 | 7.0 | 4.8 | 9.9 | 28 | 7.4 | 4.8 | 11.0 | ~ | ~ | ~ | ~ |
| Prince George's | 44 | 12.6 | 9.1 | 17.2 | 21 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| NORTHWEST REGION | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

VII. CANCER MORTALITY

All Sites

Table M.1. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|-------|-------------|-------------|-------|-------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 10241 | 209.1 | 205.0 | 213.2 | 7601 | 201.8 | 197.2 | 206.4 | 2451 | 246.0 | 236.0 | 256.4 |
| BALTIMORE METRO REGION | 5398 | 222.6 | 216.7 | 228.6 | 3915 | 210.7 | 204.1 | 217.4 | 1422 | 269.2 | 255.1 | 283.9 |
| Anne Arundel | 897 | 217.2 | 202.9 | 232.3 | 769 | 211.2 | 196.2 | 227.0 | 118 | 290.7 | 238.7 | 351.8 |
| Baltimore City | 1716 | 259.3 | 247.2 | 271.9 | 704 | 240.4 | 222.5 | 259.7 | 1000 | 274.2 | 257.3 | 291.9 |
| Baltimore County | 1852 | 216.9 | 207.1 | 227.1 | 1610 | 213.2 | 202.8 | 224.1 | 218 | 267.1 | 230.8 | 308.1 |
| Carroll | 257 | 188.2 | 165.8 | 213.1 | 248 | 186.6 | 164.0 | 211.8 | 8 | ~ | ~ | ~ |
| Harford | 358 | 195.9 | 175.7 | 218.1 | 327 | 194.2 | 173.3 | 217.2 | 29 | 244.4 | 160.1 | 364.9 |
| Howard | 318 | 186.0 | 165.4 | 208.7 | 257 | 184.6 | 162.1 | 209.5 | 49 | 234.3 | 168.5 | 320.8 |
| EASTERN SHORE REGION | 995 | 222.5 | 208.8 | 236.8 | 829 | 216.6 | 202.1 | 232.1 | 163 | 262.2 | 223.5 | 305.9 |
| Caroline | 83 | 260.7 | 207.7 | 324.7 | 64 | 235.6 | 181.4 | 302.9 | 19 | ~ | ~ | ~ |
| Cecil | 176 | 238.9 | 204.4 | 278.2 | 169 | 240.1 | 204.8 | 280.5 | 7 | ~ | ~ | ~ |
| Dorchester | 83 | 202.5 | 161.1 | 254.2 | 70 | 219.2 | 170.5 | 283.2 | 13 | ~ | ~ | ~ |
| Kent | 43 | 150.0 | 108.0 | 209.2 | 36 | 142.5 | 99.5 | 208.1 | 7 | ~ | ~ | ~ |
| Queen Anne's | 101 | 240.9 | 195.8 | 295.7 | 85 | 229.4 | 182.7 | 287.5 | 16 | ~ | ~ | ~ |
| Somerset | 71 | 270.8 | 211.2 | 344.6 | 53 | 270.7 | 202.0 | 362.3 | 17 | ~ | ~ | ~ |
| Talbot | 90 | 173.7 | 139.3 | 218.4 | 76 | 167.1 | 131.3 | 216.9 | 14 | ~ | ~ | ~ |
| Wicomico | 196 | 231.1 | 199.8 | 266.0 | 149 | 219.4 | 185.5 | 258.3 | 45 | 282.0 | 205.3 | 379.3 |
| Worcester | 152 | 220.3 | 186.1 | 261.3 | 127 | 209.7 | 174.0 | 254.0 | 25 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 2471 | 179.5 | 172.4 | 186.8 | 1609 | 172.7 | 164.3 | 181.3 | 745 | 208.3 | 192.0 | 225.9 |
| Montgomery | 1297 | 157.9 | 149.4 | 166.8 | 1062 | 157.6 | 148.3 | 167.5 | 146 | 177.5 | 148.5 | 211.1 |
| Prince George's | 1174 | 211.0 | 198.6 | 224.0 | 547 | 210.0 | 192.7 | 228.6 | 599 | 219.4 | 199.8 | 240.7 |
| NORTHWEST REGION | 907 | 206.0 | 192.8 | 219.9 | 871 | 205.3 | 191.8 | 219.4 | 31 | 251.4 | 167.6 | 365.3 |
| Allegany | 210 | 211.1 | 183.3 | 243.0 | 207 | 212.3 | 184.0 | 244.7 | ~ | ~ | ~ | ~ |
| Frederick | 317 | 198.3 | 176.9 | 221.7 | 289 | 191.5 | 169.9 | 215.2 | 24 | ~ | ~ | ~ |
| Garrett | 59 | 172.2 | 130.9 | 224.2 | 59 | 173.0 | 131.6 | 225.4 | ~ | ~ | ~ | ~ |
| Washington | 321 | 221.9 | 198.2 | 247.7 | 316 | 225.0 | 200.9 | 251.7 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 470 | 224.8 | 204.4 | 246.7 | 377 | 219.4 | 197.4 | 243.5 | 90 | 264.7 | 211.5 | 328.4 |
| Calvert | 131 | 229.6 | 191.3 | 273.9 | 105 | 214.9 | 175.1 | 261.9 | 25 | ~ | ~ | ~ |
| Charles | 205 | 235.2 | 202.9 | 271.6 | 156 | 229.8 | 194.1 | 270.7 | 47 | 269.0 | 193.7 | 369.7 |
| Saint Mary's | 134 | 205.4 | 171.6 | 244.4 | 116 | 209.5 | 172.5 | 252.6 | 18 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table M.1.a. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|-------------|-------------|-------------------------------|------|-------------|-------------|------------------------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 169 | 121.6 | 101.9 | 145.0 | 17 | ~ | ~ | ~ | 42 | 48.5 | 33.3 | 69.0 |
| BALTIMORE METRO REGION | 52 | 116.1 | 82.7 | 163.0 | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 107 | 122.9 | 98.4 | 152.9 | 8 | ~ | ~ | ~ | 28 | 47.9 | 29.8 | 74.7 |
| Montgomery | 82 | 125.0 | 97.1 | 160.3 | 6 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Prince George's | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table M.2. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|-------|----------|----------|-------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 5192 | 260.5 | 253.2 | 267.9 | 3842 | 247.8 | 239.9 | 256.0 | 1262 | 333.4 | 313.5 | 354.6 |
| BALTIMORE METRO REGION | 2744 | 281.2 | 270.4 | 292.3 | 1979 | 261.5 | 249.9 | 273.7 | 739 | 369.0 | 341.1 | 399.1 |
| Anne Arundel | 454 | 263.5 | 237.8 | 291.8 | 389 | 255.8 | 229.0 | 285.6 | 60 | 361.6 | 268.6 | 483.5 |
| Baltimore City | 885 | 343.0 | 320.4 | 366.9 | 351 | 299.7 | 269.0 | 333.6 | 528 | 382.3 | 348.8 | 418.9 |
| Baltimore County | 920 | 267.2 | 250.0 | 285.5 | 804 | 263.2 | 245.1 | 282.5 | 106 | 353.8 | 282.5 | 441.7 |
| Carroll | 141 | 265.2 | 221.1 | 316.8 | 137 | 263.7 | 219.3 | 315.8 | ~ | ~ | ~ | ~ |
| Harford | 192 | 256.0 | 218.2 | 300.2 | 173 | 247.4 | 209.0 | 292.5 | 18 | ~ | ~ | ~ |
| Howard | 152 | 224.2 | 187.2 | 267.5 | 125 | 223.9 | 184.0 | 271.1 | 23 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 524 | 274.4 | 250.7 | 300.0 | 440 | 267.2 | 242.0 | 294.8 | 83 | 331.5 | 263.2 | 413.7 |
| Caroline | 41 | 300.2 | 213.9 | 414.3 | 31 | 256.9 | 173.1 | 374.9 | 10 | ~ | ~ | ~ |
| Cecil | 90 | 290.6 | 229.1 | 367.2 | 85 | 290.0 | 227.0 | 369.0 | ~ | ~ | ~ | ~ |
| Dorchester | 50 | 287.8 | 212.5 | 386.9 | 44 | 318.7 | 230.1 | 441.9 | 6 | ~ | ~ | ~ |
| Kent | 23 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 50 | 252.3 | 185.5 | 340.1 | 42 | 231.9 | 165.6 | 322.6 | 8 | ~ | ~ | ~ |
| Somerset | 41 | 381.8 | 270.5 | 528.9 | 31 | 401.8 | 267.6 | 588.7 | 10 | ~ | ~ | ~ |
| Talbot | 53 | 242.7 | 181.1 | 326.2 | 46 | 240.4 | 174.9 | 335.1 | 7 | ~ | ~ | ~ |
| Wicomico | 96 | 272.6 | 219.4 | 337.5 | 75 | 261.1 | 204.2 | 332.6 | 20 | ~ | ~ | ~ |
| Worcester | 80 | 262.9 | 205.9 | 334.8 | 66 | 242.7 | 184.5 | 319.9 | 14 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 1182 | 211.7 | 199.3 | 224.8 | 766 | 200.7 | 186.6 | 215.7 | 358 | 263.2 | 231.0 | 299.8 |
| Montgomery | 598 | 179.6 | 165.2 | 195.0 | 485 | 177.8 | 162.2 | 194.7 | 70 | 216.5 | 163.4 | 285.1 |
| Prince George's | 584 | 263.6 | 240.4 | 289.0 | 281 | 258.7 | 228.3 | 292.9 | 288 | 281.8 | 242.2 | 327.9 |
| NORTHWEST REGION | 480 | 266.7 | 242.7 | 292.7 | 459 | 265.4 | 241.1 | 291.8 | 20 | ~ | ~ | ~ |
| Allegany | 123 | 299.8 | 248.6 | 359.9 | 121 | 302.8 | 250.6 | 364.0 | ~ | ~ | ~ | ~ |
| Frederick | 172 | 261.6 | 222.2 | 307.3 | 156 | 251.5 | 211.9 | 297.6 | 15 | ~ | ~ | ~ |
| Garrett | 33 | 230.1 | 156.9 | 329.0 | 33 | 231.2 | 157.6 | 330.5 | ~ | ~ | ~ | ~ |
| Washington | 152 | 262.8 | 221.7 | 310.1 | 149 | 267.6 | 225.5 | 316.2 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 262 | 291.7 | 254.8 | 333.6 | 198 | 264.3 | 226.0 | 308.7 | 62 | 448.0 | 337.1 | 590.1 |
| Calvert | 75 | 311.2 | 239.8 | 402.4 | 55 | 256.6 | 188.2 | 348.9 | 19 | ~ | ~ | ~ |
| Charles | 109 | 287.2 | 230.6 | 358.0 | 79 | 265.5 | 204.6 | 344.2 | 29 | 388.9 | 247.7 | 614.3 |
| Saint Mary's | 78 | 272.0 | 212.3 | 345.9 | 64 | 261.2 | 198.1 | 341.5 | 14 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table M.2.a. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|-------------|-------------|-------------------------------|------|-------------|-------------|------------------------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 77 | 128.7 | 97.5 | 170.1 | 8 | ~ | ~ | ~ | 26 | 81.0 | 48.8 | 130.4 |
| BALTIMORE METRO REGION | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 51 | 137.8 | 97.8 | 193.1 | ~ | ~ | ~ | ~ | 17 | ~ | ~ | ~ |
| Montgomery | 39 | 142.4 | 96.1 | 209.7 | ~ | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Prince George's | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table M.3. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|----------|----------|-------|-------|----------|----------|-------|-------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 5049 | 176.9 | 172.1 | 181.9 | 3759 | 172.7 | 167.1 | 178.3 | 1189 | 195.9 | 184.7 | 207.7 |
| BALTIMORE METRO REGION | 2654 | 186.7 | 179.7 | 194.0 | 1936 | 179.7 | 171.7 | 188.0 | 683 | 210.9 | 195.3 | 227.5 |
| Anne Arundel | 443 | 189.4 | 172.1 | 208.0 | 380 | 184.6 | 166.4 | 204.4 | 58 | 245.8 | 185.5 | 320.4 |
| Baltimore City | 831 | 208.1 | 194.1 | 223.0 | 353 | 202.4 | 180.7 | 227.1 | 472 | 211.3 | 192.6 | 231.3 |
| Baltimore County | 932 | 185.7 | 173.8 | 198.3 | 806 | 181.7 | 169.0 | 195.2 | 112 | 213.0 | 173.6 | 259.4 |
| Carroll | 116 | 146.0 | 120.4 | 176.3 | 111 | 143.6 | 118.0 | 174.3 | ~ | ~ | ~ | ~ |
| Harford | 166 | 158.8 | 135.4 | 185.4 | 154 | 160.5 | 136.1 | 188.7 | 11 | ~ | ~ | ~ |
| Howard | 166 | 165.1 | 140.3 | 193.2 | 132 | 163.5 | 136.3 | 195.0 | 26 | 199.2 | 126.0 | 307.5 |
| EASTERN SHORE REGION | 471 | 188.1 | 171.4 | 206.2 | 389 | 181.7 | 164.0 | 201.1 | 80 | 223.4 | 177.0 | 279.1 |
| Caroline | 42 | 230.8 | 165.9 | 316.5 | 33 | 211.9 | 145.3 | 304.2 | 9 | ~ | ~ | ~ |
| Cecil | 86 | 211.4 | 169.0 | 261.8 | 84 | 215.1 | 171.5 | 267.2 | ~ | ~ | ~ | ~ |
| Dorchester | 33 | 136.7 | 93.6 | 199.7 | 26 | 139.3 | 90.2 | 220.2 | 7 | ~ | ~ | ~ |
| Kent | 20 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 51 | 226.9 | 168.8 | 305.6 | 43 | 219.3 | 158.5 | 303.8 | 8 | ~ | ~ | ~ |
| Somerset | 30 | 211.6 | 141.1 | 312.3 | 22 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Talbot | 37 | 127.1 | 88.7 | 188.8 | 30 | 115.8 | 77.5 | 186.2 | 7 | ~ | ~ | ~ |
| Wicomico | 100 | 204.5 | 166.2 | 249.5 | 74 | 187.2 | 146.7 | 237.2 | 25 | ~ | ~ | ~ |
| Worcester | 72 | 186.2 | 145.3 | 240.5 | 61 | 182.4 | 139.1 | 243.5 | 11 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 1289 | 159.6 | 151.0 | 168.7 | 843 | 154.9 | 144.6 | 166.0 | 387 | 179.9 | 161.1 | 200.6 |
| Montgomery | 699 | 144.7 | 134.1 | 156.0 | 577 | 145.5 | 133.8 | 158.3 | 76 | 155.9 | 121.9 | 197.2 |
| Prince George's | 590 | 180.0 | 165.5 | 195.5 | 266 | 178.1 | 157.3 | 201.5 | 311 | 187.8 | 165.5 | 212.6 |
| NORTHWEST REGION | 427 | 167.4 | 151.8 | 184.4 | 412 | 167.2 | 151.3 | 184.5 | 11 | ~ | ~ | ~ |
| Allegany | 87 | 145.4 | 115.6 | 183.5 | 86 | 145.8 | 115.6 | 184.5 | ~ | ~ | ~ | ~ |
| Frederick | 145 | 158.1 | 133.3 | 186.4 | 133 | 153.6 | 128.5 | 182.5 | 9 | ~ | ~ | ~ |
| Garrett | 26 | 139.2 | 90.3 | 210.7 | 26 | 139.8 | 90.7 | 211.6 | ~ | ~ | ~ | ~ |
| Washington | 169 | 200.7 | 171.2 | 234.8 | 167 | 203.0 | 173.0 | 238.0 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 208 | 178.5 | 154.9 | 204.8 | 179 | 188.0 | 161.3 | 218.1 | 28 | 140.1 | 92.5 | 205.2 |
| Calvert | 56 | 175.3 | 132.2 | 229.7 | 50 | 185.2 | 137.3 | 246.9 | 6 | ~ | ~ | ~ |
| Charles | 96 | 195.8 | 158.0 | 240.3 | 77 | 201.9 | 158.9 | 253.7 | 18 | ~ | ~ | ~ |
| Saint Mary's | 56 | 157.2 | 118.6 | 204.7 | 52 | 173.1 | 129.1 | 227.6 | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

All Sites

Table M.3.a. Number of All Sites Combined Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | Asian/Pacific Islander | | | | American Indian/Alaska Native | | | | Hispanic (of Any Race) | | | |
|-------------------------|------------------------|-------|-------------|-------------|-------------------------------|------|-------------|-------------|------------------------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 92 | 116.2 | 91.5 | 146.8 | 9 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 30 | 118.8 | 76.0 | 182.9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 56 | 112.8 | 82.9 | 151.6 | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| Montgomery | 43 | 113.8 | 80.1 | 159.5 | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Prince George's | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table M.4. Number of Oral Cavity and Pharynx Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 152 | 3.0 | 2.6 | 3.5 | 100 | 2.6 | 2.2 | 3.2 | 48 | 4.4 | 3.2 | 5.9 |
| BALTIMORE METRO REGION | 91 | 3.7 | 3.0 | 4.5 | 54 | 2.9 | 2.2 | 3.8 | 36 | 6.3 | 4.4 | 8.9 |
| Anne Arundel | 15 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore City | 43 | 6.6 | 4.7 | 8.9 | 17 | ~ | ~ | ~ | 26 | 6.6 | 4.3 | 9.9 |
| Baltimore County | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 30 | 2.1 | 1.4 | 3.0 | 20 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Montgomery | 18 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table M.5. Number of Oral Cavity and Pharynx Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 121 | 5.4 | 4.5 | 6.5 | 75 | 4.4 | 3.5 | 5.6 | 43 | 9.5 | 6.7 | 13.6 |
| BALTIMORE METRO REGION | 76 | 7.1 | 5.5 | 9.0 | 42 | 5.2 | 3.7 | 7.1 | 33 | 14.3 | 9.7 | 21.3 |
| Anne Arundel | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 40 | 14.2 | 10.2 | 19.7 | 16 | ~ | ~ | ~ | 24 | ~ | ~ | ~ |
| Baltimore County | 17 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 20 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Montgomery | 12 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Oral Cavity and Pharynx

Table M.6. Number of Oral Cavity and Pharynx Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 31 | 1.1 | 0.7 | 1.5 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 15 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table M.7. Number of Esophageal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 252 | 5.1 | 4.4 | 5.7 | 176 | 4.6 | 4.0 | 5.4 | 73 | 7.2 | 5.6 | 9.1 |
| BALTIMORE METRO REGION | 140 | 5.7 | 4.8 | 6.7 | 91 | 4.9 | 3.9 | 6.0 | 48 | 8.9 | 6.5 | 11.9 |
| Anne Arundel | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 54 | 8.3 | 6.2 | 10.8 | 20 | ~ | ~ | ~ | 33 | 8.9 | 6.1 | 12.7 |
| Baltimore County | 44 | 5.2 | 3.8 | 7.0 | 37 | 5.0 | 3.5 | 7.1 | 7 | ~ | ~ | ~ |
| Carroll | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 29 | 6.3 | 4.2 | 9.2 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 49 | 3.6 | 2.6 | 4.7 | 31 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Montgomery | 26 | 3.1 | 2.0 | 4.6 | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 23 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| NORTHWEST REGION | 25 | ~ | ~ | ~ | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table M.8. Number of Esophageal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 188 | 8.8 | 7.5 | 10.2 | 141 | 8.6 | 7.2 | 10.2 | 44 | 10.0 | 7.2 | 14.2 |
| BALTIMORE METRO REGION | 101 | 9.6 | 7.8 | 11.8 | 73 | 9.0 | 7.1 | 11.5 | 27 | 12.0 | 7.8 | 18.5 |
| Anne Arundel | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 34 | 12.5 | 8.7 | 17.8 | 15 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| Baltimore County | 34 | 9.6 | 6.6 | 13.6 | 29 | 9.4 | 6.3 | 13.7 | ~ | ~ | ~ | ~ |
| Carroll | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 35 | 6.1 | 4.2 | 8.8 | 22 | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| Montgomery | 17 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 18 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 22 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Esophagus

Table M.9. Number of Esophageal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 64 | 2.3 | 1.7 | 2.9 | 35 | 1.6 | 1.1 | 2.3 | 29 | 5.0 | 3.3 | 7.2 |
| BALTIMORE METRO REGION | 39 | 2.8 | 2.0 | 3.8 | 18 | ~ | ~ | ~ | 21 | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Baltimore County | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table M.10. Number of Stomach Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 200 | 4.1 | 3.5 | 4.7 | 117 | 3.1 | 2.6 | 3.7 | 71 | 7.2 | 5.6 | 9.2 |
| BALTIMORE METRO REGION | 101 | 4.1 | 3.4 | 5.0 | 54 | 2.9 | 2.2 | 3.8 | 43 | 8.1 | 5.8 | 11.1 |
| Anne Arundel | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 45 | 6.8 | 5.0 | 9.1 | 12 | ~ | ~ | ~ | 32 | 8.8 | 6.0 | 12.5 |
| Baltimore County | 30 | 3.5 | 2.4 | 5.1 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 24 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 50 | 3.6 | 2.6 | 4.7 | 29 | 3.1 | 2.1 | 4.5 | 13 | ~ | ~ | ~ |
| Montgomery | 29 | 3.5 | 2.3 | 5.0 | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 21 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table M.11. Number of Stomach Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 106 | 5.4 | 4.4 | 6.6 | 64 | 4.3 | 3.3 | 5.6 | 37 | 9.7 | 6.6 | 14.0 |
| BALTIMORE METRO REGION | 48 | 4.6 | 3.4 | 6.3 | 25 | ~ | ~ | ~ | 21 | ~ | ~ | ~ |
| Anne Arundel | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Baltimore County | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 29 | 5.3 | 3.5 | 7.8 | 18 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Montgomery | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 13 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Stomach

Table M.12. Number of Stomach Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 94 | 3.3 | 2.7 | 4.0 | 53 | 2.4 | 1.8 | 3.2 | 34 | 5.7 | 3.9 | 8.0 |
| BALTIMORE METRO REGION | 53 | 3.7 | 2.8 | 4.9 | 29 | 2.6 | 1.8 | 3.9 | 22 | ~ | ~ | ~ |
| Anne Arundel | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 25 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Baltimore County | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 21 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 13 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table M.13. Number of Colon and Rectum Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1158 | 23.9 | 22.6 | 25.3 | 832 | 22.1 | 20.7 | 23.7 | 299 | 31.1 | 27.6 | 35.1 |
| BALTIMORE METRO REGION | 597 | 24.8 | 22.9 | 26.9 | 424 | 22.8 | 20.7 | 25.1 | 167 | 32.9 | 28.0 | 38.5 |
| Anne Arundel | 86 | 21.2 | 16.9 | 26.4 | 74 | 20.9 | 16.3 | 26.5 | 11 | ~ | ~ | ~ |
| Baltimore City | 193 | 29.2 | 25.2 | 33.6 | 73 | 24.4 | 19.0 | 31.5 | 119 | 33.9 | 28.0 | 40.7 |
| Baltimore County | 219 | 25.3 | 22.1 | 28.9 | 186 | 23.9 | 20.6 | 27.8 | 29 | 37.5 | 24.5 | 55.4 |
| Carroll | 31 | 22.5 | 15.2 | 32.4 | 31 | 23.1 | 15.7 | 33.3 | ~ | ~ | ~ | ~ |
| Harford | 36 | 21.2 | 14.7 | 29.8 | 33 | 20.9 | 14.3 | 29.9 | ~ | ~ | ~ | ~ |
| Howard | 32 | 20.6 | 13.9 | 29.5 | 27 | 21.0 | 13.7 | 30.9 | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 120 | 27.1 | 22.4 | 32.5 | 100 | 26.5 | 21.5 | 32.4 | 20 | ~ | ~ | ~ |
| Caroline | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 18 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 273 | 19.9 | 17.6 | 22.5 | 155 | 16.6 | 14.0 | 19.4 | 99 | 28.7 | 22.7 | 36.0 |
| Montgomery | 127 | 15.4 | 12.9 | 18.4 | 96 | 14.2 | 11.5 | 17.4 | 15 | ~ | ~ | ~ |
| Prince George's | 146 | 27.3 | 22.8 | 32.4 | 59 | 23.2 | 17.6 | 30.2 | 84 | 32.0 | 24.6 | 41.2 |
| NORTHWEST REGION | 116 | 26.4 | 21.8 | 31.8 | 111 | 26.2 | 21.6 | 31.6 | ~ | ~ | ~ | ~ |
| Allegany | 37 | 35.9 | 25.2 | 50.9 | 37 | 36.6 | 25.6 | 52.1 | ~ | ~ | ~ | ~ |
| Frederick | 35 | 22.3 | 15.5 | 31.2 | 31 | 21.1 | 14.3 | 30.1 | ~ | ~ | ~ | ~ |
| Garrett | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 33 | 22.7 | 15.6 | 32.1 | 32 | 22.7 | 15.5 | 32.5 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 52 | 26.0 | 19.3 | 34.5 | 42 | 25.8 | 18.5 | 35.3 | 9 | ~ | ~ | ~ |
| Calvert | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 25 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Saint Mary's | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table M.14. Number of Colon and Rectum Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 575 | 29.4 | 27.0 | 32.1 | 419 | 27.3 | 24.7 | 30.1 | 142 | 40.3 | 33.2 | 48.6 |
| BALTIMORE METRO REGION | 297 | 31.4 | 27.9 | 35.4 | 219 | 29.4 | 25.5 | 33.8 | 74 | 41.7 | 32.1 | 53.8 |
| Anne Arundel | 47 | 26.7 | 19.1 | 37.3 | 41 | 26.7 | 18.6 | 38.1 | ~ | ~ | ~ | ~ |
| Baltimore City | 85 | 33.7 | 26.8 | 42.0 | 35 | 29.9 | 20.8 | 42.6 | 50 | 39.6 | 28.8 | 53.9 |
| Baltimore County | 120 | 35.6 | 29.4 | 42.8 | 104 | 34.4 | 28.0 | 41.9 | 13 | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 18 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 16 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 62 | 32.7 | 24.9 | 42.5 | 50 | 30.8 | 22.6 | 41.4 | 12 | ~ | ~ | ~ |
| Caroline | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 126 | 22.3 | 18.4 | 26.9 | 67 | 17.4 | 13.4 | 22.3 | 50 | 36.8 | 25.1 | 53.5 |
| Montgomery | 55 | 16.3 | 12.2 | 21.5 | 42 | 15.1 | 10.9 | 20.6 | ~ | ~ | ~ | ~ |
| Prince George's | 71 | 33.0 | 24.8 | 43.6 | 25 | ~ | ~ | ~ | 45 | 43.9 | 28.7 | 66.4 |
| NORTHWEST REGION | 62 | 35.2 | 26.7 | 45.7 | 61 | 36.0 | 27.4 | 46.9 | ~ | ~ | ~ | ~ |
| Allegany | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 21 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 28 | 30.6 | 19.5 | 47.4 | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 13 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Colon and Rectum

Table M.15. Number of Colon and Rectum Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 583 | 20.2 | 18.6 | 21.9 | 413 | 18.3 | 16.6 | 20.2 | 157 | 26.6 | 22.5 | 31.2 |
| BALTIMORE METRO REGION | 300 | 20.8 | 18.5 | 23.3 | 205 | 18.3 | 15.8 | 21.0 | 93 | 29.1 | 23.5 | 35.7 |
| Anne Arundel | 39 | 16.9 | 12.0 | 23.2 | 33 | 16.4 | 11.3 | 23.2 | 6 | ~ | ~ | ~ |
| Baltimore City | 108 | 26.5 | 21.7 | 32.2 | 38 | 20.0 | 13.9 | 29.5 | 69 | 31.2 | 24.3 | 39.6 |
| Baltimore County | 99 | 19.0 | 15.4 | 23.3 | 82 | 17.0 | 13.5 | 21.5 | 16 | ~ | ~ | ~ |
| Carroll | 20 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 18 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 58 | 22.7 | 17.2 | 29.7 | 50 | 23.0 | 17.1 | 30.8 | 8 | ~ | ~ | ~ |
| Caroline | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 147 | 18.0 | 15.2 | 21.2 | 88 | 15.5 | 12.4 | 19.2 | 49 | 24.4 | 17.6 | 33.2 |
| Montgomery | 72 | 14.5 | 11.3 | 18.5 | 54 | 13.0 | 9.8 | 17.4 | 10 | ~ | ~ | ~ |
| Prince George's | 75 | 23.8 | 18.6 | 30.0 | 34 | 22.0 | 15.2 | 31.5 | 39 | 25.5 | 17.4 | 36.4 |
| NORTHWEST REGION | 54 | 20.6 | 15.5 | 27.2 | 50 | 19.6 | 14.5 | 26.3 | ~ | ~ | ~ | ~ |
| Allegany | 18 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 14 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 17 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 12 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table M.16. Number of Liver and Intrahepatic Bile Duct Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 248 | 5.0 | 4.4 | 5.7 | 161 | 4.3 | 3.6 | 5.0 | 69 | 6.5 | 5.0 | 8.4 |
| BALTIMORE METRO REGION | 114 | 4.7 | 3.8 | 5.6 | 77 | 4.1 | 3.3 | 5.2 | 33 | 5.9 | 4.0 | 8.4 |
| Anne Arundel | 23 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 39 | 6.0 | 4.3 | 8.2 | 11 | ~ | ~ | ~ | 27 | 7.1 | 4.7 | 10.5 |
| Baltimore County | 39 | 4.6 | 3.3 | 6.3 | 36 | 4.8 | 3.4 | 6.8 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 30 | 6.6 | 4.5 | 9.6 | 24 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 78 | 5.8 | 4.6 | 7.2 | 42 | 4.5 | 3.3 | 6.2 | 23 | ~ | ~ | ~ |
| Montgomery | 45 | 5.6 | 4.1 | 7.5 | 29 | 4.4 | 2.9 | 6.4 | ~ | ~ | ~ | ~ |
| Prince George's | 33 | 5.9 | 4.0 | 8.5 | 13 | ~ | ~ | ~ | 19 | ~ | ~ | ~ |
| NORTHWEST REGION | 16 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table M.17. Number of Liver and Intrahepatic Bile Duct Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 165 | 7.9 | 6.7 | 9.3 | 100 | 6.3 | 5.1 | 7.8 | 52 | 11.8 | 8.6 | 16.3 |
| BALTIMORE METRO REGION | 78 | 7.7 | 6.1 | 9.8 | 49 | 6.5 | 4.8 | 8.7 | 26 | 11.1 | 7.1 | 17.6 |
| Anne Arundel | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 31 | 11.3 | 7.7 | 16.4 | 8 | ~ | ~ | ~ | 22 | ~ | ~ | ~ |
| Baltimore County | 24 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 22 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 46 | 8.4 | 6.1 | 11.4 | 21 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Montgomery | 26 | 7.9 | 5.2 | 11.8 | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 20 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| NORTHWEST REGION | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Liver and Intrahepatic Bile Duct

Table M.18. Number of Liver and Intrahepatic Bile Duct Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 83 | 2.9 | 2.3 | 3.6 | 61 | 2.8 | 2.1 | 3.6 | 17 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 36 | 2.5 | 1.8 | 3.5 | 28 | 2.6 | 1.7 | 3.9 | 7 | ~ | ~ | ~ |
| Anne Arundel | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 32 | 4.0 | 2.7 | 5.7 | 21 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Montgomery | 19 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 13 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table M.19. Number of Pancreatic Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 493 | 10.2 | 9.3 | 11.1 | 359 | 9.5 | 8.6 | 10.6 | 131 | 13.8 | 11.4 | 16.5 |
| BALTIMORE METRO REGION | 266 | 11.0 | 9.7 | 12.4 | 186 | 10.0 | 8.6 | 11.5 | 79 | 15.2 | 12.0 | 19.0 |
| Anne Arundel | 49 | 11.9 | 8.8 | 15.9 | 42 | 11.6 | 8.3 | 15.8 | 7 | ~ | ~ | ~ |
| Baltimore City | 83 | 12.5 | 9.9 | 15.5 | 30 | 9.9 | 6.6 | 14.8 | 53 | 14.6 | 10.9 | 19.3 |
| Baltimore County | 88 | 10.2 | 8.2 | 12.6 | 74 | 9.5 | 7.5 | 12.1 | 13 | ~ | ~ | ~ |
| Carroll | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 22 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 18 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 38 | 8.6 | 6.1 | 11.9 | 31 | 8.2 | 5.6 | 11.9 | 7 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 132 | 10.0 | 8.3 | 11.8 | 89 | 9.6 | 7.7 | 11.8 | 41 | 13.1 | 9.1 | 18.4 |
| Montgomery | 69 | 8.6 | 6.7 | 11.0 | 59 | 8.8 | 6.7 | 11.5 | 9 | ~ | ~ | ~ |
| Prince George's | 63 | 12.3 | 9.3 | 15.9 | 30 | 11.8 | 7.9 | 17.1 | 32 | 13.4 | 8.6 | 20.0 |
| NORTHWEST REGION | 39 | 8.8 | 6.3 | 12.1 | 37 | 8.7 | 6.1 | 12.1 | ~ | ~ | ~ | ~ |
| Allegany | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 18 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table M.20. Number of Pancreatic Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 244 | 12.3 | 10.7 | 14.0 | 177 | 11.4 | 9.7 | 13.3 | 64 | 17.4 | 13.0 | 23.1 |
| BALTIMORE METRO REGION | 134 | 13.4 | 11.2 | 16.0 | 97 | 12.6 | 10.2 | 15.6 | 36 | 16.5 | 11.4 | 24.0 |
| Anne Arundel | 29 | 15.7 | 10.4 | 24.0 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 34 | 13.2 | 9.1 | 18.8 | 13 | ~ | ~ | ~ | 21 | ~ | ~ | ~ |
| Baltimore County | 43 | 12.2 | 8.8 | 16.7 | 34 | 10.9 | 7.5 | 15.4 | 8 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 10 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 18 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 69 | 13.0 | 10.0 | 16.8 | 44 | 11.6 | 8.4 | 15.7 | 23 | ~ | ~ | ~ |
| Montgomery | 35 | 10.7 | 7.4 | 15.0 | 31 | 11.2 | 7.6 | 16.1 | ~ | ~ | ~ | ~ |
| Prince George's | 34 | 18.3 | 12.0 | 27.2 | 13 | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| NORTHWEST REGION | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Pancreas

Table M.21. Number of Pancreatic Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 249 | 8.7 | 7.7 | 9.9 | 182 | 8.2 | 7.0 | 9.5 | 67 | 11.8 | 9.1 | 15.0 |
| BALTIMORE METRO REGION | 132 | 9.2 | 7.7 | 10.9 | 89 | 8.1 | 6.5 | 10.0 | 43 | 13.6 | 9.9 | 18.4 |
| Anne Arundel | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 49 | 12.0 | 8.9 | 16.1 | 17 | ~ | ~ | ~ | 32 | 14.2 | 9.7 | 20.2 |
| Baltimore County | 45 | 8.6 | 6.3 | 11.7 | 40 | 8.6 | 6.1 | 12.2 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 63 | 8.0 | 6.2 | 10.3 | 45 | 8.2 | 5.9 | 11.1 | 18 | ~ | ~ | ~ |
| Montgomery | 34 | 7.1 | 4.9 | 10.1 | 28 | 7.0 | 4.6 | 10.5 | 6 | ~ | ~ | ~ |
| Prince George's | 29 | 9.4 | 6.3 | 13.7 | 17 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| NORTHWEST REGION | 24 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table M.22. Number of Laryngeal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 99 | 2.0 | 1.6 | 2.4 | 65 | 1.7 | 1.3 | 2.2 | 32 | 3.1 | 2.1 | 4.4 |
| BALTIMORE METRO REGION | 56 | 2.3 | 1.7 | 3.0 | 35 | 1.9 | 1.3 | 2.6 | 21 | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 26 | 3.9 | 2.6 | 5.8 | 9 | ~ | ~ | ~ | 17 | ~ | ~ | ~ |
| Baltimore County | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 18 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Montgomery | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table M.23. Number of Laryngeal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 81 | 3.8 | 3.0 | 4.8 | 52 | 3.2 | 2.4 | 4.3 | 27 | 6.3 | 4.1 | 9.9 |
| BALTIMORE METRO REGION | 46 | 4.4 | 3.2 | 6.0 | 26 | 3.3 | 2.1 | 5.0 | 20 | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 24 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Baltimore County | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 13 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Larynx

Table M.24. Number of Laryngeal Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 18 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table M.25. Number of Lung and Bronchus Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 2922 | 59.5 | 57.3 | 61.7 | 2222 | 58.8 | 56.4 | 61.4 | 662 | 65.2 | 60.2 | 70.6 |
| BALTIMORE METRO REGION | 1627 | 66.8 | 63.6 | 70.2 | 1222 | 65.6 | 61.9 | 69.4 | 391 | 72.8 | 65.7 | 80.6 |
| Anne Arundel | 276 | 66.6 | 58.8 | 75.1 | 244 | 66.3 | 58.1 | 75.4 | 31 | 81.1 | 54.5 | 117.3 |
| Baltimore City | 526 | 79.2 | 72.6 | 86.3 | 238 | 82.1 | 71.8 | 93.9 | 283 | 76.0 | 67.3 | 85.6 |
| Baltimore County | 538 | 62.8 | 57.6 | 68.4 | 489 | 64.5 | 58.9 | 70.7 | 46 | 55.7 | 40.0 | 76.1 |
| Carroll | 79 | 58.3 | 46.1 | 73.0 | 77 | 58.5 | 46.1 | 73.5 | ~ | ~ | ~ | ~ |
| Harford | 108 | 59.0 | 48.2 | 71.8 | 97 | 57.0 | 46.1 | 70.1 | 9 | ~ | ~ | ~ |
| Howard | 100 | 59.5 | 48.0 | 73.0 | 77 | 57.1 | 44.8 | 71.9 | 20 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 278 | 61.0 | 54.1 | 68.8 | 229 | 58.7 | 51.3 | 67.0 | 49 | 78.2 | 57.8 | 103.6 |
| Caroline | 31 | 97.7 | 66.4 | 140.3 | 23 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Cecil | 46 | 59.5 | 43.4 | 80.5 | 45 | 61.1 | 44.4 | 82.9 | ~ | ~ | ~ | ~ |
| Dorchester | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 24 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Somerset | 24 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Talbot | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 53 | 61.4 | 46.0 | 80.6 | 41 | 58.9 | 42.3 | 80.7 | 12 | ~ | ~ | ~ |
| Worcester | 46 | 63.7 | 46.4 | 88.1 | 39 | 61.8 | 43.7 | 89.4 | 7 | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 630 | 46.2 | 42.7 | 50.0 | 420 | 45.4 | 41.1 | 50.0 | 188 | 52.0 | 44.2 | 61.1 |
| Montgomery | 312 | 38.6 | 34.4 | 43.2 | 258 | 38.8 | 34.2 | 44.0 | 40 | 49.2 | 34.6 | 68.6 |
| Prince George's | 318 | 56.8 | 50.5 | 63.7 | 162 | 61.1 | 52.0 | 71.5 | 148 | 53.0 | 43.8 | 63.8 |
| NORTHWEST REGION | 249 | 56.5 | 49.7 | 64.1 | 237 | 55.8 | 48.9 | 63.4 | 12 | ~ | ~ | ~ |
| Allegany | 55 | 55.3 | 41.6 | 73.3 | 54 | 54.9 | 41.2 | 73.1 | ~ | ~ | ~ | ~ |
| Frederick | 87 | 54.0 | 43.1 | 66.8 | 78 | 51.2 | 40.4 | 64.1 | 9 | ~ | ~ | ~ |
| Garrett | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 91 | 62.6 | 50.4 | 77.2 | 89 | 62.9 | 50.5 | 77.9 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 138 | 63.7 | 53.3 | 75.7 | 114 | 64.7 | 53.2 | 78.2 | 22 | ~ | ~ | ~ |
| Calvert | 46 | 78.0 | 56.9 | 105.2 | 36 | 71.7 | 50.0 | 100.8 | 10 | ~ | ~ | ~ |
| Charles | 55 | 59.9 | 44.7 | 79.4 | 47 | 67.2 | 49.0 | 90.8 | 6 | ~ | ~ | ~ |
| Saint Mary's | 37 | 55.5 | 38.9 | 77.4 | 31 | 55.7 | 37.7 | 80.2 | 6 | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table M.26. Number of Lung and Bronchus Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|-------|-------------|-------------|-------|-------|-------------|-------------|-------|-------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1620 | 79.0 | 75.1 | 83.1 | 1204 | 75.7 | 71.4 | 80.2 | 397 | 99.5 | 89.0 | 111.1 |
| BALTIMORE METRO REGION | 887 | 88.7 | 82.8 | 94.9 | 646 | 83.2 | 76.8 | 90.1 | 234 | 113.1 | 98.2 | 130.2 |
| Anne Arundel | 142 | 81.4 | 67.7 | 97.9 | 119 | 76.4 | 62.4 | 93.5 | 22 | ~ | ~ | ~ |
| Baltimore City | 303 | 115.4 | 102.6 | 129.5 | 134 | 113.6 | 95.1 | 135.4 | 166 | 115.1 | 97.6 | 135.6 |
| Baltimore County | 286 | 81.0 | 71.8 | 91.3 | 255 | 81.2 | 71.4 | 92.0 | 30 | 100.5 | 64.6 | 154.3 |
| Carroll | 42 | 72.7 | 51.7 | 101.0 | 42 | 74.7 | 53.2 | 103.8 | ~ | ~ | ~ | ~ |
| Harford | 60 | 81.1 | 60.6 | 108.2 | 52 | 74.9 | 54.7 | 102.3 | 7 | ~ | ~ | ~ |
| Howard | 54 | 78.3 | 57.4 | 105.8 | 44 | 78.5 | 55.9 | 108.6 | 9 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 161 | 79.4 | 67.4 | 93.4 | 136 | 77.9 | 65.1 | 93.0 | 25 | ~ | ~ | ~ |
| Caroline | 19 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 27 | 69.7 | 45.4 | 109.2 | 26 | 71.0 | 45.8 | 112.1 | ~ | ~ | ~ | ~ |
| Dorchester | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 13 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 12 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 17 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 27 | 75.4 | 49.2 | 114.0 | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 25 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 345 | 61.5 | 54.9 | 68.7 | 221 | 57.9 | 50.4 | 66.2 | 113 | 77.7 | 61.4 | 98.6 |
| Montgomery | 164 | 49.5 | 42.1 | 58.0 | 134 | 49.4 | 41.4 | 58.7 | 23 | ~ | ~ | ~ |
| Prince George's | 181 | 79.6 | 67.4 | 94.0 | 87 | 78.2 | 62.2 | 98.0 | 90 | 80.2 | 60.9 | 106.1 |
| NORTHWEST REGION | 149 | 79.6 | 67.1 | 94.2 | 140 | 77.7 | 65.1 | 92.4 | 9 | ~ | ~ | ~ |
| Allegany | 34 | 81.3 | 56.0 | 115.8 | 33 | 80.4 | 55.1 | 115.1 | ~ | ~ | ~ | ~ |
| Frederick | 56 | 79.3 | 59.2 | 105.5 | 50 | 74.1 | 54.5 | 100.2 | 6 | ~ | ~ | ~ |
| Garrett | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 49 | 83.3 | 61.1 | 112.0 | 47 | 82.7 | 60.3 | 111.9 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 78 | 80.7 | 62.8 | 103.6 | 61 | 78.0 | 58.5 | 103.7 | 16 | ~ | ~ | ~ |
| Calvert | 25 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Charles | 31 | 75.6 | 49.7 | 116.4 | 27 | 85.5 | 54.4 | 135.4 | ~ | ~ | ~ | ~ |
| Saint Mary's | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Lung and Bronchus

Table M.27. Number of Lung and Bronchus Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 1302 | 46.1 | 43.6 | 48.7 | 1018 | 47.3 | 44.4 | 50.3 | 265 | 44.1 | 38.9 | 49.9 |
| BALTIMORE METRO REGION | 740 | 52.4 | 48.7 | 56.3 | 576 | 53.9 | 49.6 | 58.6 | 157 | 48.5 | 41.2 | 56.8 |
| Anne Arundel | 134 | 57.4 | 48.1 | 68.2 | 125 | 60.7 | 50.5 | 72.5 | 9 | ~ | ~ | ~ |
| Baltimore City | 223 | 55.8 | 48.7 | 63.8 | 104 | 60.9 | 49.3 | 75.7 | 117 | 51.7 | 42.8 | 62.0 |
| Baltimore County | 252 | 50.5 | 44.4 | 57.3 | 234 | 53.0 | 46.3 | 60.6 | 16 | ~ | ~ | ~ |
| Carroll | 37 | 47.8 | 33.6 | 67.2 | 35 | 46.5 | 32.3 | 66.0 | ~ | ~ | ~ | ~ |
| Harford | 48 | 45.6 | 33.6 | 61.0 | 45 | 46.4 | 33.8 | 62.9 | ~ | ~ | ~ | ~ |
| Howard | 46 | 48.0 | 34.9 | 64.7 | 33 | 43.7 | 29.9 | 62.1 | 11 | ~ | ~ | ~ |
| EASTERN SHORE REGION | 117 | 46.8 | 38.7 | 56.3 | 93 | 43.3 | 35.0 | 53.5 | 24 | ~ | ~ | ~ |
| Caroline | 12 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 11 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | 12 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 26 | 53.5 | 34.9 | 79.2 | 19 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Worcester | 21 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 285 | 36.2 | 32.1 | 40.7 | 199 | 37.4 | 32.3 | 43.1 | 75 | 36.6 | 28.3 | 46.9 |
| Montgomery | 148 | 31.3 | 26.5 | 36.9 | 124 | 32.0 | 26.6 | 38.6 | 17 | ~ | ~ | ~ |
| Prince George's | 137 | 42.3 | 35.4 | 50.2 | 75 | 50.5 | 39.7 | 64.0 | 58 | 36.4 | 26.9 | 48.5 |
| NORTHWEST REGION | 100 | 39.4 | 32.1 | 48.2 | 97 | 39.5 | 32.0 | 48.6 | ~ | ~ | ~ | ~ |
| Allegany | 21 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 31 | 34.1 | 23.1 | 48.8 | 28 | 32.5 | 21.6 | 47.6 | ~ | ~ | ~ | ~ |
| Garrett | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 42 | 49.2 | 35.4 | 68.0 | 42 | 50.5 | 36.2 | 69.9 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 60 | 51.1 | 38.9 | 66.1 | 53 | 55.6 | 41.5 | 73.0 | 6 | ~ | ~ | ~ |
| Calvert | 21 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 24 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

Table M.28. Number of Melanomas of the Skin Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 132 | 2.7 | 2.2 | 3.2 | 124 | 3.3 | 2.7 | 3.9 | 7 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 60 | 2.5 | 1.9 | 3.2 | 57 | 3.1 | 2.3 | 4.0 | ~ | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 27 | 3.1 | 2.1 | 4.6 | 26 | 3.4 | 2.2 | 5.2 | ~ | ~ | ~ | ~ |
| Carroll | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 36 | 2.5 | 1.8 | 3.6 | 31 | 3.3 | 2.3 | 4.8 | ~ | ~ | ~ | ~ |
| Montgomery | 22 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 14 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

Table M.29. Number of Melanomas of the Skin Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 84 | 4.0 | 3.2 | 5.0 | 80 | 4.9 | 3.9 | 6.2 | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 35 | 3.5 | 2.4 | 5.1 | 34 | 4.4 | 3.0 | 6.3 | ~ | ~ | ~ | ~ |
| Anne Arundel | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 25 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 12 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Melanomas of the Skin

**Table M.30. Number of Melanomas of the Skin Deaths, Age-Adjusted Mortality Rates and
95% Confidence Intervals, By Region, County and Race, Maryland**

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 48 | 1.7 | 1.2 | 2.2 | 44 | 2.0 | 1.5 | 2.8 | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 25 | ~ | ~ | ~ | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Female Breast

Table M.31. Number of Breast Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 793 | 27.7 | 25.8 | 29.7 | 556 | 25.9 | 23.8 | 28.2 | 221 | 34.2 | 29.7 | 39.2 |
| BALTIMORE METRO REGION | 410 | 29.0 | 26.3 | 32.0 | 283 | 26.8 | 23.7 | 30.2 | 120 | 36.4 | 30.1 | 43.6 |
| Anne Arundel | 71 | 29.6 | 23.1 | 37.5 | 58 | 27.8 | 21.1 | 36.2 | 11 | ~ | ~ | ~ |
| Baltimore City | 122 | 31.5 | 26.1 | 37.7 | 46 | 27.0 | 19.4 | 38.0 | 76 | 34.5 | 27.2 | 43.2 |
| Baltimore County | 150 | 30.9 | 26.1 | 36.5 | 122 | 29.2 | 24.1 | 35.4 | 26 | 47.4 | 30.3 | 71.8 |
| Carroll | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 27 | 24.9 | 16.4 | 36.9 | 26 | 26.2 | 17.1 | 39.3 | ~ | ~ | ~ | ~ |
| Howard | 27 | 25.7 | 16.7 | 38.2 | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 74 | 30.2 | 23.7 | 38.2 | 55 | 25.9 | 19.5 | 34.2 | 18 | ~ | ~ | ~ |
| Caroline | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 20 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Worcester | 11 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 215 | 25.7 | 22.4 | 29.4 | 130 | 24.4 | 20.3 | 29.1 | 78 | 30.1 | 23.2 | 38.7 |
| Montgomery | 110 | 22.6 | 18.6 | 27.4 | 91 | 23.3 | 18.8 | 29.0 | 15 | ~ | ~ | ~ |
| Prince George's | 105 | 29.4 | 23.9 | 35.8 | 39 | 26.9 | 19.1 | 37.5 | 63 | 30.7 | 22.8 | 40.9 |
| NORTHWEST REGION | 69 | 27.8 | 21.6 | 35.4 | 66 | 27.7 | 21.4 | 35.6 | ~ | ~ | ~ | ~ |
| Allegany | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 26 | 28.4 | 18.5 | 42.0 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 29 | 35.5 | 23.7 | 52.5 | 29 | 36.5 | 24.3 | 54.1 | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 25 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 16 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Cervix

Table M.32. Number of Cervical Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 66 | 2.3 | 1.8 | 2.9 | 42 | 2.1 | 1.5 | 2.8 | 23 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 36 | 2.6 | 1.8 | 3.6 | 21 | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 20 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Baltimore County | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 11 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Uterus

Table M.33. Number of Uterine Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 117 | 4.1 | 3.4 | 4.9 | 80 | 3.7 | 2.9 | 4.6 | 34 | 5.9 | 4.1 | 8.3 |
| BALTIMORE METRO REGION | 48 | 3.4 | 2.5 | 4.5 | 32 | 2.9 | 2.0 | 4.2 | 15 | ~ | ~ | ~ |
| Anne Arundel | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| Baltimore County | 21 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 16 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 39 | 4.9 | 3.5 | 6.7 | 21 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Montgomery | 19 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 20 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| NORTHWEST REGION | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Ovary

Table M.34. Number of Ovarian Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 260 | 9.2 | 8.1 | 10.4 | 210 | 9.8 | 8.6 | 11.3 | 46 | 7.7 | 5.6 | 10.4 |
| BALTIMORE METRO REGION | 130 | 9.1 | 7.6 | 10.9 | 109 | 10.2 | 8.4 | 12.4 | 20 | ~ | ~ | ~ |
| Anne Arundel | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 31 | 7.3 | 5.0 | 10.6 | 22 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Baltimore County | 49 | 9.8 | 7.3 | 13.2 | 40 | 9.1 | 6.4 | 12.8 | 9 | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 26 | 10.7 | 7.0 | 16.0 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 72 | 9.0 | 7.1 | 11.4 | 48 | 9.1 | 6.7 | 12.3 | 22 | ~ | ~ | ~ |
| Montgomery | 40 | 8.5 | 6.1 | 11.8 | 34 | 9.1 | 6.3 | 13.1 | ~ | ~ | ~ | ~ |
| Prince George's | 32 | 10.0 | 6.8 | 14.3 | 14 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| NORTHWEST REGION | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Prostate

Table M.35. Number of Prostate Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 541 | 31.9 | 29.2 | 34.8 | 365 | 26.8 | 24.1 | 29.8 | 174 | 62.4 | 52.9 | 73.3 |
| BALTIMORE METRO REGION | 292 | 35.0 | 31.0 | 39.4 | 188 | 28.6 | 24.6 | 33.2 | 104 | 65.5 | 52.9 | 80.7 |
| Anne Arundel | 37 | 28.0 | 19.1 | 40.2 | 32 | 26.6 | 17.6 | 39.4 | ~ | ~ | ~ | ~ |
| Baltimore City | 112 | 48.1 | 39.4 | 58.2 | 30 | 25.9 | 17.4 | 37.9 | 82 | 71.5 | 56.1 | 90.4 |
| Baltimore County | 98 | 31.2 | 25.2 | 38.4 | 84 | 29.3 | 23.2 | 36.6 | 14 | ~ | ~ | ~ |
| Carroll | 16 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 21 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 58 | 36.2 | 27.2 | 47.6 | 44 | 31.7 | 22.6 | 43.5 | 14 | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 17 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 111 | 23.5 | 19.2 | 28.5 | 69 | 19.7 | 15.3 | 25.1 | 40 | 46.5 | 31.8 | 66.5 |
| Montgomery | 59 | 19.6 | 14.8 | 25.4 | 49 | 19.2 | 14.2 | 25.5 | 10 | ~ | ~ | ~ |
| Prince George's | 52 | 31.2 | 22.7 | 42.4 | 20 | ~ | ~ | ~ | 30 | 49.5 | 31.5 | 75.5 |
| NORTHWEST REGION | 50 | 31.6 | 23.2 | 42.2 | 49 | 31.6 | 23.2 | 42.4 | ~ | ~ | ~ | ~ |
| Allegany | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 19 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 30 | 40.8 | 26.8 | 60.7 | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Calvert | 11 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Saint Mary's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Testis

Table M.36. Number of Testicular Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table M.37. Number of Urinary Bladder Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 194 | 4.1 | 3.5 | 4.7 | 162 | 4.3 | 3.7 | 5.1 | 30 | 3.5 | 2.3 | 5.1 |
| BALTIMORE METRO REGION | 104 | 4.4 | 3.6 | 5.3 | 83 | 4.5 | 3.6 | 5.6 | 20 | ~ | ~ | ~ |
| Anne Arundel | 18 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 30 | 4.5 | 3.0 | 6.5 | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ |
| Baltimore County | 34 | 3.9 | 2.7 | 5.6 | 30 | 3.9 | 2.6 | 5.7 | ~ | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 27 | 5.9 | 3.9 | 8.8 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 39 | 3.0 | 2.1 | 4.1 | 33 | 3.5 | 2.4 | 5.0 | ~ | ~ | ~ | ~ |
| Montgomery | 24 | ~ | ~ | ~ | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 15 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table M.38. Number of Urinary Bladder Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 120 | 6.5 | 5.4 | 7.9 | 105 | 7.2 | 5.8 | 8.8 | 15 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 62 | 7.1 | 5.4 | 9.2 | 53 | 7.7 | 5.7 | 10.2 | 9 | ~ | ~ | ~ |
| Anne Arundel | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 20 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 22 | ~ | ~ | ~ | 20 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Urinary Bladder

Table M.39. Number of Urinary Bladder Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 74 | 2.5 | 2.0 | 3.2 | 57 | 2.5 | 1.9 | 3.2 | 15 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 42 | 2.9 | 2.1 | 3.9 | 30 | 2.7 | 1.8 | 3.9 | 11 | ~ | ~ | ~ |
| Anne Arundel | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 16 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Baltimore County | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 17 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table M.40. Number of Kidney and Renal Pelvis Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 197 | 4.0 | 3.4 | 4.6 | 156 | 4.1 | 3.5 | 4.9 | 38 | 3.6 | 2.5 | 5.0 |
| BALTIMORE METRO REGION | 105 | 4.3 | 3.5 | 5.2 | 78 | 4.2 | 3.3 | 5.3 | 27 | 4.9 | 3.2 | 7.3 |
| Anne Arundel | 19 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 25 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 16 | ~ | ~ | ~ |
| Baltimore County | 41 | 4.9 | 3.5 | 6.7 | 34 | 4.6 | 3.1 | 6.5 | 7 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 18 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 52 | 3.7 | 2.7 | 4.9 | 39 | 4.2 | 3.0 | 5.8 | 10 | ~ | ~ | ~ |
| Montgomery | 35 | 4.3 | 3.0 | 6.0 | 29 | 4.4 | 2.9 | 6.4 | ~ | ~ | ~ | ~ |
| Prince George's | 17 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| NORTHWEST REGION | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table M.41. Number of Kidney and Renal Pelvis Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 121 | 5.7 | 4.7 | 6.9 | 97 | 6.0 | 4.8 | 7.4 | 23 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 64 | 6.3 | 4.8 | 8.1 | 49 | 6.3 | 4.6 | 8.5 | 15 | ~ | ~ | ~ |
| Anne Arundel | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| Baltimore County | 25 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 33 | 5.2 | 3.6 | 7.6 | 24 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Montgomery | 22 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 11 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Kidney and Renal Pelvis

Table M.42. Number of Kidney and Renal Pelvis Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 76 | 2.7 | 2.1 | 3.4 | 59 | 2.7 | 2.1 | 3.5 | 15 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 41 | 2.9 | 2.1 | 3.9 | 29 | 2.6 | 1.7 | 3.8 | 12 | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Baltimore County | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 19 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table M.43. Number of Brain and Other Nervous System Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 203 | 3.9 | 3.4 | 4.5 | 171 | 4.5 | 3.9 | 5.2 | 29 | 2.5 | 1.6 | 3.7 |
| BALTIMORE METRO REGION | 106 | 4.2 | 3.4 | 5.1 | 85 | 4.6 | 3.7 | 5.7 | 20 | ~ | ~ | ~ |
| Anne Arundel | 24 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 23 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| Baltimore County | 35 | 4.2 | 2.9 | 5.9 | 30 | 4.5 | 3.0 | 6.5 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 53 | 3.5 | 2.6 | 4.7 | 44 | 4.7 | 3.4 | 6.4 | 7 | ~ | ~ | ~ |
| Montgomery | 31 | 3.6 | 2.4 | 5.1 | 27 | 4.0 | 2.6 | 5.9 | ~ | ~ | ~ | ~ |
| Prince George's | 22 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 20 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 10 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table M.44. Number of Brain and Other Nervous System Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 118 | 5.0 | 4.2 | 6.1 | 96 | 5.5 | 4.4 | 6.7 | 20 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 67 | 5.9 | 4.5 | 7.6 | 51 | 5.9 | 4.4 | 7.9 | 15 | ~ | ~ | ~ |
| Anne Arundel | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 15 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | 8 | ~ | ~ | ~ |
| Baltimore County | 23 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 27 | 4.0 | 2.6 | 6.1 | 23 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 12 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 15 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 12 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Brain and Other Nervous System

Table M.45. Number of Brain and Other Nervous System Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 85 | 3.0 | 2.4 | 3.7 | 75 | 3.6 | 2.9 | 4.6 | 9 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 39 | 2.9 | 2.0 | 3.9 | 34 | 3.4 | 2.4 | 4.9 | ~ | ~ | ~ | ~ |
| Anne Arundel | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 26 | 3.2 | 2.1 | 4.7 | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | 19 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table M.46. Number of Thyroid Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
 Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 15 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table M.47. Number of Thyroid Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Thyroid

Table M.48. Number of Thyroid Cancer Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table M.49. Number of Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 28 | 0.6 | 0.4 | 0.8 | 19 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 12 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 8 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table M.50. Number of Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Hodgkin Lymphoma

Table M.51. Number of Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 14 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| BALTIMORE METRO REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Anne Arundel | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore County | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Montgomery | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table M.52. Number of Non-Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 373 | 7.6 | 6.9 | 8.4 | 313 | 8.3 | 7.4 | 9.2 | 54 | 5.0 | 3.7 | 6.7 |
| BALTIMORE METRO REGION | 191 | 7.9 | 6.8 | 9.1 | 160 | 8.6 | 7.3 | 10.0 | 30 | 5.5 | 3.7 | 8.0 |
| Anne Arundel | 34 | 8.4 | 5.7 | 12.0 | 29 | 8.2 | 5.4 | 12.0 | ~ | ~ | ~ | ~ |
| Baltimore City | 53 | 8.0 | 6.0 | 10.4 | 31 | 10.5 | 7.1 | 15.7 | 22 | ~ | ~ | ~ |
| Baltimore County | 75 | 8.7 | 6.8 | 10.9 | 73 | 9.5 | 7.4 | 12.1 | ~ | ~ | ~ | ~ |
| Carroll | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 33 | 7.3 | 5.0 | 10.4 | 30 | 7.8 | 5.3 | 11.3 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 98 | 7.2 | 5.8 | 8.8 | 75 | 8.1 | 6.3 | 10.2 | 18 | ~ | ~ | ~ |
| Montgomery | 60 | 7.3 | 5.6 | 9.4 | 51 | 7.5 | 5.6 | 10.0 | ~ | ~ | ~ | ~ |
| Prince George's | 38 | 6.8 | 4.7 | 9.5 | 24 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| NORTHWEST REGION | 38 | 8.6 | 6.1 | 11.9 | 37 | 8.7 | 6.1 | 12.1 | ~ | ~ | ~ | ~ |
| Allegany | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 12 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 17 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 13 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table M.53. Number of Non-Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 204 | 10.0 | 8.6 | 11.5 | 176 | 11.0 | 9.4 | 12.9 | 26 | 5.6 | 3.4 | 9.0 |
| BALTIMORE METRO REGION | 103 | 10.3 | 8.4 | 12.7 | 86 | 11.0 | 8.8 | 13.8 | 17 | ~ | ~ | ~ |
| Anne Arundel | 16 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 30 | 11.5 | 7.7 | 16.7 | 17 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Baltimore County | 41 | 11.4 | 8.1 | 15.7 | 39 | 12.1 | 8.6 | 16.8 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 51 | 8.7 | 6.4 | 11.8 | 43 | 11.0 | 7.9 | 15.0 | 6 | ~ | ~ | ~ |
| Montgomery | 30 | 8.6 | 5.8 | 12.5 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 21 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 23 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 8 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 8 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Non-Hodgkin Lymphoma

Table M.54. Number of Non-Hodgkin Lymphoma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland
Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 169 | 5.9 | 5.1 | 6.9 | 137 | 6.2 | 5.2 | 7.4 | 28 | 4.5 | 2.9 | 6.6 |
| BALTIMORE METRO REGION | 88 | 6.1 | 4.9 | 7.6 | 74 | 6.7 | 5.3 | 8.5 | 13 | ~ | ~ | ~ |
| Anne Arundel | 18 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 23 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | 9 | ~ | ~ | ~ |
| Baltimore County | 34 | 6.6 | 4.6 | 9.5 | 34 | 7.5 | 5.2 | 11.0 | ~ | ~ | ~ | ~ |
| Carroll | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 14 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 47 | 5.9 | 4.3 | 7.8 | 32 | 5.6 | 3.8 | 8.1 | 12 | ~ | ~ | ~ |
| Montgomery | 30 | 6.1 | 4.1 | 8.8 | 26 | 6.2 | 4.1 | 9.6 | ~ | ~ | ~ | ~ |
| Prince George's | 17 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 15 | ~ | ~ | ~ | 15 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table M.55. Number of Multiple Myeloma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 218 | 4.5 | 3.9 | 5.1 | 146 | 3.9 | 3.3 | 4.6 | 70 | 7.5 | 5.8 | 9.6 |
| BALTIMORE METRO REGION | 113 | 4.7 | 3.8 | 5.6 | 70 | 3.7 | 2.9 | 4.7 | 43 | 8.5 | 6.1 | 11.5 |
| Anne Arundel | 18 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 33 | 5.0 | 3.4 | 7.0 | 10 | ~ | ~ | ~ | 23 | ~ | ~ | ~ |
| Baltimore County | 46 | 5.4 | 3.9 | 7.2 | 36 | 4.8 | 3.3 | 6.8 | 10 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 14 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 62 | 4.6 | 3.5 | 5.9 | 37 | 4.0 | 2.8 | 5.6 | 24 | ~ | ~ | ~ |
| Montgomery | 39 | 4.9 | 3.5 | 6.7 | 31 | 4.7 | 3.2 | 6.8 | 7 | ~ | ~ | ~ |
| Prince George's | 23 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | 17 | ~ | ~ | ~ |
| NORTHWEST REGION | 22 | ~ | ~ | ~ | 22 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table M.56. Number of Multiple Myeloma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 102 | 5.1 | 4.2 | 6.3 | 76 | 4.9 | 3.8 | 6.2 | 25 | ~ | ~ | ~ |
| BALTIMORE METRO REGION | 50 | 4.9 | 3.6 | 6.6 | 32 | 4.0 | 2.8 | 5.8 | 18 | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 11 | ~ | ~ | ~ |
| Baltimore County | 19 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 30 | 5.5 | 3.6 | 8.1 | 23 | ~ | ~ | ~ | 6 | ~ | ~ | ~ |
| Montgomery | 23 | ~ | ~ | ~ | 19 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NORTHWEST REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Multiple Myeloma

Table M.57. Number of Multiple Myeloma Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 116 | 4.1 | 3.4 | 4.9 | 70 | 3.2 | 2.5 | 4.1 | 45 | 7.7 | 5.6 | 10.3 |
| BALTIMORE METRO REGION | 63 | 4.4 | 3.4 | 5.7 | 38 | 3.5 | 2.5 | 4.9 | 25 | ~ | ~ | ~ |
| Anne Arundel | 9 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 19 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | 12 | ~ | ~ | ~ |
| Baltimore County | 27 | 5.4 | 3.5 | 8.0 | 20 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 32 | 4.1 | 2.8 | 5.8 | 14 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| Montgomery | 16 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 16 | ~ | ~ | ~ | ~ | ~ | ~ | ~ | 14 | ~ | ~ | ~ |
| NORTHWEST REGION | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

Table M.58. Number of Leukemia Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Both Genders, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 412 | 8.4 | 7.6 | 9.3 | 330 | 8.9 | 7.9 | 9.9 | 74 | 6.9 | 5.3 | 8.8 |
| BALTIMORE METRO REGION | 189 | 7.8 | 6.7 | 9.0 | 156 | 8.5 | 7.2 | 9.9 | 30 | 5.2 | 3.5 | 7.7 |
| Anne Arundel | 30 | 7.3 | 4.8 | 10.6 | 28 | 7.8 | 5.1 | 11.5 | ~ | ~ | ~ | ~ |
| Baltimore City | 45 | 6.7 | 4.9 | 9.1 | 25 | ~ | ~ | ~ | 20 | ~ | ~ | ~ |
| Baltimore County | 71 | 8.4 | 6.5 | 10.6 | 61 | 8.2 | 6.3 | 10.7 | 8 | ~ | ~ | ~ |
| Carroll | 11 | ~ | ~ | ~ | 11 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 17 | ~ | ~ | ~ | 17 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 15 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 37 | 8.4 | 5.9 | 11.7 | 34 | 9.2 | 6.4 | 13.0 | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 124 | 8.9 | 7.4 | 10.6 | 83 | 8.8 | 7.0 | 11.0 | 36 | 8.9 | 5.9 | 13.1 |
| Montgomery | 64 | 7.6 | 5.9 | 9.8 | 54 | 7.8 | 5.8 | 10.3 | 8 | ~ | ~ | ~ |
| Prince George's | 60 | 10.5 | 7.9 | 13.8 | 29 | 11.6 | 7.8 | 16.9 | 28 | 9.7 | 6.1 | 15.2 |
| NORTHWEST REGION | 33 | 7.6 | 5.2 | 10.7 | 32 | 7.7 | 5.2 | 10.9 | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 13 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 13 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 29 | 14.8 | 9.8 | 21.6 | 25 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 10 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

Table M.59. Number of Leukemia Deaths, Age-Adjusted Mortality Rates and 95% Confidence Intervals, By Region, County and Race, Maryland

Males, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|-------------|-------------|-------|------|-------------|-------------|-------|------|-------------|-------------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 211 | 10.6 | 9.2 | 12.2 | 168 | 11.1 | 9.4 | 12.9 | 39 | 9.1 | 6.3 | 13.3 |
| BALTIMORE METRO REGION | 98 | 9.7 | 7.8 | 11.9 | 79 | 10.2 | 8.1 | 12.9 | 18 | ~ | ~ | ~ |
| Anne Arundel | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 22 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | 13 | ~ | ~ | ~ |
| Baltimore County | 34 | 9.5 | 6.6 | 13.6 | 30 | 9.5 | 6.4 | 13.9 | ~ | ~ | ~ | ~ |
| Carroll | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 7 | ~ | ~ | ~ | 7 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 23 | ~ | ~ | ~ | 21 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 56 | 10.1 | 7.5 | 13.5 | 38 | 10.4 | 7.3 | 14.5 | 15 | ~ | ~ | ~ |
| Montgomery | 30 | 9.1 | 6.0 | 13.2 | 24 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Prince George's | 26 | 11.5 | 7.1 | 18.5 | 14 | ~ | ~ | ~ | 10 | ~ | ~ | ~ |
| NORTHWEST REGION | 19 | ~ | ~ | ~ | 18 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | 9 | ~ | ~ | ~ | 9 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 15 | ~ | ~ | ~ | 12 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | 9 | ~ | ~ | ~ | 8 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry

Leukemia

**Table M.60. Number of Leukemia Deaths, Age-Adjusted Mortality Rates and
95% Confidence Intervals, By Region, County and Race, Maryland**

Females, 2000

| Area | All Races | | | | White | | | | Black | | | |
|-------------------------|-----------|------|----------|----------|-------|------|----------|----------|-------|------|----------|----------|
| | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI | Count | Rate | Lower CI | Upper CI |
| MARYLAND | 201 | 7.0 | 6.1 | 8.1 | 162 | 7.4 | 6.3 | 8.7 | 35 | 5.4 | 3.7 | 7.7 |
| BALTIMORE METRO REGION | 91 | 6.4 | 5.1 | 7.9 | 77 | 7.2 | 5.7 | 9.1 | 12 | ~ | ~ | ~ |
| Anne Arundel | 11 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Baltimore City | 23 | ~ | ~ | ~ | 16 | ~ | ~ | ~ | 7 | ~ | ~ | ~ |
| Baltimore County | 37 | 7.4 | 5.2 | 10.4 | 31 | 7.2 | 4.8 | 10.7 | ~ | ~ | ~ | ~ |
| Carroll | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Harford | 10 | ~ | ~ | ~ | 10 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Howard | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| EASTERN SHORE REGION | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Caroline | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Cecil | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Dorchester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Kent | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Queen Anne's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Somerset | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Talbot | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Wicomico | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Worcester | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| NATIONAL CAPITAL REGION | 68 | 8.3 | 6.4 | 10.5 | 45 | 8.2 | 5.9 | 11.1 | 21 | ~ | ~ | ~ |
| Montgomery | 34 | 6.8 | 4.7 | 9.7 | 30 | 7.3 | 4.9 | 10.9 | ~ | ~ | ~ | ~ |
| Prince George's | 34 | 10.1 | 6.9 | 14.3 | 15 | ~ | ~ | ~ | 18 | ~ | ~ | ~ |
| NORTHWEST REGION | 14 | ~ | ~ | ~ | 14 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Allegany | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Frederick | 6 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Garrett | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Washington | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| SOUTHERN REGION | 14 | ~ | ~ | ~ | 13 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Calvert | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Charles | 7 | ~ | ~ | ~ | 6 | ~ | ~ | ~ | ~ | ~ | ~ | ~ |
| Saint Mary's | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ | ~ |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. Standard Population.

Rates based on cells with 25 or fewer cases are not presented.

Cells with 5 or fewer cases are not presented.

Source: Maryland Cancer Registry


VIII. APPENDICES

APPENDIX A: Code of Maryland Regulations

Department of Health and Mental Hygiene

CODE OF MARYLAND REGULATIONS 10.14.01

Cancer Registry



201 West Preston Street
Baltimore, Maryland 21201

November, 1997

Title 10
DEPARTMENT OF HEALTH AND MENTAL HYGIENE
Subtitle 14 CANCER CONTROL

Chapter 01 Cancer Registry

Authority: Health-General Article, §§18-203 and 18-204, Annotated Code of Maryland

.01 Scope.

These regulations define key terms, detail the information to be contained in a cancer report, and specify requirements of reporting facilities. In addition, these regulations identify requestors authorized to receive confidential data and allow a fee to be charged for data reports. An annual report shall be submitted by the Secretary to the Governor and the General Assembly.

.02 Definitions.

A. In this chapter, the following terms have the meanings indicated.

B. Terms Defined.

(1) "Cancer registry" means a computerized system to register all cases of reportable human cancer of Maryland residents, or nonresidents diagnosed or treated in Maryland.

(2) "Cancer report" means a one-time abstract from one or more of the following documents maintained by a reporting facility of each new case of reportable human cancer diagnosed or treated, and any other case of reportable human cancer initially diagnosed or treated for time periods as designated by the Secretary:

- (a) Medical record;
- (b) Pathology report; and
- (c) Radiological report.

(3) "Case of reportable human cancer" means the identification of a human cancer from the following list, which includes codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and the International Classification of Diseases for Oncology, Second Edition (ICD-O-2):

(a) All malignant neoplasms (ICD-9-CM Codes 140.0—208.9 and ICD-O-2 behavior code of "3") excluding the following basal and

10.14.01.02 DEPARTMENT OF HEALTH AND MENTAL HYGIENE

squamous cell carcinomas of the skin (the topography term "skin" is defined as ICD-O-2 topography codes C44.0—C44.9) with a behavior code of "3" (malignant) for the ICD-O-2 morphology numbers listed, except that these lesions are reportable for skin of the genital sites of the vagina, clitoris, vulva, prepuce, penis, and scrotum (ICD-9-CM Codes 184.0—184.4, 187.1, 187.4, and 187.7 and ICD-O-2 topography codes C51.0—C51.9, C52.9, C60.0, C60.9, and C63.2):

- (i) M-8000—8004 Neoplasms, malignant, NOS of skin,
 - (ii) M-8010—8045 Epithelial carcinomas of skin,
 - (iii) M-8050—8082 Papillary and squamous cell carcinomas of skin, and
 - (iv) M-8090—8110 Basal cell carcinomas;
- (b) All cases of carcinoma in situ (ICD-9-CM Codes 230.0—234.9 and ICD-O-2 behavior code of "2"), excluding the following basal and squamous cell carcinomas in situ of the skin (the topography term "skin" is defined as ICD-O-2 topography codes C44.0—C44.9) with a behavior code of "2" (in situ) for the ICD-O-2 morphology numbers listed, except that these lesions are reportable for skin of the genital sites of the vagina, clitoris, vulva, prepuce, penis, and scrotum (ICD-9-CM Codes 233.2, 233.5, and 233.6, and ICD-O-2 topography codes C51.0—C51.9, C52.9, C60.0, C60.9, and C63.2):
- (i) M-8000—8004 Neoplasms, malignant, NOS of skin,
 - (ii) M-8010—8045 Epithelial carcinomas of skin,
 - (iii) M-8050—8082 Papillary and squamous cell carcinomas of skin, and
 - (iv) M-8090—8110 Basal cell carcinomas;
- (c) Borderline malignancies of the ovary (ICD-9-CM Codes 183.0 and 236.2);
- (d) Neoplasms involving plasma cells as described in ICD-9-CM Code 238.6; or
- (e) Histology report using the terminology of cervical CIS, CIN3, or any combination of them.
- (4) "Computerized file" means an electronic data file using software approved for use by the Secretary, containing complete cancer report information transferable to a master electronic database system maintained by the Department.

(5) "Department" means the Department of Health and Mental Hygiene or a designee.

(6) "Freestanding ambulatory care facility" has the meaning stated in Health-General Article, §19-3B-01, Annotated Code of Maryland.

(7) "Freestanding laboratory" means a facility, place, establishment, or institution which performs a laboratory examination for a person, authorized by law to request the examination, in connection with the diagnosis of reportable human cancer, and licensed by the State pursuant to COMAR 10.10.01.04, and:

(a) Not under the administrative control of a hospital; or

(b) Under the administrative control of a hospital for a diagnosis of reportable human cancer of a nonhospitalized patient.

(8) "Freestanding therapeutic radiological center" means a facility, place, establishment, or institution performing radiological treatment for a person, authorized by law to request this treatment, in connection with a reportable human cancer, and licensed or registered by the State pursuant to COMAR 26.12.01.01, and not under the administrative control of a hospital.

(9) "Hospital" means a facility which is licensed by the State pursuant to COMAR 10.07.01.01.

(10) "Nonhospitalized patient not otherwise reported" means a patient diagnosed or treated for cancer in a physician's office without admission to a hospital or referral to a freestanding ambulatory care facility or freestanding therapeutic radiological center.

(11) "Physician" means an individual who practices medicine, as stated in Health Occupations Article, §14-101, Annotated Code of Maryland.

(12) "Reporting facility" means a hospital, freestanding laboratory, freestanding ambulatory care facility, or freestanding therapeutic radiological center.

(13) "Secretary" means the Secretary of Health and Mental Hygiene or a designee of the Secretary.

(14) "Tumor registry" means a data base of human cancer cases diagnosed or treated at a reporting facility.

10.14.01.03 DEPARTMENT OF HEALTH AND MENTAL HYGIENE

.03 Content of a Cancer Report.

A cancer report shall contain:

- A. Reasonably obtained patient demographic information, including risk factors;
- B. Relevant information on the:
 - (1) Initial diagnosis,
 - (2) Initial treatment,
 - (3) Extent of the disease by the end of the first hospitalization using a standard nomenclature specified by the Secretary, and
 - (4) Extent of the disease within 2 months of diagnosis using a standard nomenclature specified by the Secretary if the information is available to the reporting facility and the reporting facility has a tumor registry;
- C. Facility and other provider identification information; and
- D. Other requirements as considered necessary by the Secretary.

.04 Requirements of Reporting Facilities.

The reporting facility shall submit a:

- A. Cancer report to the Secretary in a computerized file containing standard information required by the Secretary;
- B. Computerized file not less than quarterly; and
- C. Completed report of any new individual case of cancer not later than 6 months after diagnosis or treatment.

.05 Confidentiality of Cancer Reports.

- A. Information obtained under Regulations .03 and .06 of this chapter is not a medical record under Health-General Article, §4-301, Annotated Code of Maryland, but is subject to the confidentiality requirements of Health-General Article, §4-101 et seq., Annotated Code of Maryland.

B. Confidential data may be released by the Secretary to:

- (1) An institution or individual researcher for medical, epidemiological, health care, or other cancer-related research approved by the Secretary, which will further the cancer control goals of the State;

- (2) A reporting facility which:
 - (a) Routinely submits cancer patient information to the cancer registry,
 - (b) Has been formally accepted as a participant in the cancer registry system, and
 - (c) Requests routine data relating to patients of the facility;
- (3) An out-of-State cancer registry or cancer control agency which requests routine data if the:
 - (a) Patient is a resident of the other state, and
 - (b) Other state has authority to provide equivalent information on Maryland residents to this State;
- (4) Each county health officer and the Baltimore City Commissioner of Health; and
- (5) Another governmental agency performing its lawful duties pursuant to State or federal law.

C. The Secretary shall release confidential data to a requestor in response to a written request only, in accordance with Health-General Article, §§4-101 and 4-102, Annotated Code of Maryland.

D. The release of confidential data is subject to a determination by the Secretary that a recipient of the information disclosed will maintain the confidentiality of the disclosure.

E. The summarization or aggregation of confidential records which does not disclose the identity of any person who is the subject of the confidential record is not subject to the provisions of Health-General Article, §4-101, Annotated Code of Maryland.

.06 Authority and Requirements of the Secretary.

A. To assure compliance by a reporting facility with Regulation .03 of this chapter, the Secretary may, upon advance notice, inspect a representative sample of medical records, pathology reports, or radiological reports maintained by a reporting facility, from which a cancer report should have been previously made.

B. The Secretary may charge a reasonable fee to cover the cost of providing data reports to appropriate requestors. All applicable fees shall be paid in full in advance of filling the request.

10.14.01.06 DEPARTMENT OF HEALTH AND MENTAL HYGIENE

C. After receiving all necessary information to support a request to release cancer registry data, the Secretary shall act in a timely manner and decide on the request with one of the following outcomes:

- (1) Final approval;
- (2) Interim approval, if the request has been accepted with one or more conditions which shall be met before final approval is granted; or
- (3) Disapproval.

D. The Secretary, in accordance with State Government Article, §2-1312, Annotated Code of Maryland, shall submit an annual report to the Governor and General Assembly on the activities of the cancer registry, including use of cancer registry data.

E. Nothing in this chapter is intended to limit or otherwise restrict the Secretary from obtaining cancer report information on Maryland residents from sources located either inside or outside the State.

Administrative History

Effective date: September 28, 1992 (19:19 Md. R. 1707)

Regulation .01 amended effective April 21, 1997 (24:8 Md. R. 616)

Regulation .02B amended effective April 26, 1993 (20:8 Md. R. 723); April 21, 1997
(24:8 Md. R. 616)

Regulation .04 amended effective April 21, 1997 (24:8 Md. R. 616)

APPENDIX B. SEER Primary Site Groupings

**SEER Cancer Site Groupings based on International Classification of Disease for Oncology,
Second Edition (ICD-O-2) Site and Morphology Codes**

| Major Sites | ICD-O-2 Site (C) / Morphology (M) Code | Excluding Morphology Codes |
|-----------------------------------|---|---|
| Oral Cavity and Pharynx | C000 - C148 | Exclude Types M9590 - M9989 |
| Esophagus | C150 - C159 | Exclude Types M9590 - M9989 |
| Stomach | C160 - C169 | Exclude Types M9590 - M9989 |
| Colon and Rectum | C180 - C189, C260, C199, C209 | Exclude Types M9590 - M9989 |
| Liver and Intrahepatic Bile Duct | C220 - C221 | Exclude Types M9590 - M9989 |
| Pancreas | C250 - C259 | Exclude Types M9590 - M9989 |
| Larynx | C320 - C329 | Exclude Types M9590 - M9989 |
| Lung and Bronchus | C340 - C349 | Exclude Types M9590 - M9989 |
| Bones and Joints | C400 - C419 | Exclude Types M9590 - M9989 |
| Soft Tissue | C380, C470 - C479, C490 - C499 | Exclude Types M9590 - M9989 |
| Melanomas of the Skin | C440 - C449 (M8720 - M879) | - |
| Breast | C500 - C509 | Exclude Types M9590 - M9989 |
| Cervix | C530 - C539 | Exclude Types M9590 - M9989 |
| Uterus | C540 - C549, C559 | Exclude Types M9590 - M9989 |
| Ovary | C569 | Exclude Types M9590 - M9989 |
| Prostate | C619 | Exclude Types M9590 - M9989 |
| Testis | C620 - C629 | Exclude Types M9590 - M9989 |
| Urinary Bladder | C670 - C679 | Exclude Types M9590 - M9989 |
| Kidney and Renal Pelvis | C649, C659 | Exclude Types M9590 - M9989 |
| Eye | C690 - C699 | Exclude Types M9590 - M9989 |
| Brain | C710 - C719 | Exclude Types M9590 - M9989, M9530 - M9539 |
| Other Nervous System | C710 - C719 (M9530 - M9539), C700 - C709, C720 - C729 | Exclude Types M9590 - M9989 |
| Thyroid | C739 | Exclude Types M9590 - M9989 |
| Leukemias | M9820 - M9826, M9828, M9860 - M9868, M9871 - M9874, M9890 - M9894, M9800 - M9804, M9841 - M9842, M9827, M9830, M9840, M9850, M9870, M9880 M9900, M9910, M9930 - M9941 | - |
| Hodgkin's Disease | M9650 - M9667 (All sites) | - |
| Non-Hodgkin's Lymphomas | M9590 - M9595, M9670 - M9715 (All sites) | - |
| Multiple Myeloma | M9731 - M9732 | - |
| Ill defined and unspecified sites | M9720 - M9723, M9740, M9741, M9950 M9760 - M9764, M9950 - M9989 C760 - C768, C809 (M8000 - M9589) C420 - C424 (M8000 - M9589) C770 - C779 (M8000 - M9589) | - |

Source: SEER Cancer Statistics Review

APPENDIX C. Year 2000 Standard Population

| The 1970 and Year 2000 U.S. Standard Populations | | |
|---|-----------------------------|-------------|
| | 1,000,000 Population | |
| Age Group | 1970 | 2000 |
| Under 5 | 84,416 | 69,135 |
| 5-9 | 98,204 | 72,533 |
| 10-14 | 102,304 | 73,032 |
| 15-19 | 93,845 | 72,169 |
| 20-24 | 80,561 | 66,478 |
| 25-29 | 66,320 | 64,529 |
| 30-34 | 56,249 | 71,044 |
| 35-39 | 54,656 | 80,762 |
| 40-44 | 58,958 | 81,851 |
| 45-49 | 59,622 | 72,118 |
| 50-54 | 54,643 | 62,716 |
| 55-59 | 49,077 | 48,454 |
| 60-64 | 42,403 | 38,793 |
| 65-69 | 34,406 | 34,264 |
| 70-74 | 26,789 | 31,773 |
| 75-79 | 18,871 | 26,999 |
| 80-84 | 11,241 | 17,842 |
| 85+ | 7,435 | 15,508 |

Source: US Census Bureau

The services and facilities of the Maryland State Department of Health and Mental Hygiene (DHMH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges and accommodations.

The Department, in compliance with the Americans and Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from DHMH services, programs, benefits, and employment opportunities.